

World Journal of *Gastroenterology*

World J Gastroenterol 2017 November 7; 23(41): 7347-7494



ORIGINAL ARTICLE

Basic Study

- 7347 Reabsorption of iron into acutely damaged rat liver: A role for ferritins
Malik IA, Wilting J, Ramadori G, Naz N
- 7359 Region-dependent effects of diabetes and insulin-replacement on neuronal nitric oxide synthase- and heme oxygenase-immunoreactive submucous neurons
Bódi N, Szalai Z, Chandrakumar L, Bagyánszki M
- 7369 Parallel mRNA, proteomics and miRNA expression analysis in cell line models of the intestine
O'Sullivan F, Keenan J, Aherne S, O'Neill F, Clarke C, Henry M, Meleady P, Breen L, Barron N, Clynes M, Horgan K, Doolan P, Murphy R

Retrospective Cohort Study

- 7387 Fecal calprotectin measurement is a marker of short-term clinical outcome and presence of mucosal healing in patients with inflammatory bowel disease
Kostas A, Siakavellas SI, Kosmidis C, Takou A, Nikou J, Maropoulos G, Vlachogiannakos J, Papatheodoridis GV, Papaconstantinou I, Bamias G

Retrospective Study

- 7397 Endoscopic balloon dilation of crohn's disease strictures-safety, efficacy and clinical impact
Lopes S, Rodrigues-Pinto E, Andrade P, Afonso J, Baron TH, Magro F, Macedo G
- 7407 Survival analysis based on human epidermal growth factor 2 status in stage II - III gastric cancer
Cho JH, Lim JY, Cho JY
- 7415 Efficacy of postoperative adjuvant transcatheter arterial chemoembolization in hepatocellular carcinoma patients with microvascular invasion
Ye JZ, Chen JZ, Li ZH, Bai T, Chen J, Zhu SL, Li LQ, Wu FX
- 7425 Value of gamma-glutamyltranspeptidase-to-platelet ratio in diagnosis of hepatic fibrosis in patients with chronic hepatitis B
Hu YC, Liu H, Liu XY, Ma LN, Guan YH, Luo X, Ding XC

Observational Study

- 7433 Anatomic isolated caudate lobectomy: Is it possible to establish a standard surgical flow?
Jin Y, Wang L, Yu YQ, Zhou DE, Liu DR, Yang JJ, Peng SY, Li JT

- 7440** Circulating miRNAs as biomarkers for severe acute pancreatitis associated with acute lung injury

Lu XG, Kang X, Zhan LB, Kang LM, Fan ZW, Bai LZ

Prospective Study

- 7450** Scoring systems for peptic ulcer bleeding: which one to use?

Budimir I, Stojšavljević S, Baršić N, Biščanin A, Mirošević G, Bohnec S, Kirigin LS, Pavić T, Ljubičić N

Randomized Controlled Trial

- 7459** Tenofovir vs lamivudine plus adefovir in chronic hepatitis B: TENOSIMP-B study

Rodríguez M, Pascasio JM, Fraga E, Fuentes J, Prieto M, Sánchez-Antolín G, Calleja JL, Molina E, García-Buey LM, Blanco MÁ, Salmerón J, Bonet ML, Pons JA, González JM, Casado MA, Jorquera F; the TENOSIMP-B Research Group

- 7470** Clinical outcomes of transcatheter selective superior mesenteric artery urokinase infusion therapy vs transjugular intrahepatic portosystemic shunt in patients with cirrhosis and acute portal vein thrombosis

Jiang TT, Luo XP, Sun JM, Gao J

CASE REPORT

- 7478** Extraordinary response of metastatic pancreatic cancer to apatinib after failed chemotherapy: A case report and literature review

Li CM, Liu ZC, Bao YT, Sun XD, Wang LL

- 7489** 3D-printed "fistula stent" designed for management of enterocutaneous fistula: An advanced strategy

Huang JJ, Ren JA, Wang GF, Li ZA, Wu XW, Ren HJ, Liu S

ABOUT COVER

Editorial board member of *World Journal of Gastroenterology*, Sandro Contini, MD, Associate Professor, Department of Surgical Sciences, Faculty of Medicine, University of Parma, Parma 43126, Italy

AIMS AND SCOPE

World Journal of Gastroenterology (*World J Gastroenterol*, *WJG*, print ISSN 1007-9327, online ISSN 2219-2840, DOI: 10.3748) is a peer-reviewed open access journal. *WJG* was established on October 1, 1995. It is published weekly on the 7th, 14th, 21st, and 28th each month. The *WJG* Editorial Board consists of 1375 experts in gastroenterology and hepatology from 68 countries.

The primary task of *WJG* is to rapidly publish high-quality original articles, reviews, and commentaries in the fields of gastroenterology, hepatology, gastrointestinal endoscopy, gastrointestinal surgery, hepatobiliary surgery, gastrointestinal oncology, gastrointestinal radiation oncology, gastrointestinal imaging, gastrointestinal interventional therapy, gastrointestinal infectious diseases, gastrointestinal pharmacology, gastrointestinal pathophysiology, gastrointestinal pathology, evidence-based medicine in gastroenterology, pancreatology, gastrointestinal laboratory medicine, gastrointestinal molecular biology, gastrointestinal immunology, gastrointestinal microbiology, gastrointestinal genetics, gastrointestinal translational medicine, gastrointestinal diagnostics, and gastrointestinal therapeutics. *WJG* is dedicated to become an influential and prestigious journal in gastroenterology and hepatology, to promote the development of above disciplines, and to improve the diagnostic and therapeutic skill and expertise of clinicians.

INDEXING/ABSTRACTING

World Journal of Gastroenterology (*WJG*) is now indexed in Current Contents[®]/Clinical Medicine, Science Citation Index Expanded (also known as SciSearch[®]), Journal Citation Reports[®], Index Medicus, MEDLINE, PubMed, PubMed Central and Directory of Open Access Journals. The 2017 edition of Journal Citation Reports[®] cites the 2016 impact factor for *WJG* as 3.365 (5-year impact factor: 3.176), ranking *WJG* as 29th among 79 journals in gastroenterology and hepatology (quartile in category Q2).

FLYLEAF

I-IX Editorial Board

EDITORS FOR THIS ISSUE

Responsible Assistant Editor: Xiang Li
Responsible Electronic Editor: Yan Huang
Proofing Editor-in-Chief: Lian-Sheng Ma

Responsible Science Editor: Ke Chen
Proofing Editorial Office Director: Jin-Lei Wang

NAME OF JOURNAL
World Journal of Gastroenterology

ISSN
ISSN 1007-9327 (print)
ISSN 2219-2840 (online)

LAUNCH DATE
October 1, 1995

FREQUENCY
Weekly

EDITORS-IN-CHIEF
Damian Garcia-Olmo, MD, PhD, Doctor, Professor, Surgeon, Department of Surgery, Universidad Autonoma de Madrid; Department of General Surgery, Fundacion Jimenez Diaz University Hospital, Madrid 28040, Spain

Stephen C Strom, PhD, Professor, Department of Laboratory Medicine, Division of Pathology, Karolinska Institutet, Stockholm 141-86, Sweden

Andrzej S Tarnawski, MD, PhD, DSc (Med), Professor of Medicine, Chief Gastroenterology, VA Long Beach Health Care System, University of California, Irvine, CA, 5901 E. Seventh Str., Long Beach,

CA 90822, United States

EDITORIAL BOARD MEMBERS
All editorial board members resources online at <http://www.wjgnet.com/1007-9327/editorialboard.htm>

EDITORIAL OFFICE
Jin-Lei Wang, Director
Yuan Qi, Vice Director
Ze-Mao Gong, Vice Director
World Journal of Gastroenterology
Baishideng Publishing Group Inc
7901 Stoneridge Drive, Suite 501,
Pleasanton, CA 94588, USA
Telephone: +1-925-2238242
Fax: +1-925-2238243
E-mail: editorialoffice@wjgnet.com
Help Desk: <http://www.f6publishing.com/helpdesk>
<http://www.wjgnet.com>

PUBLISHER
Baishideng Publishing Group Inc
7901 Stoneridge Drive, Suite 501,
Pleasanton, CA 94588, USA
Telephone: +1-925-2238242
Fax: +1-925-2238243
E-mail: bpgoffice@wjgnet.com
Help Desk: <http://www.f6publishing.com/helpdesk>

<http://www.wjgnet.com>

PUBLICATION DATE
November 7, 2017

COPYRIGHT
© 2017 Baishideng Publishing Group Inc. Articles published by this Open-Access journal are distributed under the terms of the Creative Commons Attribution Non-commercial License, which permits use, distribution, and reproduction in any medium, provided the original work is properly cited, the use is non commercial and is otherwise in compliance with the license.

SPECIAL STATEMENT
All articles published in journals owned by the Baishideng Publishing Group (BPG) represent the views and opinions of their authors, and not the views, opinions or policies of the BPG, except where otherwise explicitly indicated.

INSTRUCTIONS TO AUTHORS
Full instructions are available online at <http://www.wjgnet.com/bpg/gerinfo/204>

ONLINE SUBMISSION
<http://www.f6publishing.com>

3D-printed “fistula stent” designed for management of enterocutaneous fistula: An advanced strategy

Jin-Jian Huang, Jian-An Ren, Ge-Fei Wang, Zong-An Li, Xiu-Wen Wu, Hua-Jian Ren, Song Liu

Jin-Jian Huang, Jian-An Ren, Ge-Fei Wang, Xiu-Wen Wu, Hua-Jian Ren, Department of Surgery, Jinling Hospital, Nanjing 210002, Jiangsu Province, China

Jin-Jian Huang, School of Medicine, Southeast University, Nanjing 210009, Jiangsu Province, China

Zong-An Li, NARI School of Electrical and Automation Engineering, Nanjing Normal University, Nanjing 210042, Jiangsu Province, China

Song Liu, Department of General Surgery, Nanjing Drum Tower Hospital, Nanjing 210008, Jiangsu Province, China

ORCID number: Jin-Jian Huang (0000-0002-8951-8935); Jian-An Ren (0000-0002-4697-4762); Ge-Fei Wang (0000-0002-6017-2291); Zong-An Li (0000-0002-3580-5891); Xiu-Wen Wu (0000-0001-5319-2665); Hua-Jian Ren (0000-0002-2205-4072); Song Liu (0000-0002-4780-9697).

Author contributions: Huang JJ and Ren JA designed this report; Wang GF performed the 3D-reconstructed fistulography; Huang JJ and Li ZA fabricated this 3D-printed fistula stent; Ren JA and Ren HJ implanted the fistula stent; Wu XW and Liu S followed up the patient and recorded his medical information.

Supported by the National Natural Science Foundation of China, No. 81571881.

Informed consent statement: Written informed consent was obtained from the patient.

Conflict-of-interest statement: We declared no potential conflicts of interest with respect to the research, authorship and publication of this article.

Open-Access: This article is an open-access article which was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and

the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>

Manuscript source: Unsolicited manuscript

Correspondence to: Jian-An Ren, MD, FACS, Director, Department of Surgery, Jinling Hospital, 305 East Zhongshan Road, Nanjing 210002, Jiangsu Province, China. jiananr@gmail.com
Telephone: +86-13605169808
Fax: +86-25-80860376

Received: September 19, 2017

Peer-review started: September 20, 2017

First decision: September 27, 2017

Revised: September 29, 2017

Accepted: October 18, 2017

Article in press: October 17, 2017

Published online: November 7, 2017

Abstract

Enterocutaneous fistulas (ECFs) are great challenges during the open abdomen. The loss of digestive juice, water-electrolyte imbalance and malnutrition are intractable issues during management of ECF. Techniques such as “fistula patch” and vacuum-assisted closure therapy have been applied to prevent contamination of open abdominal wounds by intestinal fistula drainage. However, failures are encountered due to high-output fistula and anatomical complexity. Here, we report 3D-printed patient-personalized fistula stent for ECF treatment based on 3D reconstruction of the fistula image. Subsequent follow-up demonstrated that this stent was well-implanted and effective to reduce the volume of enteric fistula effluent.

Key words: Enterocutaneous fistula; 3D printing; Open abdomen; Isolation technique

Core tip: There are few reports about how to manage enterocutaneous fistulas (ECFs) after open abdomen, especially those that are unlikely to achieve spontaneous closure. This case report describes how to use 3D printing technique to fabricate a fistula stent in accordance with the ECF anatomy, and how the stent can improve enteric effluent, patient's nutrition and physical strength, and surrounding wound inflammation.

Huang JJ, Ren JA, Wang GF, Li ZA, Wu XW, Ren HJ, Liu S. 3D-printed "fistula stent" designed for management of enterocutaneous fistula: An advanced strategy. *World J Gastroenterol* 2017; 23(41): 7489-7494 Available from: URL: <http://www.wjgnet.com/1007-9327/full/v23/i41/7489.htm> DOI: <http://dx.doi.org/10.3748/wjg.v23.i41.7489>

INTRODUCTION

Enterocutaneous fistula (ECF) is defined as an abnormal, unintentional connection between the gastrointestinal (GI) tract and the skin or the GI tract and the atmosphere (enteroatmospheric fistula, EAF) in the open abdomen (OA)^[1]. Protective strategies such as Bogota bag, mesh products, Wittman patch and vacuum-assisted closure (VAC) therapy have been devised, which nevertheless fail to prevent the occurrence of ECF with an incidence of 5.7%-54.5%^[2]. Patients with ECF have life-threatening malnutrition and sepsis, with a mortality rate 6%-33%^[3].

Since the enteric effluent consists of pancreatic fluid, bile and intestinal secretions, uncontrolled effluent of ECF leads to repeated inflammation of surrounding skin. In addition, the loss of excessive digestive juice adds to the severity of water-electrolyte imbalance. Therefore, controlling the enteric effluent has become the key step during the management of ECF^[4].

Recent progress of negative pressure wound therapy (NPWT) has been achieved in OA management, which could significantly improve the healing process and induce spontaneous fistula closure. However, it appears to be impossible for the ECF to achieve spontaneous closure with mucosal protrusion^[5]. For those who are unlikely to achieve spontaneous closure, definitive fistula resection is required after relief from all (or most) associated complications, and the abdominal cavity has become a less hostile environment. For this purpose, we introduced a novel isolation technique using 3D-printed "fistula stent" designed from 3D reconstruction of the

fistula image to prevent the loss of enteric effluent.

CASE REPORT

A 45-year-old man was admitted to the local hospital after a traffic accident on January 2, 2017. His abdomen was struck directly by the handlebar of a motorcycle. Physical examination revealed abdominal tenderness and pelvic deformity. X-ray imaging suggested digestive tract perforation and pelvic fracture. Emergency laparotomy found two lesions of GI tract rupture that were surgically repaired. Pelvic fracture fixation was performed as well. On postoperative day 1, the patient presented with high fever, chill, dysphoria and fluid leakage from the surgical incision, which was confirmed as digestive juice by amylase. The patient was immediately transferred to the First Affiliated Hospital of Zhengzhou University. After carrying out open abdomen and double-pipe drainage, and administration of anti-bacterial agents, antacids and parenteral nutrition, the symptoms were relieved. However, the fistula did not show any tendency to achieve spontaneous closure and the surrounding tissues were severely contaminated by enteric effluent. Therefore, the patient was transferred to our hospital on June 8.

In order to reduce the surrounding tissue inflammation and maintain homeostasis, we tried to implant the "fistula patch" to block the enteric effluent^[6], but failed because the patch did not match with the structure of the ECF. After investigating the anatomy of the ECF using 3D-reconstructed fistulography of contrast-mediated, high-resolution CT scanning, we found an angled GI tract connecting the ECF (Figure 1A and B, Supplementary Figure 1). In this case, fistula patch did not fit the shape of the GI tract. Therefore, we set our sights on the advanced technique of 3D printing. Two parameters were measured on the 3D reconstructive image: (1) the diameters of the proximal and distal GI tract (15 mm and 12 mm, respectively); (2) the angle between the proximal and distal GI tract (105°). These parameters were used to design a model of the fistula stent using Solidwork software (Supplementary Figure 2), followed by saving as an STL file for recognition by the 3D printer.

Thermoplastic urethane (TPU) is a biocompatible material with flexible mechanical properties, and has been used in medical devices such as catheters, pace-maker leads and vascular grafts^[7]. TPU fuses at 230-260 °C and is deposited at room temperature. Therefore, TPU was chosen as the raw material to print the fistula stent. TPU powder of pharmaceutical grade was purchased from Shanghai JiangLai CO. LTD and processed into filaments using hot extrusion machine.




Figure 1 Fabrication and implantation of 3D-printed fistula stent. A and B: 3D-reconstructed fistulography of the ECF: the diameters of the proximal and distal GI tract were 15 mm and 12 mm, respectively, bar = 1 mm (red arrow: ECF); C: Flexibility of fistula stent made of TPU, bar = 15 mm; D: Shape memory of the fistula stent after application of an external force, bar = 15 mm; E and G: The process of the fistula stent implantation. ECF: Enterocutaneous fistula.




Figure 2 3D printing technique. A: Schematic diagram of the 3D printing technique; B: 3D-printed models: Column, semi-column and tortuous semi-column, bar = 1 cm.

A 3D printer of FDM pattern was used to print the fistula stent from STL file (Video 1). The 3D printing technique was capable of making the real product from the designed image regardless of the column, semi-column and tortuous semi-column (Figure 2). The stent was also consistent with the design, and had the ability to bend (Figure 1C) and recover (Figure 1D) the shape. A protuberance was located at the corner of the stent for sewing and immobilization.

The safety of the stent was detected using MTT assay^[8]. Generally, the leachate was obtained by immersion of stent in 10 mL DMEM with 10% FBS. 10×10^4 fibroblasts (L929) was seeded into 200 μ L

fresh DMED or 200 μ L leachate in a 96-well plate, followed by incubation at 37 °C for 24 h, 48 h and 72 h. Then, MTT (5 mg/mL) reagent was added to each well and further incubated for 4 h. Afterwards, the formazan salt was dissolved with 200 μ L DMSO. As soon as thoroughly dissolved, the solution was added to a new plate and measured with a microplate Spectrophotometer at 570 nm ($n = 3$). As shown in Supplementary Figure 3, the result indicated the leachate of stent did not influence the cell viability and exhibited a good biocompatibility.

The fistula stent was trimmed on its two sides. It was then implanted through the fistula orifice,




Figure 3 Follow-up after stent implantation. A: Image of small intestine after barium meal, indicating no obstruction; B: Image of colon after barium meal, indicating that contrast passed through the stent smoothly (red arrow: fistula stent); C: Loss of enteric effluent and the time of exercise tolerance before and after stent implantation. ^aTime point of stent insertion; ^bTime point of starting EN; ^cTime point of skin transplantation; D and E: 3D-reconstructed images after barium meal, indicating no abnormality after starting EN; F: Skin transplantation for abdominal wall reconstruction (red arrow: skin graft). EN: Enteral nutrition.

and fixed with threads and adhesive tapes on June 17 (Figure 1E-G, Video 2).

Two days after implantation, a barium meal examination was carried out to investigate patency of the GI tract. The barium was able to pass through the GI tract smoothly without obstruction (Figure 3A), and the fistula stent was ambiguously displayed (Figure 3B). Therefore, octreotide was stopped and enteral nutrition (EN) began on June 21 to prepare for the future definitive fistula resection. On June 26, a barium meal indicated that the bowel was well tolerated to EN without obstruction (Figure 3D and E). The loss of enteric effluent was recorded from 3 d before implantation. At that point, the amount of lost enteric effluent was calculated using the following formula: $V_{\text{loss}} = V_{\text{drainage}} - V_{\text{irrigation}}$; where V_{drainage} represented the amount of drainage fluid from the fistula orifice, and $V_{\text{irrigation}}$ the volume of fistula irrigation fluid. After stent insertion, the V_{loss} was equivalent to the amount of drainage fluid as follows: $V_{\text{loss}} = V_{\text{drainage}}$. As shown in Figure 3C, the patient presented with low output ECF (< 500 mL/24 h) before implantation. On the day of implantation, V_{loss} was significantly decreased. Subsequently, the loss of enteric effluent was maintained at a low level even when EN was

administered. Leakage of enteric effluent only occurred during postural change, especially from standing to lying. Simply lying, standing or walking did not lead to the leakage. In that case, it was convenient to remove the leaked enteric effluent and take good care of the surrounding granulation tissues. The patient had greater tolerance to physical rehabilitation, potentially due to reduced loss of enteric effluent and regaining EN. Abdominal wall reconstruction was performed by skin transplantation (Figure 3F) and the skin graft survived after 7 d. Afterwards, the patient was discharged to a rehabilitation center for wound healing and future ECF resection. On September 20, the patient received ECF resection and was discharged 10 d later.

DISCUSSION

In this report, we described a novel fistula stent using both 3D reconstruction of an ECF image and 3D printing technique. The fistula stent complied with the complicated ECF anatomy. Two points are very important to design the stent: bowel diameters and angle.

This method is an ideal supplement to NPWT

techniques since the stent can create an isolated environment for ECFs that cannot achieve spontaneous closure. Compared with our previous plugging strategies such as fistula patch and fibrin glue^[9], this fistula stent complies with the shape and direction of the ECF, which leads to less mechanical damage to the surrounding GI mucosa. Moreover, it could reduce the loss of enteric effluent, thus preventing water-electrolyte imbalance. It has been reported that fistuloclysis lessens the loss of enteric effluent *via* collecting the proximal ECF output and reinfusing through the fistula feeding tube^[3]. However, it still has several disadvantages such as distal location of the fistula, inability to cannulate the fistula to obtain distal enteral access, or rejection by patients to infuse the enteric contents after they have left the body. The fistula stent was capable of overcoming these difficulties by its patient-personalized design and restoration of GI tract integrity.

Rebibo *et al.*^[10] reported a new treatment to manage ECFs by stent placement under the endoscopic guidance in patients with terminal ileostomy. However, their method was different from the fistula stent in our study. First, it was not necessary for us to enroll patients with terminal ileostomy because the stent was short and flexible enough for implantation. Second, the process of the implantation was simpler. Third, the cross-section of our stent was not a full circle, which meant less GI mucosa was influenced by this intervention. Based on the superiority of the 3D-printed fistula stent, a study with a larger number of patients is needed to confirm the applicability of this treatment.

In conclusion, as a tailored GI isolation technique, a 3D-printed fistula stent was fabricated under the guidance of 3D-reconstructed fistulography, and was effective for control of the loss of enteric effluent in this ECF patient. Therefore, this method should be advocated, and the clinical outcomes merit further investigation.

COMMENTS

Case characteristics

A 45-year-old man was referred to our hospital because of non-healing enterocutaneous fistula after open abdomen.

Clinical diagnosis

The clinical diagnosis was enterocutaneous fistula of small intestine.

Differential diagnosis

Intestinal perforation, surgical site infections, or abdominal wall deformity.

Laboratory diagnosis

Enterocutaneous fistula of small intestine by detection of amylase in drainage fluid.

Imaging diagnosis

Enterocutaneous fistula of small intestine by X-ray.

Treatment

3D-printed fistula stent was highlight during management of the enterocutaneous fistula (ECF) patient.

Related reports

Previously, traditional stent was reported to manage ECF in patients with terminal ileostomy.

Term explanation

ECF is defined as an abnormal, unintentional connection between the gastrointestinal (GI) tract and the skin or the GI tract and the atmosphere in the open abdomen.

Experiences and lessons

The 3D-printed fistula stent can be designed to match with ECF anatomy and reduce the loss of enteric effluent and prevent the contamination of surrounding granulation tissues, thus leading to making a good preparation of ECF resection.

Peer-review

Authors reported how to use 3D-printed fistula stent to manage ECF. The method was novel and very interesting.

REFERENCES

- Schechter WP, Hirshberg A, Chang DS, Harris HW, Napolitano LM, Wexner SD, Dudrick SJ. Enteric fistulas: principles of management. *J Am Coll Surg* 2009; **209**: 484-491 [PMID: 19801322 DOI: 10.1016/j.jamcollsurg.2009.05.025]
- Di Saverio S, Tarasconi A, Walczak DA, Cirocchi R, Mandrioli M, Birindelli A, Tugnoli G. Classification, prevention and management of entero-atmospheric fistula: a state-of-the-art review. *Langenbecks Arch Surg* 2016; **401**: 1-13 [PMID: 26867939 DOI: 10.1007/s00423-015-1370-3]
- Ortiz LA, Zhang B, McCarthy MW, Kaafarani HMA, Fagenholz P, King DR, De Moya M, Velmahos G, Yeh DD. Treatment of Enterocutaneous Fistulas, Then and Now. *Nutr Clin Pract* 2017; **32**: 508-515 [PMID: 28358595 DOI: 10.1177/0884533617701402]
- Yetisir F, Sarer AE, Aldan M. New isolation technique for enteroatmospheric fistula in Björck 4 open abdomen. *Hernia* 2017; **21**: 809-812 [PMID: 28417280 DOI: 10.1007/s10029-017-1614-y]
- Bobkiewicz A, Walczak D, Smoliński S, Kasprzyk T, Studniarek A, Borejsza-Wysocki M, Ratajczak A, Marciniak R, Drews M, Banasiewicz T. Management of enteroatmospheric fistula with negative pressure wound therapy in open abdomen treatment: a multicentre observational study. *Int Wound J* 2017; **14**: 255-264 [PMID: 27000995 DOI: 10.1111/iwj.12597]
- Wang G, Ren J, Liu S, Wu X, Gu G, Li J. "Fistula patch": making the treatment of enteroatmospheric fistulae in the open abdomen easier. *J Trauma Acute Care Surg* 2013; **74**: 1175-1177 [PMID: 23511162 DOI: 10.1097/TA.0b013e318282705e]
- Santerre JP, Woodhouse K, Laroche G, Labow RS. Understanding the biodegradation of polyurethanes: from classical implants to tissue engineering materials. *Biomaterials* 2005; **26**: 7457-7470 [PMID: 16024077 DOI: 10.1016/j.biomaterials.2005.05.079]
- Zhang S, Guo Y, Dong Y, Wu Y, Cheng L, Wang Y, Xing M, Yuan Q. A Novel Nanosilver/Nanosilica Hydrogel for Bone Regeneration in Infected Bone Defects. *ACS Appl Mater Interfaces* 2016; **8**: 13242-13250 [PMID: 27167643 DOI: 10.1021/acsami.6b01432]
- Papavramidis ST, Eleftheriadis EE, Apostolidis DN, Kotzampassi KE. Endoscopic fibrin sealing of high-output non-healing

gastrocutaneous fistulas after vertical gastropasty in morbidly obese patients. *Obes Surg* 2001; **11**: 766-769 [PMID: 11775579 DOI: 10.1381/09608920160558759]

10 **Rebibo L**, Wacrenier A, Thiebault H, Delcenserie R, Regimbeau

JM. Combined endoscopic and surgical covered stent placement: a new tailored treatment for enteroatmospheric fistula in patients with terminal ileostomy. *Endoscopy* 2017; **49**: E35-E36 [PMID: 28068698 DOI: 10.1055/s-0042-121489]

P- Reviewer: Fujino Y, Garg P **S- Editor:** Wei LJ **L- Editor:** A
E- Editor: Huang Y





Published by **Baishideng Publishing Group Inc**
7901 Stoneridge Drive, Suite 501, Pleasanton, CA 94588, USA
Telephone: +1-925-223-8242
Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com
Help Desk: <http://www.f6publishing.com/helpdesk>
<http://www.wjgnet.com>



ISSN 1007-9327

