

Fang-Fang Ji, Science Editor, Editorial Office  
**Baishideng Publishing Group Inc**  
E-mail: [f.f.ji@wjgnet.com](mailto:f.f.ji@wjgnet.com)

July 6<sup>th</sup> 2016

**Re: Revision of Manuscript 26874**

Dear Dr. Ji.


Please find attached the revised solicited manuscript entitled *Hemodynamic Monitoring in Heart Failure and Pulmonary Hypertension: From Analog Tracings to the Digital Age*.

There were essentially no comments from the reviewers. We have revised the manuscript with the addition of the a short abstract, core tip and audio core tip. We also changed the reference formatting and one of the figures.

We also include a conflict of interest statement for Dr. Raina, the google scholar screen shot and copyright agreement. We also ran the manuscript through Safeassign, a competing program to Crosscheck to which we already have access and this came out at 0% (see screenshot included); Crosscheck required a \$100 fee which we do not wish to pay.

We hope we have addressed all the requested comments and the manuscript will now be ready for final proofs and then publication.

Yours sincerely,



**Amresh Raina M.D., F.A.C.C.**

Associate Director, Pulmonary Hypertension Program  
Allegheny General Hospital  
Assistant Professor of Medicine  
Temple University School of Medicine  
320 East North Avenue  
Pittsburgh, PA 15212-4772  
Phone: 412-359-4760  
Fax: 412-359-6544



**Allegheny**  
Health Network

**Allegheny General Hospital**

320 East North Avenue  
Pittsburgh, PA 15212-4772

[ahn.org](http://ahn.org)

Email: [amresh.raina@ahn.org](mailto:amresh.raina@ahn.org)