

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Gastrointestinal Endoscopy

ESPS manuscript NO: 30257

Title: Use of volumetric laser endomicroscopy for dysplasia detection at the gastroesophageal junction and gastric cardia

Reviewer's code: 01047575

Reviewer's country: China

Science editor: Jin-Xin Kong

Date sent for review: 2016-09-23 11:37

Date reviewed: 2016-10-20 23:38

| CLASSIFICATION | LANGUAGE EVALUATION | SCIENTIFIC MISCONDUCT | CONCLUSION |
|---|---|--|--|
| <input type="checkbox"/> Grade A: Excellent | <input type="checkbox"/> Grade A: Priority publishing | Google Search: | <input type="checkbox"/> Accept |
| <input type="checkbox"/> Grade B: Very good | <input checked="" type="checkbox"/> Grade B: Minor language polishing | <input type="checkbox"/> The same title | <input type="checkbox"/> High priority for publication |
| <input checked="" type="checkbox"/> Grade C: Good | <input type="checkbox"/> Grade C: A great deal of language polishing | <input type="checkbox"/> Duplicate publication | <input type="checkbox"/> Rejection |
| <input type="checkbox"/> Grade D: Fair | <input type="checkbox"/> Grade D: Rejected | <input checked="" type="checkbox"/> No | <input checked="" type="checkbox"/> Minor revision |
| <input type="checkbox"/> Grade E: Poor | | BPG Search: | <input type="checkbox"/> Major revision |
| | | <input type="checkbox"/> The same title | |
| | | <input type="checkbox"/> Duplicate publication | |
| | | <input type="checkbox"/> Plagiarism | |
| | | <input checked="" type="checkbox"/> No | |

COMMENTS TO AUTHORS

This retrospective study correlate VLE imaging characteristics with histology at the GEJ and gastric cardia, which is helpful to determine specific features associated with neoplasia. There are some shortcomings in this study. 1、Abbreviation should be explained in the first presence. 2、The flow chart should be listed for the cases, which can explain the reasons of exclusion well. 3、The main concern for clinician is the diagnostic accuracy and safety of a new technique. Therefore, the complication and the diagnostic accuracy of VLE should be listed.

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Gastrointestinal Endoscopy

ESPS manuscript NO: 30257

Title: Use of volumetric laser endomicroscopy for dysplasia detection at the gastroesophageal junction and gastric cardia

Reviewer's code: 00724450

Reviewer's country: Turkey

Science editor: Jin-Xin Kong

Date sent for review: 2016-09-23 11:37

Date reviewed: 2016-10-22 00:57

| CLASSIFICATION | LANGUAGE EVALUATION | SCIENTIFIC MISCONDUCT | CONCLUSION |
|--|--|--|---|
| <input type="checkbox"/> Grade A: Excellent | <input checked="" type="checkbox"/> Grade A: Priority publishing | Google Search: | <input type="checkbox"/> Accept |
| <input checked="" type="checkbox"/> Grade B: Very good | <input type="checkbox"/> Grade B: Minor language polishing | <input type="checkbox"/> The same title | <input checked="" type="checkbox"/> High priority for publication |
| <input type="checkbox"/> Grade C: Good | <input type="checkbox"/> Grade C: A great deal of language polishing | <input type="checkbox"/> Duplicate publication | <input type="checkbox"/> Rejection |
| <input type="checkbox"/> Grade D: Fair | <input type="checkbox"/> Grade D: Rejected | <input checked="" type="checkbox"/> No | <input type="checkbox"/> Minor revision |
| <input type="checkbox"/> Grade E: Poor | | BPG Search: | <input type="checkbox"/> Major revision |
| | | <input type="checkbox"/> The same title | |
| | | <input type="checkbox"/> Duplicate publication | |
| | | <input type="checkbox"/> Plagiarism | |
| | | <input checked="" type="checkbox"/> No | |

COMMENTS TO AUTHORS

Dear Editor Gupta et al. presented a study title as "The Use of Volumetric Laser Endomicroscopy for Dysplasia Detection at the GEJ and Gastric Cardia" VLE is a new tehcnic and commercially available for recent years. The authors investigated a new area of invazive gastroebterolgy field. I think their findings are have some novel findings and also lead new investigations as a prospective designed.