



31030-Review-check.docx

Quotes Excluded
Bibliography Excluded

4%
SIMILAR

Name of Journal: *World Journal of Hepatology*

ESPS Manuscript NO: 31030

Manuscript Type: Evidence-Based Medicine

Protein tolerance to standard and high protein meals in patients with liver cirrhosis

Campollo O *et al.* Protein tolerance in liver cirrhosis

Octavio Campollo, Dirk Sprengers, Gitte Dam, Hendrik Vilstrup, Neil McIntyre

Abstract

AIM

To investigate the plasma amino acid response and tolerance to normal or high protein meals in patients with cirrhosis.

METHODS

Match Overview

1	Crossref 29 words Diseases of the Liver in Children, 2014.	1%
2	Internet 22 words crawled on 24-Dec-2013 www.science.gov	1%
3	Internet 15 words crawled on 11-Mar-2016 www.wjgnet.com	<1%
4	Crossref 15 words B. Capaldo: "Splanchnic and leg substrate exchange a... er ingestion of a natural mixed meal in humans", Diabet	<1%
5	Internet 12 words crawled on 06-Apr-2017 clinicaltrials.gov	<1%
6	Internet 12 words crawled on 24-May-2016 www.aerzteblatt.de	<1%
7	Crossref 12 words Dam, Gitte, Hendrik Vilstrup, Peter Ott, Niels Kristian Aag	<1%

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 2,500,000 条结果 (用时 0.88 秒)

Protein restriction in hepatic encephalopathy is appropriate for ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)作者: QL Nguyen - 2014 - 被引用次数: 6 - [相关文章](#)

2013年12月14日 - Keywords: Hepatic encephalopathy, Protein diet, Malnutrition ... Clinical observation has shown that high protein intake may worsen encephalopathy for 35 % of cirrhotic patients [1] ... the normal-protein group received the standard 1.2 g/kg/ day. ... Cirrhotic patients have different tolerance of dietary protein.

Malnutrition in Liver Cirrhosis:The Influence of Protein and Sodium

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)作者: S Eghtesad - 2013 - 被引用次数: 12 - [相关文章](#)

Daily protein and sodium requirements of patients with cirrhosis have been the ... Higher intakes of branched-chain amino acids as well as vegetable proteins have ... Sodium restrictions, another typical component of the cirrhosis diet, have also Many studies have been conducted in an effort to reach a gold standard ...

[DOC] How would you feed this patient - espen

www.espen.org/presfile/Pirlich-2-010812-web.doc - [翻译此页](#)作者: M Pirlich - [相关文章](#)

To identify protein-energy malnutrition as a complication of liver cirrhosis ... the majority of patients with chronic liver disease tolerate a normal diet and do not need any dietary restrictions. ... Most patients can be treated with standard solutions. ... that high protein intake could precipitate hepatic encephalopathy in cirrhosis.

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 3,450,000 条结果 (用时 0.88 秒)

Protein restriction in hepatic encephalopathy is appropriate for ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: DL Nguyen - 2014 - 被引用次数: 7 - 相关文章

2013年12月14日 - Keywords: **Hepatic** encephalopathy, **Protein diet**, Malnutrition ... Clinical observation has shown that **high protein** intake may worsen encephalopathy for 35 % of **cirrhotic patients** [1] ... the normal-**protein** group received the **standard** 1.2 g/kg/ day. ... **Cirrhotic patients** have different **tolerance** of dietary **protein**.

Malnutrition in Liver Cirrhosis:The Influence of Protein and Sodium

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: S Eghtesad - 2013 - 被引用次数: 12 - 相关文章

Daily **protein** and sodium requirements of **patients** with **cirrhosis** have been the ... **Higher** intakes of branched-chain amino acids as well as vegetable **proteins** have ... Sodium restrictions, another typical component of the **cirrhosis diet**, have also Many studies have been conducted in an effort to reach a gold **standard** ...

[DOC] How would you feed this patient - espen

www.espen.org/presfile/Pirlich-2-010812-web.doc ▾ 翻译此页

作者: M Pirlich - 相关文章

To identify **protein-energy** malnutrition as a complication of **liver cirrhosis** ... the majority of **patients** with chronic **liver disease** **tolerate** a normal **diet** and do not need any dietary restrictions. ... Most **patients** can be treated with **standard** solutions. ... that **high protein** intake could precipitate **hepatic** encephalopathy in **cirrhosis**.

[PDF] Nutrition for Patients with Hepatic Failure

<https://med.virginia.edu/ginutrition/wp-content/.../jun03krenitskyarticle.pdf> ▾ 翻译此页

Malnutrition is prevalent in **patients with hepatic failure**; it is also an ... **patients** **tolerate** normal or