

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 31741

Manuscript Type: Case Report

3
 Duodenal gangliocytic paraganglioma with lymph node metastases: A case report
 and comparative review of 31 cases

Sahara J Cathcart, Aaron R Sasson, Jessica A Kozel, Jennifer M Oliveto, Quan P Ly

Abstract

Gangliocytic paraganglioma (GP) is a rare tumor of uncertain origin most often located in the second portion of the duodenum. It is composed of three cellular components: epithelioid endocrine cells, spindle-like/sustentacular cells, and ganglion-like cells. While this tumor most often behaves in a benign manner, cases with metastasis are reported. We describe the case of a 62-year-old male with a periampullary GP with metastases to two regional lymph nodes who was successfully treated with pancreaticoduodenectomy. Using PubMed, EMBASE, EBSCOhost MEDLINE and

Match Overview

1	Internet 15 words crawled on 24-May-2016 www.bollettinofilosofico.unina.it	<1%
2	Crossref 14 words D. B. DOOKHAN. "Recurrent duodenal gangliocytic par... ganglioma with lymph node metastases", <i>Histopatholog</i>	<1%
3	Internet 14 words crawled on 17-May-2016 www.ijcep.com	<1%
4	Crossref 13 words Yoichiro Okubo. "Duodenal gangliocytic paragangliom... showing lymph node metastasis: A rare case report", <i>Di</i>	<1%
5	Internet 12 words crawled on 03-Mar-2016 www.wjgnet.com	<1%
6	Internet 11 words crawled on 31-Mar-2014 www.biomedcentral.com	<1%
7	Crossref 11 words William W. Olmsted. "Tumors of the small intestine with	<1%



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 318 条结果 (用时 0.87 秒)

您是不是要找: **Duodenal gangliocytic paraganglioma with lymph node metastasis: A case report and comparative review of 31 cases**

[PDF] **Gangliocytic paraganglioma: case report and review of the literature**

jdc.jefferson.edu/cgi/viewcontent.cgi?article=1007&context=surgeryfp - 翻译此页

作者: A Witkiewicz - 2007 - 被引用次数: 60 - 相关文章

... but metastatic gangliocytic paraganglioma was present in 2 of 7 lymph nodes. This case ... lymph node metastases, and review the published literature on GPs pursuing ... perampullary region of duodenum, with rare cases reported in the jejunum, ... comparative immunohistochemical study of related neuroendocrine.

Duodenal gangliocytic paraganglioma with lymph node metastasis: a ...

<https://www.ncbi.nlm.nih.gov/pubmed/12653602> - 翻译此页

作者: V Sundararajan - 2003 - 被引用次数: 56 - 相关文章

Duodenal gangliocytic paraganglioma with lymph node metastasis: a case report and review of the literature. ... Although most of the reported cases of DGP are considered benign, in the present case, we found regional lymph nodes ...

缺少字词: eomparative 34

Duodenal Rare Neuroendocrine Tumor: Clinicopathological ... - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5209618/> - 翻译此页

作者: Y Okubo - 2016 - 相关文章

2016年12月21日 - Gangliocytic paraganglioma (GP) has been regarded as a rare benign tumor ...

Namely, we assessed English and Japanese language case reports of GP ... We then reviewed the



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 318 条结果 (用时 0.87 秒)

您是不是要找: **Duodenal gangliocytic paraganglioma with lymph node metastasis: A case report and comparative review of 31 cases**

[PDF] Gangliocytic paraganglioma: case report and review of the literature

jdc.jefferson.edu/cgi/viewcontent.cgi?article=1007&context=surgeryfp - 翻译此页

作者: A Witkiewicz - 2007 - 被引用次数: 60 - 相关文章

... but metastatic gangliocytic paraganglioma was present in 2 of 7 lymph nodes. This case ... lymph node metastases, and review the published literature on GPs pursuing ... perampullary region of duodenum, with rare cases reported in the jejunum, ... comparative immunohistochemical study of related neuroendocrine.

Duodenal gangliocytic paraganglioma with lymph node metastasis: a ...

<https://www.ncbi.nlm.nih.gov/pubmed/12653602> - 翻译此页

作者: V Sundararajan - 2003 - 被引用次数: 56 - 相关文章

Duodenal gangliocytic paraganglioma with lymph node metastasis: a case report and review of the literature. ... Although most of the reported cases of DGP are considered benign, in the present case, we found regional lymph nodes ...

缺少字词: eomparative 34

Duodenal Rare Neuroendocrine Tumor: Clinicopathological ... - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5209618/> - 翻译此页

作者: Y Okubo - 2016 - 相关文章

2016年12月21日 - Gangliocytic paraganglioma (GP) has been regarded as a rare benign tumor ... Namely, we assessed English and Japanese language case reports of GP ... We then reviewed the

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 333 条结果 (用时 0.59 秒)

Duodenal gangliocytic paraganglioma: report of two cases and review ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4637770/> - 翻译此页

作者: B Wang - 2015 - 被引用次数: 1 - 相关文章

跳到 **Case report** - CT scans also revealed a mass with 31 mm×24 mm in the third portion of the duodenum. ... Enlarged peripancreatic lymph nodes were observed. ... The surgical specimen of case 2 consisted of the duodenum, bile duct, ... The metastatic tumor was found in the lymph node (HE staining with original ...

缺少字词: comparative

Duodenal gangliocytic paraganglioma with lymph node metastasis: a ...

<https://www.ncbi.nlm.nih.gov/pubmed/12653602> - 翻译此页

作者: V Sundararajan - 2003 - 被引用次数: 56 - 相关文章

Duodenal gangliocytic paraganglioma with lymph node metastasis: a case report and review of the literature. ... Although most of the reported cases of DGP are considered benign, in the present case, we found regional lymph nodes ...

缺少字词: comparative 34

Duodenal Rare Neuroendocrine Tumor: Clinicopathological ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5209618/> - 翻译此页

作者: Y Okubo - 2016 - 被引用次数: 1 - 相关文章

2016年12月21日 - Gangliocytic paraganglioma (GP) has been regarded as a rare benign tumor ... Namely, we assessed English and Japanese language case reports of GP ... We then reviewed the references of all the selected publications of GP; ... Furthermore, 25 of 230 cases of GP showed lymph node metastasis and 1 ...

[PDF] Gangliocytic paraganglioma: case report and review of the literature

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4637770/> - 翻译此页