

Induction of chronic cholestasis without liver cirrhosis – creation of an animal mod

全部 图片 视频 新闻 购物 地图 图书

找到约 370,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

Google 学术: [Induction of chronic cholestasis without liver cirrhosis – creation of an animal model](#)

[Liver from bone marrow in humans](#) - Theise - 被引用次数: 1621

[Animal models of nonalcoholic fatty liver disease/ ...](#) - Takahashi - 被引用次数: 220

[Mechanisms of hepatic fibrogenesis](#) - Friedman - 被引用次数: 1906

[Experimental liver fibrosis research: update on animal models, legal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3850878/>

1 Oct 2013 ... Keywords: **Animal models**, Animal welfare, **Cholestasis**, **Cirrhosis**, EU-Directive ... In the pathogenesis of **chronic liver disease**, ECM homeostasis is further the molecular mechanism of TAA-induced liver fibrosis is still **not** ...

[DRUG INDUCED CHOLESTASIS - NCBI - National Institutes of Health](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3089004/>

Acute and **chronic cholestatic liver injury** results from dysfunction of the ... **drug induced cholestasis** can lead to **chronic liver disease** that may progress to **liver failure** ... These **drug induced cholestatic disorders** are rare and cause minimal or **no hepatic** ... in patients has been gained mostly from **animal models** of **cholestasis**.

[Animal Models for Fibrotic Liver Diseases: What We Have, What We ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4542084/>

15 Mar 2015 ... To date, **no animal model** can recapitulate all the **hepatic** and ... **Alcoholic liver disease** (ALD) is particularly difficult to **induce** in rodents. **PSC** is a **chronic cholestatic liver disease** characterized by strictures of the biliary tree ...

[Bile Duct Ligation in Mice: Induction of Inflammatory Liver Injury and ...](#)

<https://www.jove.com/.../bile-duct-ligation-mice-induction-inflammatory-liver-injury-fibrosis> ▼

Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 32714

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Induction of chronic cholestasis without liver cirrhosis – creation of an animal model

Felix Dondorf, René Fahrner, Michael Ardel, Eleonora Patsenker, Felix Stickel, Uta Dahmen, Utz Settmacher, Falk Rauchfuß

Abstract

AIM

To analyze time intervals of inflammation and regeneration in a cholestatic rat liver model.

Match Overview

1	Internet 50 words crawled on 01-May-2015 cinj.org	1%
2	Crossref 39 words Zhang, L., Z. Yang, and Y. Liu. "GADD45 proteins: roles in ... ellular senescence and tumor development", Experimental	1% 
3	Internet 32 words crawled on 21-Nov-2014 www.shifa.com.pk	1%
4	Internet 27 words crawled on 19-Jun-2016 www.deepdye.com	1%
5	Crossref 16 words Buitrago-Molina, Laura Elisa, Silke Marhenke, Thomas Lon gerich, Amar Deep Sharma, Aristeidis E. Boukouris, Robert	<1%

Induction of chronic cholestasis without liver cirrhosis – creation of an animal mod

全部 图片 视频 新闻 地图 图书

找到约 638,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

Google 学术: [Induction of chronic cholestasis without liver cirrhosis – creation of an animal model](#)

[Animal models of nonalcoholic fatty liver disease/ ...](#) - Takahashi - 被引用次数: 233

[Liver from bone marrow in humans](#) - Theise - 被引用次数: 1614

[... in rat models of intra-and extrahepatic cholestasis](#) - Liu - 被引用次数: 316

[Experimental liver fibrosis research: update on animal models, legal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3850878/>

1 Oct 2013 ... Keywords: **Animal models**, Animal welfare, **Cholestasis**, **Cirrhosis**, EU-Directive ... In the pathogenesis of **chronic liver disease**, ECM homeostasis is further the molecular mechanism of TAA-induced liver fibrosis is still **not** ...

[Animal Models for Fibrotic Liver Diseases: What We Have, What We ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4542084/>

15 Mar 2015 ... To date, **no animal model** can recapitulate all the **hepatic** and ... **Alcoholic liver disease** (ALD) is particularly difficult to **induce** in rodents. **PSC** is a **chronic cholestatic liver disease** characterized by strictures of the biliary tree ...

[Animal models of chronic liver diseases | Gastrointestinal and Liver ...](#)

ajpgi.physiology.org/content/304/5/G449 ▾

1 Mar 2013 ... **Cirrhosis** represents the final stage of **liver** fibrosis, characterized by ... However, to date **no** single **animal model** exhibits all attributes of human **liver** diseases. ... and **cholestatic liver** diseases, **chronic** viral infection, NAFLD, and ALD. ... Four weeks of DDC feeding **induces** protoporphyrin deposits/plugs (I, ...

[Molecular Pathogenesis of Cholestasis](#) - Google 图书结果

<https://books.google.co.uk/books?isbn=0306482401>

Michael Trauner, Peter L. M. Jansen - 2004 - Medical

The improvement in survival in experimental acute **liver failure** does **not** always ... Hepatocyte

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 676,000 条结果（用时 0.74 秒）

Google 学术 : Induction of chronic cholestasis without liver cirrhosis – creation of an animal model

Animal models of nonalcoholic fatty liver disease/ ... - Takahashi - 被引用次数 : 257

Liver from bone marrow in humans - Theise - 被引用次数 : 1631

... in rat models of intra-and extrahepatic cholestasis - Liu - 被引用次数 : 321

Experimental liver fibrosis research: update on animal models, legal ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : C Liedtke - 2013 - 被引用次数 : 90 - 相关文章

2013年10月1日 - Keywords: Animal models, Animal welfare, Cholestasis, Cirrhosis, EU-Directive ... In the pathogenesis of chronic liver disease, ECM homeostasis is further The immunization with and without the addition of α -galactosylceramide ... The susceptibility to CCl₄-induced liver fibrosis in mice depends largely ...

Animal Models for Fibrotic Liver Diseases: What We Have, What We ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : B Delire - 2015 - 被引用次数 : 6 - 相关文章

2015年3月15日 - The CCl₄-induced model of liver fibrosis is a widely used and studied, reliable ... PSC is a chronic cholestatic liver disease characterized by strictures of the They have a fatty liver without signs of progression to NASH.88,89 ...

Bile Duct Ligation in Mice: Induction of Inflammatory Liver Injury and ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : CG Tag - 2015 - 被引用次数 : 26 - 相关文章

2015年2月10日 - Here we provide a detailed surgical procedure for the BDL model in mice that ... bile duct ligation, cholestasis, bile obstruction, hepatic fibrosis, ... In this protocol both cannulation/obstruction and ligation induced a high yield of cirrhosis in rats The activity of sham-operated animals was without exception ...