

Name of Journal: *World Journal of Clinical Pediatrics*

ESPS Manuscript NO: 32299

Manuscript Type: Original Article

### *Retrospective Study*

**Pediatricians lack knowledge for the diagnosis and management of functional constipation in children over 6 mo of age**

Widodo A *et al.* Knowledge functional constipation

Ariani Widodo, Badriul Hegar, Yvan Vandenplas

### **Abstract**

#### **AIM**

To assess the knowledge of general pediatricians throughout Indonesia about the diagnosis and treatment of childhood constipation.

### Match Overview

1	<b>Internet</b> 30 words crawled on 29-Mar-2010 <a href="http://pediatrics.aappublications.org">pediatrics.aappublications.org</a>	1%
2	<b>Crossref</b> 23 words Sood, Manu R., "Evidence-Based Diagnosis and Treatment of Functional Constipation: 'Are We There Yet?'", <i>Journal of</i>	1%
3	<b>Crossref</b> 15 words Ummarino, Dario, Erasmo Miele, Massimo Martinelli, Elena Scarpato, Felice Crocetto, Elisa Sciorio, and Annamaria Sta	1%
4	<b>Crossref</b> 12 words "Pediatric Neurogastroenterology", Springer Nature, 2017	<1%
5	<b>Internet</b> 11 words crawled on 19-Jun-2015 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	<1%
6	<b>Internet</b> 11 words crawled on 21-Feb-2017 <a href="http://www.icud.info">www.icud.info</a>	<1%

[全部](#)[购物](#)[图片](#)[新闻](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 23,500 条结果 (用时 0.61 秒)

### [PDF] Approach to Constipation in Children - Indian Pediatrics

[www.indianpediatrics.net/apr2016/319.pdf](http://www.indianpediatrics.net/apr2016/319.pdf) ▼ [翻译此页](#)

作者: U PODDAR - 2016 - 被引用次数: 8 - 相关文章

often leads to over-diagnosis of constipation especially in ... at 1 month of age was 6 per day and by 4-6 months of age ... Management includes disimpaction followed by maintenance therapy with oral laxative, dietary modification and toilet ... functional constipation lacks fiber ... children: need for knowledge not the knife.

### Constipation in children - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: NA Afzal - 2011 - 被引用次数: 40 - 相关文章

2011年6月13日 - Prevalence of functional constipation in children ranges from 4-36% [1-3]. ... passed bowel motions between 3 times a day to alternate daily [6]. ... at least 2 months before diagnosis (with insufficient criteria for diagnosis of irritable ... Children < 2 years of age had constipation with symptoms of ... Pediatrics.

### Constipation in Children - Pediatrics - Merck Manuals Professional ...

[www.merckmanuals.com](http://www.merckmanuals.com) > ... > Symptoms in Infants and Children ▼ [翻译此页](#)

... MD, Assistant Professor of Pediatrics; Chief, Division of Diagnostic Referral, Sidney ... Normal frequency and consistency of stool varies with children's age, and diet; ... During the first few months of life, breastfed infants pass a mean of 3 ... Functional constipation accounts for about 95% of cases. ... Test your knowledge.

### Diagnosis and Management of Pediatric Urinary Tract Infections

[cmr.asm.org/content/18/2/417.full](http://cmr.asm.org/content/18/2/417.full) ▼ [翻译此页](#)

作者: JJ Zorc - 2005 - 被引用次数: 264 - 相关文章

2005年4月1日 - Diagnosis and Management of Pediatric Urinary Tract Infections ... The epidemiology of UTI during childhood varies by age, gender, and other factors. ... that up to 5% of children under the age of 2 presenting with fever have UTI, and over ... by DMSA scan at 6 months, were similar between the two groups.



全部

图片

购物

新闻

视频

更多

设置

工具

找到约 52,600 条结果 (用时 0.60 秒)

### Constipation in children - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者: NA Afzal - 2011 - 被引用次数: 40 - 相关文章

2011年6月13日 - Prevalence of functional constipation in children ranges from 4-36% [1-3]. ... for the medical management of idiopathic constipation in children, in the ... children passed bowel motions between 3 times a day to alternate daily [6]. ... place, occurring in children with a mental age of 4 years and older, with no ...

### [PDF] Approach to Constipation in Children - Indian Pediatrics

[www.indianpediatrics.net/apr2016/319.pdf](http://www.indianpediatrics.net/apr2016/319.pdf) ▼ 翻译此页

作者: U PODDAR - 2016 - 被引用次数: 8 - 相关文章

often leads to over-diagnosis of constipation especially in ... at 1 month of age was 6 per day and by 4-6 months of age ... Management includes disimpaction followed by maintenance therapy with oral laxative, dietary modification and toilet ... functional constipation lacks fiber. ... children: need for knowledge not the knife.

### Management of Severe Pediatric Constipation: Background ...

[emedicine.medscape.com/article/937030-overview](http://emedicine.medscape.com/article/937030-overview) ▼ 翻译此页

2015年8月28日 - Constipation is an extremely common problem in the pediatric ... In addition to patients with functional constipation, patients who ... by age 3 years and the family wishes the child to be rendered clean, the ... For patients who lack the capacity for voluntary bowel movements ... The diagnosis is a clinical one.

### Advances in the management of pediatric constipation - Springer Link

[link.springer.com/content/pdf/10.1007/s11894-000-0066-0.pdf](http://link.springer.com/content/pdf/10.1007/s11894-000-0066-0.pdf) ▼ 翻译此页

Combined Program in Pediatric Gastroenterology and Nutrition, Children's ... initial diagnosis [6]. ... knowledge about the pathophysiology of constipation in ... either functional fecal retention or functional constipation. ... evaluation and treatment is also lacking. ... general approach recommended in children aged over 1 year.

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 28,000 条结果 (用时 0.83 秒)

### [PDF] Approach to Constipation in Children - Indian Pediatrics

[www.indianpediatrics.net/apr2016/319.pdf](http://www.indianpediatrics.net/apr2016/319.pdf) ▾ 翻译此页

作者: U PODDAR - 2016 - 被引用次数: 8 - 相关文章

often leads to over-diagnosis of constipation especially in ... at 1 month of age was 6 per day and by 4-6 months of age ... Management includes disimpaction followed by maintenance therapy with oral laxative, dietary modification and toilet ..... functional constipation lacks fiber. .... children: need for knowledge not the knife.

### Constipation in children - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> ▸ NCBI ▸ Literature ▸ PubMed Central (PMC) - 翻译此页

作者: NA Afzal - 2011 - 被引用次数: 43 - 相关文章

2011年6月13日 - Prevalence of functional constipation in children ranges from 4-36% [1-3]. ... passed bowel motions between 3 times a day to alternate daily [6]. ... place, occurring in children with a mental age of 4 years and older, with no ... The diagnosis would be missed in 50% if infrequent stools were the .... Pediatrics.

### Fecal Incontinence and Constipation in Children: A Clinical Conundrum

<https://www.ncbi.nlm.nih.gov> ▸ NCBI ▸ Literature ▸ PubMed Central (PMC) - 翻译此页

作者: SR Ali - 2011 - 被引用次数: 4 - 相关文章

It is one of the most common pediatric problems parents and healthcare providers face. ... of constipation and fecal incontinence are secondary to functional disorders, ... are punished for something which the majority of them have no control over. ... Because of the lack of sensation in the distended distal colon, this passage ...

### Pediatric Gastrointestinal Motility Disorders: Challenges and a Clinical ...

<https://www.ncbi.nlm.nih.gov> ▸ NCBI ▸ Literature ▸ PubMed Central (PMC) - 翻译此页

作者: B Chumpitazi - 2008 - 被引用次数: 36 - 相关文章