

Match Overview

1	Crossref 17 words Taghrid El-Hajj. "Changes in Electrophysiological Parameters After Surgery for the Carpal Tunnel Syndrome", Journal of Medical Research	1%
2	Internet 16 words crawled on 31-Mar-2010 www.rjme.ro	1%
3	Internet 14 words crawled on 09-Dec-2014 www.biomedcentral.com	1%
4	Crossref 13 words Randall O. Craft. "Management of Recurrent Carpal Tunnel Syndrome with Microneurolysis and the Hypothenar Fat Pad Flap", Journal of Hand Surgery	1%

Name of Journal: *World Journal of Orthopedics*

Manuscript NO: 32806

Manuscripts Type: ORIGINAL ARTICLE

Randomized controlled trial

Hypothenar fat pad flap vs conventional open release in primary carpal tunnel syndrome: Randomized controlled trial

Thepparat Kanchanathepsak, Wilarat Wairojanakul, Thitiporn Phakdepiboon, Sorasak Suppaphol, Ittirat Watcharananan, Tulyapruet Tawonsawatruk

Recurrent Carpal Tunnel Syndrome—Analysis of the Impact of Patient Personality in Altering Functional Outcome Following a Vascularised Hypothenar Fat Pad Flap ...

K Karthik, R Nanda, J Stothard - Journal of hand and microsurgery, 2012 - Springer

... The use of muscle flaps, fascial flaps, vein wrapping and omental transfer has been described in ... M, Büchler U (2008) Revision surgery after carpal tunnel release using a posterior interosseous artery island flap. ... Does a vascularized hypothenar fat pad reduce wound tenderness ...
被引用次数：10 相关文章 所有 11 个版本 引用 保存

Carpal tunnel syndrome and treatment of recurrent symptoms

LB Dahlin, M Salö, N Thomsen... - Journal of Plastic Surgery ..., 2010 - Taylor & Francis

... the distal antebrachial fascia, and the aponeurosis between the thenar and hypothenar muscles. AP, Akelman E. The results of revision carpal tunnel release following previous open versus endoscopic ... [Google Scholar],17 Vigasio A, Marcoccio I. The ulnar fascial-fat flap for the ...
被引用次数：19 相关文章 所有 5 个版本 引用 保存

Endoscopic carpal tunnel release

TB Hansen, HG Majeed - Hand clinics, 2014 - hand.theclinics.com

... ECTR should be used with care in the severely obese patient, because a large palmar fat pad may protrude into the ... 1) along the crease between the thenar and the hypothenar. 2). A distal hinged fascia flap is prepared, followed by clearing synovial adhesions using a dissector.
被引用次数：15 相关文章 所有 4 个版本 引用 保存

... flap with vascularized lateral femoral cutaneous nerve for the treatment of neuroma - in - continuity and recurrent carpal tunnel syndrome after carpal tunnel release

T Yamamoto, M Narushima, H Yoshimatsu... - ..., 2014 - Wiley Online Library

... Hypothenar fat pad is the most commonly used local flap to cover the median nerve for recurrent ... Several free flaps, including free omentum flap,[7] free lateral upper arm flap,[8] free ... A free ALT flap with vascularized LFCN allows nerve reconstruction of the median nerve gap ...
被引用次数：16 相关文章 所有 6 个版本 引用 保存

Carpal tunnel syndrome-Part II (treatment)

M Chammas, J Boretto, LM Burmann... - Revista brasileira de ..., 2014 - SciELO Brasil

... treatment consisting of an implant of silicone and polyethylene terephthalate, sutured using flaps from the ... Dumontier C, Sokolow C, Leclercq C, Chauvin R Early results of conventional versus two ... The hypothenar fat pad flap for management of recalcitrant carpal tunnel syndrome ...
被引用次数：7 相关文章 所有 17 个版本 引用 保存 更多

Carpal tunnel syndrome: a comprehensive review.

LM Rozmaryn - Current Opinion in Orthopaedics, 1997 - journals.lww.com

... Many patients are highly motivated to use workman's compensation as their "insurance" because their regular health insurance ... Under the fat layer, scissors will complete division of the ligament. is due in part to loss of at- tachment of the thenar and hypothenar musculature [38].
被引用次数：9 相关文章 所有 2 个版本 引用 保存

Complications in the treatment of carpal tunnel syndrome

P Henkin, AH Friedman - Neurosurgical focus, 1997 - thejns.org

... Three common methods of insulating the nerve from the skin surface include: rotation of a hypothenar fat-pad flap; rotation of local muscle pedicle flaps, such as ... in four of 13 cadavers and incomplete sectioning of the fascia connecting the thenar and hypothenar muscles in ...
被引用次数：5 相关文章 所有 3 个版本 引用 保存

Complications of carpal tunnel release

JW Karl, SM Gancarczyk, RJ Strauch - Orthopedic Clinics of North America, 2016 - Elsevier

... of regional and free flaps have been proposed, including radial forearm, omentum, and lateral arm flaps. A similar dissection has been described for mobilization of the palmaris brevis turnover flap. (A) After exploration and release of the median nerve, the hypothenar fat pad
被引用次数：8 相关文章 所有 6 个版本 引用 保存

Complications of compressive neuropathy: prevention and management strategies

KB Santosa, KC Chung, JF Waljee - Hand clinics, 2015 - Elsevier

... (From Sammer D. Open carpal tunnel release. ... brevis, and regional or free flaps, including radial forearm, omentum, and lateral arm flaps, which may ... In 62 patients with recalcitrant CTS, 58 reported excellent results after undergoing CTR, neurolysis, and hypothenar fat pad flap.
被引用次数：3 相关文章 所有 7 个版本 引用 保存

Entrapment neuropathy of the wrist, forearm, and elbow

SG Xing, JB Tang - Clinics in plastic surgery, 2014 - Elsevier

... They released the transverse carpal ligament longitudinally under endoscopic visualization using a hook ... to undergo endoscopic release and the other to undergo mini-incision release. Despite similar improvements in subjective scores after endoscopic and open techniques at ...
被引用次数：7 相关文章 所有 7 个版本 引用 保存

About 669 results (0.99 seconds)

The hypothenar fat pad flap for management of recalcitrant carpal ...

<https://www.ncbi.nlm.nih.gov/pubmed/8891983>

by JW Strickland - 1996 - Cited by 114 - Related articles

The **hypothenar fat pad flap** for management of recalcitrant carpal tunnel syndrome. ... This retrospective study reviews 62 hands in 58 patients (46 non-workers' ... after failed open carpal tunnel release who underwent revision carpal tunnel ... Syndrome/epidemiology; Carpal Tunnel Syndrome/surgery*; Case-Control ...

Missing: conventional primary randomized

Carpal tunnel syndrome – Part II (treatment)

<https://www.ncbi.nlm.nih.gov> , NCBI , Literature , PubMed Central (PMC)

by M Chammas - 2014 - Cited by 4 - Related articles

Aug 23, 2014 - Keywords: Carpal tunnel syndrome/physiopathology, Carpal tunnel syndrome/etiology, ... The fat pad of the hypothenar region²⁰ is interposed at the end of the ... In comparing conventional surgery with the mini-open technique, the ... G.J. Endoscopic versus open carpal tunnel release: a randomized trial.

Recurrent Carpal Tunnel Syndrome—Analysis of the Impact of Patient ...

<https://www.ncbi.nlm.nih.gov> , NCBI , Literature , PubMed Central (PMC)

by K Karthik - 2012 - Cited by 6 - Related articles

Aug 13, 2011 - Keywords: Hypothenar fat pad flap, Patient factors, Prediction of ... Recurrence of carpal tunnel syndrome following surgical release is not uncommon [1, 2]. ... relation to the age, sex or duration of symptoms before the second surgery. ... the authors suggest that in future a randomized control trial should be ...

Carpal tunnel syndrome - ScienceDirect

www.sciencedirect.com/science/article/pii/S1297320314000298 •

Feb 15, 2014 - Carpal tunnel syndrome is the commonest entrapment neuropathy and ... of steroid injection in the canal or a night splint in neutral wrist position. ... as endoscopic and mini-open approaches to carpal tunnel release with The hypothenar fat pad flap for management of recalcitrant carpal tunnel syndrome.



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 1,350 条结果 (用时 0.53 秒)

Recurrent Carpal Tunnel Syndrome—Analysis of the Impact of Patient ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: K Karthik - 2012 - 被引用次数: 10 - 相关文章

2011年8月13日 - Keywords: **Hypothenar fat pad flap**, Patient factors, Prediction of ... Recurrence of **carpal tunnel syndrome** following surgical **release** is not ... Any overlying scar tissue **or** fibrosis around the nerve was also removed to **release** the nerve. the authors suggest that in future a **randomized control trial** should be ...

Carpal tunnel syndrome – Part II (treatment) - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: M Chammas - 2014 - 被引用次数: 7 - 相关文章

2014年8月23日 - In cases of intermittent **carpal tunnel syndrome** (CTS) without any deficit, Agarwal et ... The **fat pad** of the **hypothenar** region²⁰ is interposed at the end of the surgery ... sutured using **flaps** from the flexor retinaculum, was proposed. G.J. Endoscopic **versus open** carpal tunnel **release**: a **randomized trial**.

Carpal tunnel syndrome and treatment of recurrent symptoms: Journal ...

www.tandfonline.com/doi/full/10.3109/02844310903528697?src=recsys - 翻译此页

2010年10月22日 - **Carpal tunnel syndrome** is the most common compression lesion of peripheral ... The procedure can be done as an **open** operation **or** through an syndrome among employed patients: **randomised controlled trial**. The **hypothenar fat pad flap** for management of recalcitrant **carpal tunnel syndrome**.

Carpal Tunnel Release: Avoiding Complications ... - OMICS International

<https://www.omicsonline.org/open.../carpal-tunnel-release-avoiding-complic...> ▼ 翻译此页

Background: The use of **Primary** Resection-Anastomosis with **or** without protective ... **Carpal tunnel syndrome** (CTS), **or** compressive median neuropathy at the the nerve from the skin surface include: