

Risk of hepatitis B reactivation in patients treated with direct-acting antivirals for h

全部 图片 视频 新闻 地图 图书

找到约 130,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[FDA warns about the risk of hepatitis B reactivating in some patients](https://www.fda.gov/Drugs/DrugSafety/ucm522932.htm)

<https://www.fda.gov/Drugs/DrugSafety/ucm522932.htm>

12 Oct 2016 ... In a few cases, HBV reactivation in patients treated with DAA ... Direct-acting antiviral medicines are used to treat chronic hepatitis C virus ...

[Reactivation of hepatitis B in patients of chronic hepatitis C with ...](https://www.ncbi.nlm.nih.gov/pubmed/28230928)

<https://www.ncbi.nlm.nih.gov/pubmed/28230928>

23 Feb 2017 ... Reactivation of hepatitis B in patients of chronic hepatitis C with hepatitis B virus infection treated with direct acting antivirals. Yeh ML(1),(2) ... We aim to investigate the risk of HBV reactivation during DAA therapy. METHODS: ...

[Direct-acting antiviral treatment in adults infected with hepatitis C ...](https://www.ncbi.nlm.nih.gov/pubmed/26967675)

<https://www.ncbi.nlm.nih.gov/pubmed/26967675>

Direct-acting antiviral treatment in adults infected with hepatitis C virus: ... Due to the potential risk of early HBV reactivation in HCV/HBV-coinfected patients ...

[Direct-acting antivirals indicated for treatment of hepatitis C - EMA](http://www.ema.europa.eu/.../index.jsp?.../Direct-acting_antivirals...treatment...hepatitis_C...)

www.ema.europa.eu/.../index.jsp?.../Direct-acting_antivirals...treatment...hepatitis_C...

Direct-acting antivirals for hepatitis C: EMA confirms recommendation to screen for ... Further studies needed to assess risk of liver cancer with these medicines ... inactive hepatitis B infection (re-activation) when patients were treated with ...

[\[PDF\] Direct-acting antivirals for hepatitis C: EMA confirms - Europa.eu](http://www.ema.europa.eu/.../Direct-acting_antivirals_for_hepatitis_C.../WC500218179.pdf)

www.ema.europa.eu/.../Direct-acting_antivirals_for_hepatitis_C.../WC500218179.pdf

16 Dec 2016 ... Further studies needed to assess risk of liver cancer with these medicines ... hepatitis B before starting treatment with direct acting antivirals for hepatitis C; ... hepatitis B infection (re-activation) when patients were treated with ...

33005-Review

BY IOANNA AGGELETOPOULOU

Quotes Excluded
Bibliography Excluded7%
SIMILARName of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 33005

Manuscript Type: EDITORIAL

7
Risk of hepatitis B reactivation in patients treated with direct-acting antivirals for hepatitis CIoanna Aggeletopoulou, Christos Konstantakis, Spilios Manolakopoulos,
Christos Triantos**Abstract**

The recent introduction of direct-acting antiviral drugs (DAAs) for treatment of the hepatitis C virus (HCV) has greatly improved the management of HCV for infected patients. These viral protein inhibitors act rapidly, allowing HCV clearance and increasing the sustained virological response rates. However,

Match Overview

1	Internet 41 words crawled on 11-Dec-2016 hcvguidelines.org	1%
2	Internet 40 words crawled on 30-Mar-2017 www.intechopen.com	1%
3	Crossref 33 words Halazun, Karim J., Rachel E. Patzer, Abbas A. Rana, Benjamin Samstein, Robert S. Brown, and Jean C. Emonc...	1%
4	Internet 22 words crawled on 17-Nov-2016 www.wjgnet.com	1%
5	Internet 14 words crawled on 16-Nov-2014 consensus.nih.gov	<1%
6	Crossref 14 words Hayashi, Kazuhiko, Masatoshi Ishigami, Yoji Ishizu, Teiji Kuzuya, Takashi Honda, Daisaku Nishimura, Hidemi Go	<1%
7	Internet 14 words crawled on 01-Nov-2016 www.fda.gov	<1%
8	Crossref 13 words "Ledipasvir/sofosbuvir: Reactivation of hepatitis B infection: case report", <i>Reactions Weekly</i> , 2016.	<1%

Risk of hepatitis B reactivation in patients treated with direct-acting antivirals for h

全部 图片 视频 新闻 地图 图书

找到约 130,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[FDA warns about the risk of hepatitis B reactivating in some patients](https://www.fda.gov/Drugs/DrugSafety/ucm522932.htm)

<https://www.fda.gov/Drugs/DrugSafety/ucm522932.htm>

12 Oct 2016 ... In a few cases, HBV reactivation in patients treated with DAA ... Direct-acting antiviral medicines are used to treat chronic hepatitis C virus ...

[Reactivation of hepatitis B in patients of chronic hepatitis C with ...](https://www.ncbi.nlm.nih.gov/pubmed/28230928)

<https://www.ncbi.nlm.nih.gov/pubmed/28230928>

23 Feb 2017 ... Reactivation of hepatitis B in patients of chronic hepatitis C with hepatitis B virus infection treated with direct acting antivirals. Yeh ML(1),(2) ... We aim to investigate the risk of HBV reactivation during DAA therapy. METHODS: ...

[Direct-acting antiviral treatment in adults infected with hepatitis C ...](https://www.ncbi.nlm.nih.gov/pubmed/26967675)

<https://www.ncbi.nlm.nih.gov/pubmed/26967675>

Direct-acting antiviral treatment in adults infected with hepatitis C virus: ... Due to the potential risk of early HBV reactivation in HCV/HBV-coinfected patients ...

[Direct-acting antivirals indicated for treatment of hepatitis C - EMA](http://www.ema.europa.eu/.../index.jsp?.../Direct-acting_antivirals...treatment...hepatitis_C...)

www.ema.europa.eu/.../index.jsp?.../Direct-acting_antivirals...treatment...hepatitis_C...

Direct-acting antivirals for hepatitis C: EMA confirms recommendation to screen for ... Further studies needed to assess risk of liver cancer with these medicines ... inactive hepatitis B infection (re-activation) when patients were treated with ...

[\[PDF\] Direct-acting antivirals for hepatitis C: EMA confirms - Europa.eu](http://www.ema.europa.eu/.../Direct-acting_antivirals_for_hepatitis_C.../WC500218179.pdf)

www.ema.europa.eu/.../Direct-acting_antivirals_for_hepatitis_C.../WC500218179.pdf

16 Dec 2016 ... Further studies needed to assess risk of liver cancer with these medicines ... hepatitis B before starting treatment with direct acting antivirals for hepatitis C; ... hepatitis B infection (re-activation) when patients were treated with ...

找到约 121,000 条结果 (用时 0.80 秒)

FDA warns about the risk of hepatitis B reactivating in some patients

<https://www.fda.gov/Drugs/DrugSafety/ucm522932.htm> ▼ 翻译此页

2016年10月12日 - In a few cases, **HBV reactivation in patients treated with DAA** ... **Direct-acting antiviral** medicines are used to **treat** chronic **hepatitis C virus** ...

Reactivation of hepatitis B in patients of chronic hepatitis C with ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/28230928> - 翻译此页

作者：ML Yeh - 2017

2017年2月23日 - **Reactivation of hepatitis B in patients of chronic hepatitis C with hepatitis B virus infection treated with direct acting antivirals**. Yeh ML(1,)(2 ... We aim to investigate the **risk of HBV reactivation** during DAA therapy. **METHODS:** ...

Direct-acting antiviral treatment in adults infected with hepatitis C virus ...

<https://www.ncbi.nlm.nih.gov/pubmed/26967675> - 翻译此页

作者：A De Monte - 2016 - 被引用次数：30 - 相关文章

Direct-acting antiviral treatment in adults infected with **hepatitis C virus**: ... **C virus (HCV)** whether **patients** are treatment-naïve or unsuccessfully pre-treated. ... Due to the potential **risk** of early **HBV reactivation** in **HCV/HBV-coinfected patients** ...

Direct-acting antivirals indicated for treatment of hepatitis C - EMA

www.ema.europa.eu/.../index.jsp?.../Direct-acting_antivirals...treatment...hep... ▼ 翻译此页

Direct-acting antivirals for hepatitis C: EMA confirms recommendation to screen for **hepatitis B**. Further studies needed to assess **risk** of liver cancer with these medicines ... inactive **hepatitis B** infection (re-activation) when **patients** were **treated with** ... antivirals to check if you might be at **risk of hepatitis B reactivation**.

PRAC: Hep B Reactivation Risk With Direct-Acting Antivirals - Medscape

www.medscape.com/viewarticle/872683 ▼ 翻译此页

2016年12月2日 - The EMA committee recommends screening all **patients** for **hepatitis B** before ... **PRAC: Hep B Reactivation Risk With Direct-Acting Antivirals** ... with **HBV** and **HCV** and who were