

Systemic interleukin (IL)-9 in inflammatory bowel diseases: associated with muc

全部 图片 视频 新闻 地图 图书

找到约 2,960,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[New targets for mucosal healing and therapy in inflammatory bowel ...](#)

www.nature.com/mi/journal/v7/n1/full/mi201373a.html

2 Oct 2013 ... **Inflammatory bowel diseases** (IBD; Crohn's disease (CD), **ulcerative** ... Finally, there is an increased risk of **colitis-associated** neoplasias in ... Although the **interleukin (IL)-12/IL-23** pathway is relevant for Crohn's ... Neurath, M.F. & Travis, S.P. **Mucosal healing in inflammatory bowel diseases: a systematic** ...

[Next generation of small molecules in inflammatory bowel disease ...](#)

gut.bmj.com/cgi/content/short/66/2/199?rss=1

Inflammatory bowel disease (IBD) encompasses two major entities: **ulcerative colitis** (UC) and Crohn's disease (CD).¹ Both are chronic, progressive, ... objective endpoints (such as **mucosal healing** and deep remission) **associated** with ... subset of inflammatory cytokines: **interleukin (IL)-2, IL-4, IL-6, IL-7, IL-9, IL-15, IL-21** ...

[Role of interleukin-22 in inflammatory bowel disease - NCBI - NIH](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4277955/>

28 Dec 2014 ... **Interleukin (IL)-22** is a member of the **IL-10** family of cytokines that was recently ... **IL-22** is also **associated** with **inflammatory bowel disease** (IBD) ... intestine and colon, and includes Crohn's disease (CD) and **ulcerative colitis** (UC). ... can suppress the inflammatory response and alleviate tissue injury[8,9].

[Changes of the cytokine profile in inflammatory bowel diseases](#)

33076-Review

BY MALGORZATA MATUSIEWICZ

Quotes Excluded
Bibliography Excluded1%
SIMILAR

Match Overview

1

Internet 21 words
crawled on 28-Jun-2016
www.wjgnet.com

1%

Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 33076

Manuscript Type: ORIGINAL ARTICLE

Case Control Study

Systemic interleukin-9 in inflammatory bowel disease: Association with mucosal healing in ulcerative colitis

Malgorzata Matusiewicz, Katarzyna Neubauer, Iwona Bednarz-Misa, Sabina Gorska, Malgorzata Krzystek-Korpacka

Abstract

AIM

To evaluate circulating IL9 in inflammatory bowel disease and disease-associated

Systemic interleukin-9 in inflammatory bowel disease: Associated with mucosal h

全部 图片 视频 新闻 地图 图书

找到约 10,200,000 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

Google 学术: [Systemic interleukin-9 in inflammatory bowel disease: Associated with mucosal healing in ulcerative colitis](#)

- [... barrier dysfunction in inflammatory bowel diseases](#) - McGuckin - 被引用次数: 359
- [IL-9 and its receptor are predominantly involved in the ...](#) - Nalleweg - 被引用次数: 47
- [... in subclinical gut inflammation in ankylosing spondylitis](#) - Ciccia - 被引用次数: 64

[New targets for mucosal healing and therapy in inflammatory bowel ...](#)
www.nature.com/mi/journal/v7/n1/full/mi201373a.html

2 Oct 2013 ... Interestingly, mucosal healing in IBD was associated with more effective ... (a and b) New therapeutic strategies in Crohn's disease (CD) and ulcerative colitis (UC) ... IL, interleukin; MadCAM-1, mucosal vascular addressin cell ... not yet standard of care for IBD therapy in the absence of systemic infections.

[Mucosal healing in inflammatory bowel diseases: a systematic ...](#)
gut.bmj.com/content/early/2012/07/26/gutjnl-2012-302830

9 May 2012 ... Does mucosal healing matter in inflammatory bowel disease (IBD)? The subject is ... Mucosal healing in IBD is therefore a tightly controlled process associated with ... Endoscopic disease activity indices for ulcerative colitis (UC) ... Crohn's disease in clinical remission after azathioprine for at least 9 (mean ...

[Novel cytokine signaling pathways in inflammatory bowel disease ...](#)
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3165208/>

In addition, although a variety of gut-associated immune cell subsets express ... Keywords: interleukin-33, ST2, inflammatory bowel disease, ulcerative colitis, crohn's disease, mucosal immunity, intestinal inflammation, alarmins, wound healing ... patterns in the gut mucosa as well as the systemic circulation of IBD patients ...

[Role of interleukin-22 in inflammatory bowel disease - NCBI](#)
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1277955/>

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 8,450,000 条结果 (用时 0.88 秒)

显示的是以下查询字词的结果：**Systemic interleukin-9 in inflammatory bowel disease: *Associated* with mucosal healing in ulcerative colitis**

仍然搜索：Systemic interleukin-9 in inflammatory bowel disease: Association with mucosal healing in ulcerative colitis

New targets for mucosal healing and therapy in inflammatory bowel ...

www.nature.com > [Journal home](#) > [Archive](#) > [Reviews](#) ▾ [翻译此页](#)

作者：MF Neurath - 2014 - 被引用次数：104 - 相关文章

2013年10月2日 - Interestingly, **mucosal healing in IBD** was **associated** with more effective disease Although **ulcerative colitis** (UC) affects the mucosa and submucosa, ... IL, **interleukin**; MadCAM-1, mucosal vascular addressin cell adhesion ... not yet standard of care for **IBD** therapy in the absence of **systemic** infections.

Cytokines in inflammatory bowel disease : Nature Reviews ...

www.nature.com/nri/journal/v14/n5/abs/nri3661.html ▾ [翻译此页](#)

作者：MF Neurath - 2014 - 被引用次数：416 - 相关文章

2014年4月22日 - Inhibition of Th1 responses prevents **inflammatory bowel disease** in scid mice S. P. **Mucosal healing in inflammatory bowel diseases: a systematic review**. Toll-like receptor 9-induced type I IFN protects mice from experimental colitis. **Interleukin-13** is the key effector Th2 cytokine in **ulcerative colitis** ...

Role of interleukin-22 in inflammatory bowel disease

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4277955/> - [翻译此页](#)

作者：LJ Li - 2014 - 被引用次数：23 - 相关文章

2014年12月28日 - IL-22 is also **associated** with **inflammatory bowel disease (IBD)** ... and includes **Crohn's disease** (CD) and **ulcerative colitis** (UC). ... suppress the inflammatory response and alleviate tissue injury[8,9]. It seems that IL-22 plays a protective **systemic** role in CD[114] and a protective local role in UC[115,116].

Biomarkers in Inflammatory Bowel Disease: Current Practices and ...