

Match Overview

Rank	Source	Words	Similarity
1	Internet	45 words crawled on 24-Apr-2015 www.iltseeducation.com	1%
2	Internet	24 words crawled on 17-Oct-2009 www.esrnexus.com	1%
3	Internet	20 words crawled on 11-Jun-2015 eurheartj.oxfordjournals.org	1%
4	Crossref	20 words "WORLD TRANSPLANT CONGRESS 2006 POSTER ABSTRACTS". American Journal of Transplantation, 8/2006	1%
5	Crossref	19 words Shin, Milljae, and Jae-Won Joh. "Advances in endoscopic management of biliary complications after living donor liv..."	1%
6	Internet	15 words crawled on 22-Feb-2017 www.jove.com	<1%

Name of Journal: *World Journal of Gastrointestinal Pathophysiology*

ESPS Manuscript NO: 33159

Manuscript Type: Original Article

Observational Study

Endoscopic therapy for biliary strictures complicating living donor liver transplantation: Factors predicting better outcome

Rao B Harshavardhan, Ahamed Hasim, P Suprabha, S Sudhindran, Rama P Venu

Abstract

Aim:

To identify factors predicting outcome of endoscopic therapy in bile duct strictures(BDS) post Living Donor Liver Transplantation(LDLT)

Methods:

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 54,200 条结果 (用时 1.22 秒)

[PDF] Full Article (PDF) - Baishideng Publishing Group

www.wjgnet.com/esps/DownloadFile.aspx?Type=Digital...1... [▼ 翻译此页](#)

作者: M Shin - 2016 - 被引用次数: 2 - 相关文章

2016年7月21日 - long-term **results**, with overall success rates ranging from 58% to 75%. ... World J Gastroenterol 2016 July 21; 22(27): 6173-6191 ... Core tip: **Living donor liver transplantation (LDLT)** has become an ... **biliary stricture**, bile leakage, biloma, bile duct Biliary complications are **more** frequent with transplants.

Advances in endoscopic management of biliary complications ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: M Shin - 2016 - 被引用次数: 2 - 相关文章

2016年7月21日 - Core tip: **Living donor liver transplantation (LDLT)** has become an ... In contrast, non-anastomotic **strictures** are usually multiple and **more** of **LDLT** itself serves as a risk **factor** for **biliary** complications[4,14,31]. month is a **predictor of endoscopic management outcome**, since that 2006;(243):89-101.

Biliary Strictures after Liver Transplantation

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: CH Ryu - 2011 - 被引用次数: 67 - 相关文章

2011年6月23日 - 2011 Jun; 5(2): 133-142. ... Bile duct **strictures** following liver transplantation are easily and after 1 year was **more** often related to immunological causes as the risk **factors**. ... marker of **biliary** stasis in **living donor liver transplantation (LDLT)**. ... **NAS** are **more** resistant to **endoscopic treatment**, the



Endoscopic therapy for biliary strictures complicating living donor liver trar



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 147,000 条结果 (用时 0.93 秒)

Google 学术: Endoscopic therapy for biliary strictures complicating living donor liver transplantation: Factors predicting better outcome

Biliary strictures following liver transplantation: past, ... - Sharma - 被引用次数: 243

... outcome of endoscopic treatment of biliary strictures ... - Graziadei - 被引用次数: 165

Biliary complications after liver transplantation: a ... - Verdonk - 被引用次数: 208

Advances in endoscopic management of biliary complications after ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: M Shin - 2016 - 被引用次数: 2 - 相关文章

2016年7月21日 - Core tip: Living donor liver transplantation (LDLT) has become an accepted ... In contrast, non-anastomotic strictures are usually multiple and more diffuse, rejection[46] were recognized as risk factors for biliary complications. month is a predictor of endoscopic management outcome, since that is ...

Endoscopic management of biliary strictures after liver transplantation

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: ED Williams - 2009 - 被引用次数: 94 - 相关文章

2009年8月14日 - Endoscopic treatment of living donor OLT patients is less promising. ... treatment options, outcome, and future therapy considerations of biliary strictures after ... Pathogenesis and risk factors: Anastomotic strictures occur in 5%-10% of cases, are ... Anastomotic strictures are reported to

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 169,000 条结果 (用时 0.78 秒)

Google 学术: Endoscopic therapy for biliary strictures complicating living donor liver transplantation: Factors predicting better outcome

Biliary strictures following liver transplantation: past, ... - Sharma - 被引用次数: 246

... outcome of endoscopic treatment of biliary strictures ... - Graziadei - 被引用次数: 167

Biliary complications after liver transplantation: a ... - Verdonk - 被引用次数: 211

Advances in endoscopic management of biliary complications after ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: M Shin - 2016 - 被引用次数: 2 - 相关文章

2016年7月21日 - Core tip: Living donor liver transplantation (LDLT) has become an accepted ... In contrast, non-anastomotic strictures are usually multiple and more diffuse, rejection[46] were recognized as risk factors for biliary complications. month is a predictor of endoscopic management outcome, since that is ...

Biliary Strictures after Liver Transplantation

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: CH Ryu - 2011 - 被引用次数: 71 - 相关文章

2011年6月23日 - Bile duct strictures following liver transplantation are easily and conveniently mg/dL as a better indirect marker of biliary stasis in living donor liver transplantation Biliary strictures complicating liver transplantation. ... anastomosis: long-term outcome and its related factors after endoscopic treatment.

Current diagnosis and treatment of benign biliary strictures after living ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: JH Chang - 2016 - 被引用次数: 14 - 相关文章

2016年1月28日 - Endoscopic management in LDLT recipients may be more challenging than in