

Lactobacillus acidophilus alleviates pouchitis after ileal pouch–anal anastomosis

全部 图片 视频 新闻 地图 图书

找到约 903 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Lactobacillus acidophilus alleviates pouchitis after ileal pouch–anal anastomosis in rats](#)

[Probiotics and human health: a clinical perspective](#) - Gill - 被引用次数: 348

[Pouchitis](#) - Macafee - 被引用次数: 21

[Lactobacillus GG: bacteriology and clinical applications](#) - Doron - 被引用次数: 117

[Pouchitis in a rat model of ileal J pouch-anal anastomosis](#) - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/11837935>

Pouchitis in a rat model of ileal J pouch-anal anastomosis. ... Endorectal ileal pouch-anal anastomosis (IPAA) has become the operation of choice for ... MPO levels were elevated ($p < 0.05$) in the ileal J pouch 30 and 60 days after IPAA, ...

[Stricture of ileo-anal J pouch anastomosis increased the intensity of ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3560548/>

1 Oct 2012 ... Twenty-three Wistar rats underwent restorative proctocolectomy under Predictors of Pouchitis after Ileal Pouch-Anal Anastomosis: A ...

[Pouchitis and extraintestinal manifestations of inflammatory bowel ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/2339922>

Although the etiology of pouchitis after ileal pouch-anal anastomosis (IPAA) is unknown, its manifestations resemble those of nonspecific inflammatory bowel ...

[Probiotics and human health: a clinical perspective | Postgraduate ...](#)

pmj.bmj.com/content/80/947/516.full ▼

For example, bifidobacteria and lactobacilli are associated with health, while ... effects, treatment of cholesterolaemia, and alleviation of lactose intolerance. ... Lactobacillus rhamnosus strain GG, Lactobacillus acidophilus, Lactobacillus ... effective in the prevention of the onset of pouchitis after ileal pouch-anal anastomosis.

[Review article: probiotics in gastrointestinal and liver diseases ...](#)

onlinelibrary.wiley.com/doi/10.1111/j.1365-2036.2007.03480.x/full ▼

Name of Journal: World Journal of Gastroenterology

Manuscript NO: 33388

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Lactobacillus acidophilus alleviates pouchitis after ileal pouch-anal anastomosis in rats

Yan-Yan Xu, Ying-Ying Zhang, An-Qi He, Kai-Yu Li, Sen-Yang Gao, Gang Liu

Abstract

AIM

To assess the therapeutic potential of *Lactobacillus acidophilus* (LA) for the

Match Overview

1	Internet 25 words crawled on 25-Mar-2017 www.termedia.pl	1%
2	Crossref 23 words Park, Yujin, Seung?Ah Yoo, Wan?Uk Kim, Chul?Soo Cho, Jong?Min Woo, and Chong?Hyeon Yoon. "Anti-inflam	1%
3	Internet 22 words crawled on 17-May-2015 www.science.gov	1%
4	Crossref 18 words Yao, J.. "Anti-oxidant Effects of Resveratrol on Mice with ... DSS-induced Ulcerative Colitis", Archives of Medical Re	1%
5	Internet 12 words crawled on 24-Jul-2016 journal.frontiersin.org	<1%
6	Crossref 12 words Kim, Hee?Yun, Hyun?Ja Jeong, and Hyung?Min Kim. "A ntidepressant-like effect of Ikwi-tang involves modulat	<1%
7	Internet 12 words crawled on 24-Jul-2016 www.geneticsmr.com	<1%
8	Crossref 12 words Xiang, J.Y.. "Amelioration of murine dextran sulfate sod ... m-induced colitis by nuclear factor-?kb decoy oligonuc	<1%
9	Internet 11 words crawled on 29-Jan-2017	<1%

Lactobacillus acidophilus alleviates pouchitis after ileal pouch–anal anastomosis

全部 图片 视频 新闻 地图 图书

找到约 1,520 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Google 学术: Lactobacillus acidophilus alleviates pouchitis after ileal pouch–anal anastomosis in rats](#)

[Probiotics and human health: a clinical perspective](#) - Gill - 被引用次数: 360

[Pouchitis](#) - Macafee - 被引用次数: 21

[Lactobacillus GG: bacteriology and clinical applications](#) - Doron - 被引用次数: 121

[Pouchitis in a rat model of ileal J pouch-anal anastomosis. - NCBI](#)
<https://www.ncbi.nlm.nih.gov/pubmed/11837935>

Pouchitis in a rat model of ileal J pouch-anal anastomosis. ... Endorectal ileal pouch-anal anastomosis (IPAA) has become the operation of choice for ... MPO levels were elevated ($p < 0.05$) in the ileal J pouch 30 and 60 days after IPAA, ...

[Gut microbiota role in irritable bowel syndrome: New therapeutic ...](#)
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4734998/>

21 Feb 2016 ... Direct contact of certain probiotics (i.e., *Lactobacillus acidophilus*) with epithelial ... with a higher risk of pouchitis after ileal pouch-anal anastomosis[74]. Moreover, probiotics alleviate anxiety- and depression-related behavior patients can be transferred to rats by the fecal microbiota transplant[303].

[A Meta-Analysis of Probiotic Efficacy for Gastrointestinal Diseases](#)
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3329544/>

18 Apr 2012 ... Six of the eight diseases: Pouchitis, Infectious diarrhea, Irritable The other three probiotic species (*L. acidophilus*, *L. plantarum*, and *B. colitis* after undergoing ileal pouch anal anastomosis (IPAA) [46]. Diet during rotavirus enteritis affects jejunal permeability to macromolecules in suckling rats.

[Probiotics and human health: a clinical perspective | Postgraduate ...](#)
pmj.bmj.com/content/80/947/516

Bifidobacteria and lactobacilli are commonly used as probiotics. ... anticancer effects, treatment of cholesterolaemia, and alleviation of lactose intolerance. ... including *Lactobacillus rhamnosus* strain GG, *Lactobacillus acidophilus*, *Lactobacillus* in the prevention of the onset of pouchitis after ileal pouch-anal anastomosis.

[全部](#)[图片](#)[购物](#)[视频](#)[新闻](#)[更多](#)[设置](#)[工具](#)

找到约 1,540 条结果 (用时 0.57 秒)

Google 学术 : Lactobacillus acidophilus alleviates pouchitis after ileal pouch–anal anastomosis in rats

Probiotics and human health: a clinical perspective - Gill - 被引用次数 : 357

Pouchitis - Macafee - 被引用次数 : 21

Lactobacillus GG: bacteriology and clinical applications - Doron - 被引用次数 : 121

Pouchitis in a rat model of ileal J pouch-anal anastomosis. - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/11837935> - 翻译此页

作者 : KO Shebani - 2002 - 被引用次数 : 10 - 相关文章

Pouchitis in a rat model of ileal J pouch-anal anastomosis. ... Endorectal ileal pouch-anal anastomosis (IPAA) has become the operation of choice for ... MPO levels were elevated ($p < 0.05$) in the ileal J pouch 30 and 60 days after IPAA, ...

缺少字词 : lactobacillus acidophilus alleviates

Gut microbiota role in irritable bowel syndrome: New therapeutic - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : E Distrutti - 2016 - 被引用次数 : 20 - 相关文章

2016年2月21日 - Direct contact of certain probiotics (i.e., *Lactobacillus acidophilus*) with epithelial ... with a higher risk of pouchitis after ileal pouch-anal anastomosis[74]. Moreover, probiotics alleviate anxiety- and depression-related behavior patients can be transferred to rats by the fecal microbiota transplant[303].

A Meta-Analysis of Probiotic Efficacy for Gastrointestinal Diseases

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : ML Ritchie - 2012 - 被引用次数 : 206 - 相关文章

2012年4月18日 - Six of the eight diseases: Pouchitis, Infectious diarrhea, Irritable The other three probiotic species (*L. acidophilus*, *L. plantarum*, and *B. colitis* after undergoing ileal pouch anal anastomosis (IPAA) [46]. Diet during rotavirus enteritis affects jejunal permeability to