

Myo-inositol reduces β -catenin activation in colitis.

全部 图片 视频 新闻 地图 图书

找到约 8,790 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

Google 学术: [Myo-inositol reduces \$\beta\$ -catenin activation in colitis.](#)

[... sulfate sodium - induced colitis - associated neoplasia: a ...](#) - Clapper - 被引用次数: 137

[Molecular actions and therapeutic potential of lithium in ...](#) - Chiu - 被引用次数: 145

[... proliferation, invasion, angiogenesis and metastasis of ...](#) - Kunnumakkara - 被引用次数: 753

[Inflammation, Oxidative Stress, and Cancer: Dietary Approaches for ...](#) -

Google 图书结果

<https://books.google.co.uk/books?isbn=1466503718>

Ah-Ng Tony Kong - 2016 - Medical

The involvement of RONS in the pathogenesis of colitis is also supported by the ... to reduce Akt phosphorylation and β -catenin activation in the middle and upper crypt in ... Myo-inositol was also shown to inhibit UC-associated CRC (Liao et al.

[Chemoprevention of ulcerative colitis - induced carcinogenesis ...](#)

[journals.lww.com/.../Chemoprevention_of_ulcerative_colitis_induced.33.aspx](#)

... by myo-inositol: Mainly through inhibition of ulcerative colitis - mediated AKT/a - catenin ... We suspect that aberrant activation of intestinal stem cells and long-lived ... showed that inositol compounds significantly reduced macrophage numbers and ... Furthermore, AKT-specific phosphorylated beta-catenin-labeled colonic ...

[5-ASA inhibits epithelial \$\beta\$ -catenin activation in chronic ulcerative ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2819654/>

29 Oct 2009 ... Results. Data from IL-10^{-/-} and human colitis samples show 5-ASA reduced Akt activation and P- β -catenin levels in the mid and upper crypt.

[Broad Spectrum Anticancer Activity of Myo-Inositol and ...](#) - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5067332/>

4 Oct 2016 ... By analogy, myo-Ins has been proven to reduce lung cancer incidence ... Activation of the Wnt/ β -catenin pathway occurs in several cancers. colitis associated adenocarcinoma development in mice by inositol compounds.

Name of Journal: World Journal of Gastroenterology

Manuscript NO: 33396

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Myo-inositol reduces β -catenin activation in colitis

Emily M Bradford, Corey A Thompson, Tatiana Goretsky, Guang-Yu Yang, LM Rodriguez,
Linheng Li, Terrence A Barrett

Abstract

AIM

To assess dietary myo-inositol in reducing stem cell activation in colitis, and validate p β -

Match Overview

There are no matching sources for this report.

Myo-inositol reduces β -catenin activation in colitis

全部 图片 视频 新闻 地图 图书

找到约 19,600 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[5-ASA inhibits epithelial \$\beta\$ -catenin activation in chronic ulcerative ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2819654/>

29 Oct 2009 ... Results. Data from IL-10^{-/-} and human colitis samples show 5-ASA reduced Akt activation and P- β -catenin levels in the mid and upper crypt.

[Inflammation, Oxidative Stress, and Cancer: Dietary Approaches for ... -](#)

[Google 图书结果](#)

<https://books.google.co.uk/books?isbn=1466503718>

Ah-Ng Tony Kong - 2016 - Medical

The involvement of RONS in the pathogenesis of colitis is also supported by the ... to reduce Akt phosphorylation and β -catenin activation in the middle and upper crypt in ... Myo-inositol was also shown to inhibit UC-associated CRC (Liao et al.

[Mesalamine inhibits epithelial beta-catenin activation in chronic ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/19879273>

29 Oct 2009 ... METHODS: Effects of mesalamine on P-beta-catenin staining and ... and human colitis samples show that mesalamine reduced Akt activation ...

[Broad Spectrum Anticancer Activity of Myo-Inositol and ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5067332/>

4 Oct 2016 ... By analogy, myo-Ins has been proven to reduce lung cancer incidence ... Activation of the Wnt/ β -catenin pathway occurs in several cancers. ... colitis associated adenocarcinoma development in mice by inositol compounds.

[Chemoprevention of ulcerative colitis - induced carcinogenesis ...](#)

journals.lww.com/.../Chemoprevention_of_ulcerative_colitis_induced.33.aspx

Chemoprevention of ulcerative colitis-induced carcinogenesis by myo-inositol: Mainly ... that inositol reduces cancer risk in colitis-induced carcinogenesis in mice. ... that colitis-mediated beta-catenin signaling generates both activated stem cells ...

Emily Bradford LinkedIn

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 19,400 条结果 (用时 0.62 秒)

5-ASA inhibits epithelial β -catenin activation in chronic ulcerative colitis

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: JB Brown - 2010 - 被引用次数: 57 - [相关文章](#)

2009年10月29日 - 5-ASA **reduces** P- β -**catenin** levels in human CUC dependent fashion. Figure 4.

5-ASA impairs epithelial β -**catenin** and Akt **activation in colitis** ...

缺少字词: myo inositol

Mesalamine inhibits epithelial beta-catenin activation in chronic ...

<https://www.ncbi.nlm.nih.gov/pubmed/19879273> - [翻译此页](#)

作者: JB Brown - 2010 - 被引用次数: 57 - [相关文章](#)

2009年10月29日 - Mesalamine inhibits epithelial **beta-catenin activation** in chronic ulcerative **colitis**.

Brown JB(1), Lee G, Managlia E, Grimm GR, Dirisina R, ...

缺少字词: myo inositol

Chemoprevention of ulcerative colitis-induced carcinogenesis ...

journals.lww.com/.../Chemoprevention_of_ulcerative_colitis_induced.33.asp... - [翻译此页](#)

作者: G Yang - 2008 - [相关文章](#)

Chemoprevention of ulcerative colitis-induced carcinogenesis by **myo-inositol**: Mainly ... that inositol **reduces** cancer risk in **colitis**-induced carcinogenesis in mice. ... that **colitis**-mediated **beta-catenin** signaling generates both **activated** stem cells ...

Inflammation, Oxidative Stress, and Cancer: Dietary Approaches for ...

<https://books.google.com/books?isbn=1466503718> - [翻译此页](#)

Ah-Ng Tony Kong - 2016 - Medical

The involvement of RONS in the pathogenesis of **colitis** is also supported by the ... to **reduce** Akt phosphorylation and **β -catenin activation** in the middle and upper crypt in ... **Myo-inositol** was also shown to inhibit UC-associated CRC (Liao et al.

Broad Spectrum Anticancer Activity of Myo-Inositol and ... - Hindawi

<https://www.hindawi.com/journals/ije/2016/5616807/> - [翻译此页](#)