

Risk factors for metachronous gastric carcinoma development after endoscopic r

全部 图片 视频 新闻 地图 图书

找到约 56,100 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Risk factors for metachronous gastric carcinoma development after endoscopic resection of gastric dysplasia: retrospective, single-center study](#)

[... intramucosal carcinoma—an American single-center ...](#) - Chennat - 被引用次数: 220

[... Gastric Cancer after Endoscopic Resection of Gastric ...](#) - Yoon - 被引用次数: 37

[Stomach cancer after partial gastrectomy for benign ...](#) - Lundegårdh - 被引用次数: 197

[Risk factors for metachronous gastric carcinoma development after ...](#)

<https://www.ueg.eu/.../risk-factors-for-metachronous-gastric-carcinoma-development-after-endoscopic-resection-of-gastric-dysplasia-retro...>

Risk factors for metachronous gastric carcinoma development after endoscopic resection of gastric dysplasia; retrospective , single center study. Hee Seok Moon ...

[risk factors for metachronous gastric carcinoma development after ...](#)

<https://www.ueg.eu/.../risk-factors-for-metachronous-gastric-carcinoma-development-after-endoscopic-resection-of-gastric-dysplasia-retro...>

RISK FACTORS FOR METACHRONOUS GASTRIC CARCINOMA DEVELOPMENT AFTER ENDOSCOPIC RESECTION OF GASTRIC DYSPLASIA; RETROSPECTIVE , SINGLE CENTER STUDY. Hee Seok Moon (1), Joo Seok Kim (1), Sun ...

[Incidence of and risk factors for metachronous gastric cancer after ...](#)

<link.springer.com/article/10.1007/s10120-015-0544-6>

MGC risk, however, is not eliminated; yet few studies have evaluated its long- term ... A total of 594 patients who underwent endoscopic resection for early gastric ... at three institutions (National Cancer Center Hospital, University of Tokyo Hospital, ... Gastric cancerHelicobacter pyloriMultivariate analysis IncidenceRisk factors.

[Endoscopic surveillance of gastric cancers after Helicobacter pylori ...](#)

Match Overview

1	Internet 109 words crawled on 22-Nov-2016 e-sciencecentral.org	3%
2	Crossref 37 words Wai K. Leung , "Tumors of the Stomach", Textbook of Gastroenterology, 11/14/2008	1%
3	Crossref 28 words Lim, Joo Hyun , Sang Gyun Kim , Jeongmin Choi , Jong Pil Im , Joo Sung Kim , and Hyun Chae Jung , "Risk factors f	1%
4	Internet 20 words crawled on 16-Feb-2017 www.ueg.eu	1%
5	Crossref 17 words Yoon, Seung Bae , Jae Myung Park , Chul-Hyun Lim , Jin S oo Kim , Yu Kyung Cho , Bo-In Lee , In Seok Lee , Sang Wo	<1%
6	Crossref 16 words Han, Ji Sun , Jin Seok Jang , Seok Reyo Choi , Hyuk Cha n Kwon , Min Chan Kim , Jin Sook Jeong , Su Jin Kim , You	<1%
7	Crossref 14 words Iguchi , Mikitaka , Jun Kato , Kazuhiro Fukatsu , Yasuhide Y amamoto , Kenichiro Nakachi , Takeichi Yoshida , Yoshiyu	<1%
8	Internet 14 words crawled on 08-Sep-2016 www.science.gov	<1%

Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 33562

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Risk factors for metachronous gastric carcinoma development after endoscopic resection of gastric dysplasia: Retrospective, single-center study

Hee Seok Moon, Gee Young Yun, Ju Seok Kim, Hyuk Soo Eun, Sun Hyung Kang, Jae Kyu Sung, Hyun Yong Jeong, Kyu-Sang Song

Abstract

AIM

To determine the gastric adenocarcinoma (GAC) occurrence rate and related factors, we evaluated the follow-up results of patients confirmed to have gastric dysplasia

Risk factors for metachronous gastric carcinoma development after endoscopic r

全部 图片 视频 新闻 地图 图书

找到约 119,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Risk factors for metachronous gastric carcinoma development after endoscopic resection of gastric dysplasia: Retrospective, single-center study](#)

[... intramucosal carcinoma—an American single-center ...](#) - Chennat - 被引用次数: 227

[... Gastric Cancer after Endoscopic Resection of Gastric ...](#) - Yoon - 被引用次数: 42

[Stomach cancer after partial gastrectomy for benign ...](#) - Lundegårdh - 被引用次数: 198

[Risk Factors for Metachronous Recurrence after Endoscopic ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5290100/>

10 Jan 2017 ... Keywords: Gastric Cancer, Endoscopic Submucosal Dissection, Metachronous Recurrence ... ESD and EMR are likely to cause complete resection and en bloc resection, ... many risk factors including non-ulcer dysplasia, active gastric ulcers, degree ... First, this was only a single center, retrospective study.

[risk factors for metachronous gastric carcinoma development after ...](#)

<https://www.ueg.eu/.../risk-factors-for-metachronous-gastric-carcinoma-development-after-endoscopic-resection-of-gastric-dysplasia-retrospective-...>

RISK FACTORS FOR METACHRONOUS GASTRIC CARCINOMA DEVELOPMENT AFTER ENDOSCOPIC RESECTION OF GASTRIC DYSPLASIA: RETROSPECTIVE, SINGLE CENTER STUDY. Hee Seok Moon (1), Joo Seok Kim (1), Sun ...

[Incidence of and risk factors for metachronous gastric cancer after ...](#)

<link.springer.com/article/10.1007/s10120-015-0544-6>

In this study, we investigated the incidence of and risk factors for MGC in patients who ... A total of 594 patients who underwent endoscopic resection for early gastric ... three institutions (National Cancer Center Hospital, University of Tokyo Hospital, and Wakayama Medical University Hospital) were analyzed retrospectively.

PDF Introduction Methods Conclusions Results Key Words

[All](#)[Images](#)[News](#)[Videos](#)[Shopping](#)[More](#)[Settings](#)[Tools](#)

About 121,000 results (0.89 seconds)

Scholarly articles for Risk factors for metachronous gastric carcinoma development after endoscopic resection of gastric dysplasia: Retrospective, single-center study

... intramucosal **carcinoma**—an American **single-center** ... - Chennat - Cited by 227

... **Gastric Cancer after Endoscopic Resection of Gastric** ... - Yoon - Cited by 41

Stomach cancer after partial gastrectomy for benign ... - Lundegårdh - Cited by 197

Incidence of and risk factors for metachronous gastric cancer after ...

link.springer.com/article/10.1007/s10120-015-0544-6

by G Mori - 2016 - Cited by 11 - Related articles

In this **study**, we investigated the incidence of and **risk factors** for MGC in patients who ... A total of 594 patients who underwent **endoscopic resection** for early **gastric** ... three institutions (National **Cancer Center** Hospital, University of Tokyo Hospital, and Wakayama Medical University Hospital) were analyzed **retrospectively**.

risk factors for metachronous gastric carcinoma development after ...

<https://www.ueg.eu/.../risk-factors-for-metachronous-gastric-carcinoma-development-aft...>

RISK FACTORS FOR METACHRONOUS GASTRIC CARCINOMA DEVELOPMENT AFTER ENDOSCOPIC RESECTION OF GASTRIC DYSPLASIA; RETROSPECTIVE , SINGLE CENTER STUDY. Hee Seok Moon (1), Joo Seok Kim (1), Sun ...

Risk Factors for Metachronous Recurrence after Endoscopic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5290100/>

by CS Chung - 2017

10 Jan 2017 - Keywords: **Gastric Cancer**, **Endoscopic** Submucosal Dissection, **Metachronous** Recurrence ... ESD and EMR are likely to cause complete **resection** and en bloc **resection**, many **risk factors** including non-ulcer **dysplasia**, active **gastric** ulcers, degree ... First, this was only a **single center**, **retrospective study**.

Endoscopic surveillance of gastric cancers after Helicobacter pylori