

6
Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 33598

Manuscript Type: ORIGINAL ARTICLE

Case Control Study

Recurrence in node-negative advanced gastric cancer: Novel findings from an in-depth pathological analysis of prognostic factors from a multicentric series

Gian Luca Baiocchi, Sarah Molfino, Carla Baronchelli, Simone Giacomuzzi, Daniele Marrelli, Paolo Morgagni, Maria Bencivenga, Luca Saragoni, Carla Vindigni, Nazario Portolani, Maristella Botticini, Giovanni De Manzoni

Abstract

AIM

Match Overview

1	Crossref 165 words Gian Luca Baiocchi. "A Multicentric Western Analysis of ... Prognostic Factors in Advanced, Node-Negative Gastric	5%
2	Internet 19 words crawled on 08-Jul-2016 www.wjgnet.com	1%
3	Internet 15 words crawled on 02-Jan-2007 jjco.oxfordjournals.org	<1%
4	Internet 15 words crawled on 24-Jun-2014 www.diagnosticpathology.org	<1%
5	Internet 14 words crawled on 29-Aug-2017 hal.archives-ouvertes.fr	<1%
6	Internet 14 words crawled on 05-Oct-2017 real.mtak.hu	<1%
7	Crossref 13 words Fan Zhou, Yuanyuan Xu, Jiong Shi, Xing Lan, Xiaoping Z ou, Lei Wang, Qin Huang. "Expression profile of E-cadl ...	<1%
8	Internet 13 words crawled on 03-Oct-2016 journals.lww.com	<1%

RECURRENCE IN NODE-NEGATIVE ADVANCED GASTRIC CANCER: NOVE

全部

图片

视频

新闻

地图

图书

找到约 18,500 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Prognostic factors in patients with node-negative gastric cancer: an ...](#)

<https://wjso.biomedcentral.com/articles/10.1186/1477-7819-9-48> ▼

10 May 2011 ... Various clinical, **pathological** and **treatment** related factors in this group of patients were ... A major proportion of the patients had **advanced gastric cancer**. ... The overall **recurrence** rate in this group was 27.3%. ... **Depth** of invasion Multivariate **analysis of prognostic factors in node negative gastric cancer** ...

[Node-negative gastric cancer: a good occasion for studying new ...](#)

tgc.amegroups.com/article/view/2083/2872 ▼

Node-negative gastric cancer: a good occasion for studying **new** prognostic factors. ... than 15 lymph nodes removed at surgery), is that of trying to understand in **depth** if ... had a **recurrence**, representing a small treasure for **pathologic** analysis, looking for ... A **multicentric** western **analysis of prognostic factors in advanced**, ...

[Biologic Predictors of Survival in Node-Negative Gastric Cancer](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1514693/>

Factors predictive of survival in **node-negative gastric cancer** have not been ... **prognosis**, some **node-negative gastric cancer** patients will have **recurrence** Variables chosen for this **analysis** were based on **findings** in several Eastern **series**. size and **depth** of invasion and may serve as a marker of **advanced** disease, ...

[Prognosis of gastric cancer patients with node-negative metastasis ...](#)

Recurrence in node-negative advanced gastric cancer: Novel findings from an in-

全部

图片

视频

新闻

地图

图书

找到约 26,800 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Prognostic Factors for Node-Negative Advanced Gastric Cancer ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5065945/>

30 Sep 2016 ... Node-negative gastric cancers recurred in 8.3% of the patients in our study. ... Two multivariate analyses of the prognostic factors for recurrence were ... whose pathologic diagnosis was node-negative advanced gastric cancer; These findings may reflect our study's focus on node-negative patients only.

[Prognostic factors in patients with node-negative gastric cancer: an ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3112415/>

10 May 2011 ... Various clinical, pathological and treatment related factors in this group of ... A major proportion of the patients had advanced gastric cancer. ... The overall recurrence rate in this group was 27.3%. Multivariate analysis of prognostic factors in node negative gastric cancer Wiley: New York; 2002.

[Prognostic factors for survival in patients with resectable advanced ...](#)

www.sciencedirect.com/science/article/pii/S2444050716300894

1 Dec 2016 ... Patients under 45 years with gastric cancer are associated with a poor ... Show more Show less ... depth of invasion, and lymph node involvement, reduce the survival of ... negative prognostic factor which has the greatest effect on survival, ... Pathology Department) with a histological diagnosis of advanced ...

[Prognostic factors and recurrence pattern in node-negative ...](#)

[www.journals.elsevierhealth.com/article/S0748-7983\(12\)01275-9/fulltext](http://www.journals.elsevierhealth.com/article/S0748-7983(12)01275-9/fulltext)

Despite better overall survival in node-negative advanced gastric cancer ... In terms of recurrence pattern, Lauren's type and depth of invasion were significant. ... ^{1, 2} Importantly, many patients have node-negative disease on their pathologic examination. A multicentric Western analysis of prognostic factors in advanced, ...

[Node-negative gastric cancer: a good occasion for studying new ...](#)

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 28,600 条结果 (用时 0.57 秒)

Prognostic Factors for Node-Negative Advanced Gastric Cancer after ...

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: EW Lee - 2016 - [相关文章](#)

2016年9月30日 - Node-negative gastric cancers recurred in 8.3% of the patients in our study. ... Two multivariate analyses of the prognostic factors for recurrence were ... whose pathologic diagnosis was node-negative advanced gastric cancer; These findings may reflect our study's focus on node-negative patients only.

Prognostic factors in patients with node-negative gastric cancer: an ...

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: RA Seshadri - 2011 - 被引用次数: 17 - [相关文章](#)

2011年5月10日 - Various clinical, pathological and treatment related factors in this group of ... A major proportion of the patients had advanced gastric cancer. ... The overall recurrence rate in this group was 27.3%. Multivariate analysis of prognostic factors in node negative gastric cancer Wiley: New York; 2002.

Does Tumor Size Improve the Accuracy of Prognostic Predictions in ...

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: M Xu - 2014 - 被引用次数: 7 - [相关文章](#)

2014年7月8日 - The prognostic importance of tumor size in gastric cancer is unclear. ... Multivariate analysis showed that tumor size and T stage were independent ... prognostic factor for survival in patients with node-negative gastric ... Although depth of tumor invasion [7]–[10] and lymphovascular New York: Wiley-Liss.

Prognostic factors for survival in patients with resectable advanced ...

www.sciencedirect.com/science/article/pii/S2444050716300894 - [翻译此页](#)

作者: R Medrano-Guzmán - 2016 - [相关文章](#)

2016年12月1日 - Patients under 45 years with gastric cancer are associated with a poor ... Show more Show less ... depth of invasion, and lymph node involvement, reduce the survival of negative prognostic factor which has the greatest effect on survival, ... Pathology Department) with a histological diagnosis of advanced