

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 16,200 条结果 (用时 1.01 秒)

Prognostic Significance of Serum Carcinoembryonic Antigen ...

e-crt.org/journal/view.php?doi=10.4143/crt.2013.45.3.186 ▼ [翻译此页](#)

作者: MJ Chung - 2013 - [被引用次数: 6](#) - [相关文章](#)

2013年9月30日 - The **serum carcinoembryonic antigen (CEA) level** was checked at ... was based on CT images and regional **lymph nodes** were classified as ... N stages between the **pretreatment** CT and the **pathology** report stage. ... **Negative**, 100 (96.2) ... Sixty patients (57.7% of the cases in the study) were staged as **pN0**.

CA19-9 serum levels predict micrometastases in patients with gastric ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: T Jagric - 2016 - [被引用次数: 1](#) - [相关文章](#)

2016年4月23日 - The average size of **lymph nodes** with micrometastases has been ... on **the prognostic relevance** of micrometastases in **lymph nodes**. ... **Elevated serum levels** of carbohydrate **antigen 19-9** (CA19-9; or the Detection and prediction of micrometastasis in the **lymph nodes** of patients with **pN0 gastric cancer**.

Quantitative detection of micrometastases in the lymph nodes of ...

onlinelibrary.wiley.com/doi/10.1002/ijc.11031/pdf ▼ [翻译此页](#)

the most sensitive method for detecting micrometastases and useful for evaluating **the prognostic significance** of **lymph node** micrometastasis in **gastric cancer** ...

The Prognostic Significance of Pretreatment Serum CEA Levels in ...

journals.plos.org/plosone/article?id=10.1371/journal.pone.0124151 ▼ [翻译此页](#)

作者: K Deng - 2015 - [被引用次数: 10](#) - [相关文章](#)

³
Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 33617

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Prognostic significance of pretreatment serum carcinoembryonic antigen levels in gastric cancer with pathological lymph node-negative: A large sample single-center retrospective study

Xiao J *et al.* Serum CEA and GC with pN₀

Jun Xiao, Zai-Sheng Ye, Sheng-Hong Wei, Yi Zeng, Zhen-Meng Lin, Yi Wang, Wen-Hao Teng, Lu-Chuan Chen

Abstract

AIM

To assess whether elevated serum carcinoembryonic antigen (CEA) is in the

Match Overview

1	Crossref 41 words Kai Deng, Li Yang, Bing Hu, Hao Wu, Hong Zhu, Chengwei Tang. "The Prognostic Significance of Pretreatment Serun ...	2%
2	Internet 18 words crawled on 13-Jun-2017 www.wjgnet.com	1%
3	Internet 15 words crawled on 05-Oct-2017 real.mtak.hu	1%
4	Internet 12 words crawled on 08-Mar-2016 connection.ebscohost.com	<1%

找到约 18,800 条结果 (用时 0.85 秒)

The Prognostic Impact of the Carcinoembryonic Antigen in Ampullary ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5370509/> - 翻译此页

作者: H Fuellgraf - 2017 - 相关文章

2017年2月25日 - CEA expression and lymph node ratio (LNR) were the only independent ... In gastric cancer, high CEA serum levels are associated with poor prognosis. ... For the current study, all histological samples from the tumor were ... For multivariate significance, clinico-pathological predictors were tested in a Cox ...

The Prognostic Significance of Pretreatment Serum CEA Levels in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4400039/> - 翻译此页

作者: K Deng - 2015 - 被引用次数: 21 - 相关文章

2015年4月16日 - Forty-one studies reporting the prognostic effect of pretreatment serum CEA ... CEA may be an independent prognostic factor for gastric cancer The two studies[29,20] with a longer follow-up period or larger sample size were retained. ... rate of curative surgery, lymph node involvement rate, proportion of ...

Prognostic significance of preoperative and postoperative CK19 and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5330827/> - 翻译此页

作者: YF Qiao - 2017 - 被引用次数: 1 - 相关文章

2017年2月28日 - The multivariate analysis showed that lymph node status ($P = 0.018$), preoperative ... Elevated preoperative CK19 and CEA mRNA levels may be regarded ... Core tip: This is a retrospective study that evaluated the clinical and prognostic significance of pretreatment serum CEA levels in gastric cancer: a ...

Prognostic values of normal preoperative serum cancer markers for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5295443/> - 翻译此页

作者: F Feng - 2016 - 被引用次数: 2 - 相关文章

2016年8月12日 - Surgical resection with extended lymph node clearance remains the only curative ... Overall survival of gastric cancer patients with normal serum CEA, CA19-9, First, it was a retrospective study of a single center's experience. ... prognostic significance of pretreatment serum CEA levels in gastric cancer: a ...

找到约 4,580 条结果 (用时 0.72 秒)

The Prognostic Impact of the Carcinoembryonic Antigen in Ampullary ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5370509/> - 翻译此页

作者: H Fuellgraf - 2017 - 相关文章

2017年2月25日 - CEA expression and lymph node ratio (LNR) were the only independent ... In gastric cancer, high CEA serum levels are associated with poor prognosis. ... For the current study, all histological samples from the tumor were ... For multivariate significance, clinico-pathological predictors were tested in a Cox ...

The Prognostic Significance of Pretreatment Serum CEA Levels in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4400039/> - 翻译此页

作者: K Deng - 2015 - 被引用次数: 22 - 相关文章

2015年4月16日 - Forty-one studies reporting the prognostic effect of pretreatment serum CEA ... CEA may be an independent prognostic factor for gastric cancer The two studies[29,20] with a longer follow-up period or larger sample size were retained. rate of curative surgery, lymph node involvement rate, proportion of ...

Serum carcinoembryonic antigen as a prognostic factor in resectable ...

<https://www.ncbi.nlm.nih.gov/pubmed/9660027> - 翻译此页

作者: M Tachibana - 1998 - 被引用次数: 68 - 相关文章

When CEA levels are positive in gastric cancer patients, they could be useful prognostic ... STUDY DESIGN: We measured preoperative serum CEA levels in 196 ... and carbohydrate antigen [CA] 19-9) showed statistically significant differences in ... serum CEA levels (negative versus positive, $p = 0.0003$), and lymph node ...

Prognostic significance of preoperative and postoperative CK19 and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5330827/> - 翻译此页

作者: YF Qiao - 2017 - 被引用次数: 1 - 相关文章

2017年2月28日 - The multivariate analysis showed that lymph node status ($P = 0.018$), preoperative ... Elevated preoperative CK19 and CEA mRNA levels may be regarded ... Core tip: This is a retrospective study that evaluated the clinical and prognostic significance of pretreatment serum CEA levels in gastric cancer: a ...

Prognostic values of normal preoperative serum cancer markers for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5295443/> - 翻译此页

作者: F Feng - 2016 - 被引用次数: 3 - 相关文章

2016年8月12日 - Surgical resection with extended lymph node clearance remains the only curative ...