

Non-invasive assessment of liver fibrosis using two-dimensional shear wa

全部 图片 视频 新闻 地图 图书

找到约 19,900 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

### [Evaluation and management of dyspepsia](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3002574/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3002574/>

Finally, **treatment** of refractory functional **dyspepsia** is addressed. ... There are two patterns of **acid reflux**: upright (daytime) and supine (nocturnal) [Demeester et al. .... Cost-**effectiveness** studies suggest that the choice of a noninvasive **test** should ... Once a patient has failed a 4–8 week trial of PPI **therapy** (in an area of low ...

### [Quality Of Life in Reflux and Dyspepsia \(QOLRAD\) Questionnaire in ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4154829/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4154829/>

Quality Of Life in Reflux and **Dyspepsia** (QOLRAD) **Questionnaire** in Iranian ... **Symptoms** of gastro-**esophageal reflux** disease (**GERD**) affect health-related quality of life (HRQOL). ... The **test**-retest reliability of QOLRAD was from 0.87– 0.93. ... **Symptoms** affect health-related quality of life (HRQOL) and **treatment satisfaction**.

### [Patient satisfaction with medication for gastroesophageal reflux ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3354888/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3354888/>

To **review** how **satisfied** patients with **GERD** are with their medication, and to analyze the ... Keywords: **GERD**, Medication, Patient-reported outcome, **Satisfaction**, **Therapy** ..... **Symptom** Rating **Scale** and Quality of Life in **Reflux** and **Dyspepsia** ... This is in agreement with trial **efficacy** data comparing PPIs, H2RAs and ...

### [American Journal of Gastroenterology - Development of an Online ...](http://www.nature.com/ajg/journal/v109/n2/full/ajg2013401a.html)

[www.nature.com/ajg/journal/v109/n2/full/ajg2013401a.html](http://www.nature.com/ajg/journal/v109/n2/full/ajg2013401a.html)

17 Dec 2013 ... **Development** of an Online Library of Patient-Reported Outcome Measures in ... **Review** of the PROs revealed eight GI **symptom** "bins": (i) abdominal pain, .... In order to fine-tune the filters for our purposes, we **developed** a **test** set of 42 ..... ( e.g., **gastroesophageal reflux** disease (**GERD**), **dyspepsia**, Crohn's, ...

### [George Triadafilopoulos, MD | Stanford Medicine Profiles](https://med.stanford.edu/profiles/george-triadafilopoulos)

<https://med.stanford.edu/profiles/george-triadafilopoulos>

In the West, **gastroesophageal reflux** disease (**GERD**) and Barrett's esophagus .... The ... may be much lower ... **Evaluation** and

## Match Overview

1	<b>Crossref</b> 59 words Carbone, Marco, and James M. Neuberger. "Autoimmu ... e Liver Disease, Autoimmunity and Liver Transplantatio	2%
2	<b>Crossref</b> 48 words Ferraioli, Giovanna, Carmine Tinelli, Barbara Dal Bello, Mabel Zicchetti, Gaetano Filice, and Carlo Filice. "Accura	1%
3	<b>Crossref</b> 31 words Operative Techniques in Liver Resection, 2016.	1%
4	<b>Internet</b> 31 words crawled on 28-Apr-2015 <a href="http://www.revistagastroenterologiamexico.org">www.revistagastroenterologiamexico.org</a>	1%
5	<b>Crossref</b> 25 words N/A. "Paper alert", European Journal of Gastroenterology & Hepatology, 07/2008	1%
6	<b>Crossref</b> 22 words "Abstracts of the 25th Annual Conference of APASL, Fe ... ruary 20-24, 2016, Tokyo, Japan", Hepatology Internatio	1%
7	<b>Internet</b> 16 words crawled on 26-Aug-2014 <a href="http://www.webaigo.it">www.webaigo.it</a>	<1%
8	<b>Crossref</b> 14 words Hirotoishi Ebinuma. "Evaluation of liver fibrosis by transie nt elastography using acoustic radiation force impulse: ...	<1%
9	<b>Crossref</b> 14 words Ferraioli, Giovanna. "Point shear wave elastography m ...	<1%

Name of journal: World Journal of Gastroenterology

Manuscript NO: 33848

Columns: ORIGINAL ARTICLE

### Prospective Study

Non-invasive assessment of liver fibrosis using two-dimensional shear wave elastography in patients with autoimmune liver diseases

Jie Zeng, Ze-Ping Huang, Jian Zheng, Tao Wu, Rong-Qin Zheng

### Abstract

#### AIM

To determine the diagnostic accuracy of two-dimensional shear wave elastography (2D-SWE) for the non-invasive assessment of liver fibrosis in patients with autoimmune liver diseases (AILD) using liver biopsy as the reference standard.

#### METHODS

Patients with AILD who underwent liver biopsy and 2D-SWE were



Non-invasive assessment of liver fibrosis using two-dimensional shear wave el



全部

图片

视频

新闻

地图

图书

找到约 21,800 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Google 学术: Non-invasive assessment of liver fibrosis using two-dimensional shear wave elastography in patients with autoimmune liver diseases](#)

[... shear wave elastography for assessing liver fibrosis in ...](#) - Ferraioli - 被引用次数: 321

[Assessment of liver viscoelasticity using multifrequency ...](#) - Asbach - 被引用次数: 192

[... using multifrequency MR elastography: a study of ...](#) - Klatt - 被引用次数: 245

[\[PDF\] Noninvasive Assessment of Liver Diseases using 2D Shear Wave ...](#)  
[www.jgld.ro/wp/y2016/n4/a15.pdf](#)

21 Nov 2016 ... two-dimensional Shear Wave Elastography (SWE), of more recent ... Key words: fibrosis – liver – noninvasive – Two-dimensional Shear Wave Elastography. ... the patient positioned in a dorsal decubitus position, with the ..... cirrhosis; 3 autoimmune hepatitis; 2 HBV hepatitis; 1 methotrexate therapy. -. 10.49.

[Noninvasive Measures of Liver Fibrosis and Severity of Liver Disease](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4865784/>

Using a combination of serum markers and imaging tests may also be helpful in ... Keywords: Fibrosis, noninvasive, imaging, liver stiffness, diagnostic test, prognosis ..... Assessment of the Severity of Cirrhosis/Portal Hypertension ... HCV patients.43 On the other hand, 2-dimensional shear wave elastography ( Aixplorer, ...

[Noninvasive Assessment of Liver Fibrosis Using Ultrasound-based ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4145616/>

Keywords: Ultrasound, Shear Wave, Liver fibrosis, MRE. Go to: INTRODUCTION. Liver fibrosis and cirrhosis are the response of chronic liver injury caused by viral, autoimmune, ... Liver cirrhosis affects hundreds of millions of patients worldwide. ... Magnetic Resonance Elastography (MRE) [10] uses external mechanical ...

[Noninvasive assessment of hepatic fibrosis: Ultrasound-based ...](#)

<https://www.uptodate.com/.../noninvasive-assessment-of-hepatic-fibrosis-ultrasound-based-elastography> ▼

15 Oct 2015 ... disease, drug-induced liver injury, primary biliary cirrhosis, and autoimmune

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 16,600 条结果 (用时 0.78 秒)

## Google 学术 : Non-invasive assessment of liver fibrosis using two-dimensional shear wave elastography in patients with autoimmune liver diseases

... shear wave elastography for assessing liver fibrosis in ... - Ferraioli - 被引用次数 : 324

Assessment of liver viscoelasticity using multifrequency ... - Asbach - 被引用次数 : 192

... using multifrequency MR elastography: a study of ... - Klatt - 被引用次数 : 246

### download Full Article (PDF file) - Journal of Gastrointestinal and Liver ...

[www.jgld.ro/wp/y2016/n4/a15.pdf](http://www.jgld.ro/wp/y2016/n4/a15.pdf) - 翻译此页

作者 : M Lupşor-Platon - 2016 - 相关文章

2016年11月21日 - Noninvasive Assessment of Liver Diseases using 2D Shear Wave ...

two-dimensional Shear Wave Elastography (SWE), of more recent appearance, have yet to be validated and ... fibrosis includes ultrasound (US) elastographic methods. ... the patient positioned in a dorsal decubitus position, with the.

### Noninvasive Measures of Liver Fibrosis and Severity of Liver Disease

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : C Lucero - 2016 - 被引用次数 : 1 - 相关文章

Using a combination of serum markers and imaging tests may also be helpful ... The gold standard for the assessment of the degree of liver fibrosis is liver biopsy. ... of 95%.<sup>22</sup> In patients with autoimmune liver diseases, transient elastography is ... HCV patients.<sup>43</sup> On the other hand, 2-dimensional shear wave elastography ...

### Noninvasive Assessment of Liver Fibrosis Using Ultrasound-based ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : H Zhao - 2014 - 被引用次数 : 10 - 相关文章

Keywords: Ultrasound, Shear Wave, Liver fibrosis, MRE. Go to: INTRODUCTION. Liver fibrosis and cirrhosis are the response of chronic liver injury caused by viral, autoimmune, ... Liver cirrhosis affects