

Match Overview

1	Crossref 48 words Jhii-Hyun Ahn. "Nontumorous arterioportal shunts in th ... liver: CT and MRI findings considering mechanisms and	3%
2	Internet 29 words crawled on 07-May-2003 www.kjronline.org	2%
3	Crossref 19 words Luis Martí-Bonmati. "Diffuse Parenchymal Disease", Cli nical MRI of the Abdomen, 2009	1%
4	Internet 18 words crawled on 30-Apr-2016 spandidos-publications.com	1%
5	Crossref 18 words Stefano Colagrande. "Transient Hepatic Attenuation Di ... ferences and Focal Liver Lesions", Journal of Computer	1%
6	Crossref 17 words K. Uchino, M. Fujisawa, T. Watanabe, Y. Endo, T. Nobuhi sa, Y. Matsumoto, K. Kai, S. Sato, K. Notohara, A. Matsuk	1%
7	Internet 14 words crawled on 25-Dec-2005 intl-radiographics.rsna.org	1%
8	Crossref 14 words Ying Ying Li. "Application of ultrasonography in the diagn osis and treatment tracing of hepatocellular carcinoma ...	1%

Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 33497

Manuscript Type: CASE REPORT

Arterioportal shunt incidental to treatment with oxaliplatin that mimics recurrent gastric cancer

Hong-Beum Kim, Sanggon Park

Abstract

Arterioportal shunt (APS) is an organic communication between the hepatic arterial system and the portal venous system. The APS is one of the major causes of transient hepatic attenuation differences on dynamic computed tomography (CT) or magnetic resonance imaging (MRI). This condition is usually associated with trauma, liver

Arteriportal shunt incidental to treatment with oxaliplatin that mimics recurrent ga

全部 图片 视频 新闻 地图 图书

找到约 754 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Arteriportal shunt incidental to treatment with oxaliplatin that mimics recurrent gastric cancer](#)

[Vascular disorders of the liver](#) - DeLeve - 被引用次数: 612

[... imaging in management of metastatic colorectal cancer](#) - Tirumani - 被引用次数: 24

[Major arteriportal shunt caused by hepatocellular carcinoma. - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pubmed/17878703>

A case of hepatocellular carcinoma (HCC) causing a major arteriportal (A-P) ... esophageal varices and interventional radiology treatment for the A-P shunt and ... transcatheter arterial embolization therapy for recurrent HCC in the right lobe of ... Carcinoma, Hepatocellular/complications*; Esophageal and Gastric Varices/ ...

[Hepatic Arteriportal Shunts: Dynamic CT and MR Features](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2713981/>

31 Mar 2002 ... Recognition of arteriportal shunt can suggest the presence of a previously ... tumor such as hepatocellular carcinoma (HCC) or hemangioma, via its draining ... Successful treatment of hyperkinetic portal hypertension in these ... of portal hypertension such as recurrent gastrointestinal bleeding and ascites.

[Transcatheter Arterial Embolization of Hepatic Arteriovenous Shunts ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3577597/>

Most hepatic arteriovenous shunts (HAVS) associated with hepatocellular carcinoma (HCC) occur with advanced stage liver cancer, and these patients typically ... arteriportal venous shunts (APVS) or arteriohepatic venous shunts (AHVS); if present, the ... to find recurrent or metastatic lesions, and to plan for future therapy.

[\[PDF\] Update on the Role of Imaging in Management of Metastatic ...](#)

pubs.rsna.org/doi/pdf/10.1148/rg.347130090

Evolution in the treatment of metastatic colorectal cancer (mCRC) ... and oxaliplatin) and

Oxaliplatin-induced incidental arterioportal shunt mimicking a recurred gastric car

全部 图片 视频 新闻 地图 图书

找到约 1,110 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Incidental biliary cystadenoma mimicking liver metastasis in a ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4970783/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4970783/>

26 Nov 2014 ... **Incidental** biliary cystadenoma **mimicking** liver metastasis in a **gastric cancer** ... Keywords: **Gastric cancer**, liver mass, biliary cystadenoma ... In our patient, elevated CA 19-9 level was considered as a marker of **recurrence** or ...

[Incidental complete excision of appendiceal gastric cancer metastasis](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3854853/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3854853/>

4 Oct 2013 ... **Gastric cancer** is a common malignancy with high **recurrence** rates following surgical resection. A common site of disease **recurrence** is the ...

[Metastatic gastric carcinoma from breast cancer mimicking primary ...](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4665745/)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4665745/

9 Oct 2015 ... The present study reports a rare case of metastatic **gastric cancer** from invasive ductal carcinoma (IDC) of the breast **mimicking** primary gastric linitis When comparing the prognosis of **recurrent** breast cancer at a later stage ...

[\[PDF\] Full Text \(PDF\) - RSNA Publications Online](https://pubs.rsna.org/doi/pdf/10.1148/rg.347130090)

pubs.rsna.org/doi/pdf/10.1148/rg.347130090

Evolution in the treatment of metastatic colorectal **cancer** (mCRC) ... and **oxaliplatin**) and FOLFIRI (combination of 5-FU/LV and irino- portal vein embolization, a technique that **induces** ferentiated from residual or **recurrent** tumor, which ... bolization of branches of the right and left **gastric** and gastroduodenal arteries ...

[Update on the Role of Imaging in Management of Metastatic ...](https://pubs.rsna.org/doi/full/10.1148/rg.347130090)

pubs.rsna.org/doi/full/10.1148/rg.347130090

11 Mar 2014 ... Colorectal **cancer** (CRC) is the fourth most common malignancy in ... [5-FU/LV] and **oxaliplatin**) and FOLFIRI (combination of 5-FU/LV and Intralesional air bubbles and **arterioportal shunting** are also MR imaging is also useful in the detection of liver



全部

图片

新闻

购物

视频

更多

设置

工具

找到约 753 条结果 (用时 0.65 秒)

Google 学术: Arterioportal shunt incidental to treatment with oxaliplatin that mimics recurrent gastric cancer

Vascular disorders of the liver - DeLeve - 被引用次数: 600

... imaging in management of metastatic colorectal cancer - Tirumani - 被引用次数: 23

Hepatic arterioportal shunts: dynamic CT and MR features. - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/11919473> - 翻译此页

Hepatic arterioportal shunts: dynamic CT and MR features. ... (MRI), hepatic arterioportal shunts are now more frequently encountered than in the past. ... Arteriovenous Fistula/physiopathology; Carcinoma, Hepatocellular/complications ...

缺少字词: incidental treatment oxaliplatin mimics recurrent gastric

Hepatic Arterioportal Shunts: Dynamic CT and MR Features - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: BI Choi - 2002 - 被引用次数: 109 - 相关文章

2002年3月31日 - Recognition of arterioportal shunt can suggest the presence of a previously ... tumor such as hepatocellular carcinoma (HCC) or hemangioma, via its draining ... Successful treatment of hyperkinetic portal hypertension in these ... of portal hypertension such as recurrent gastrointestinal bleeding and ascites.

缺少字词: incidental oxaliplatin mimics

Transcatheter Arterial Embolization of Hepatic Arteriovenous Shunts in ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: Q Mei - 2012 - 被引用次数: 12 - 相关文章

Most hepatic arteriovenous shunts (HAVS) associated with hepatocellular carcinoma (HCC) occur with advanced stage liver cancer, and these patients typically ... arterioportal venous shunts (APVS) or arteriohepatic venous shunts (AHVS); if present, the ... to find recurrent or metastatic lesions, and to