



33984-Review.docx

 Quotes Included  
 Bibliography Included

 15%  
 SIMILAR

## Match Overview

|   |   |    |
|---|---|----|
| 1 | <b>Crossref</b> 59 words<br>Sookoian, Silvia, Gustavo O. Castaño, Romina Scian, Pablo Mallardi, Tomas Fernández Gianotti, Adriana L Burgueño                | 1% |
| 2 | <b>Internet</b> 58 words<br>crawled on 09-Aug-2015<br><a href="http://www.pubfacts.com">www.pubfacts.com</a>  | 1% |
| 3 | <b>Crossref</b> 55 words<br>Honda, Yasushi, Masato Yoneda, Takaomi Kessoku, Yuji Ogawa, Wataru Tomeno, Kento Imajo, Hironori Mawatari, Koji                 | 1% |
| 4 | <b>Internet</b> 35 words<br>crawled on 13-Jul-2016<br><a href="http://www.scribd.com">www.scribd.com</a>  | 1% |
| 5 | <b>Internet</b> 34 words<br>crawled on 26-Jun-2016<br><a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>  | 1% |
| 6 | <b>Crossref</b> 29 words<br>Padilla, J., N. T. Jenkins, P. K. Thorne, J. S. Martin, R. S. Rector, J. W. Davis, and M. H. Laughlin. "Identification of g ... | 1% |

**Name of Journal:** *World Journal of Gastrointestinal Pathophysiology*

**Manuscript NO:** 33984

**Manuscript Type:** Minireviews

**Fatty liver without a large "belly": Magnified review of non-alcoholic fatty liver disease in non-obese patients**

**Mohamad H Yousef, Alhareth Al Juboori, Abdulmajeed A Albarrak, Jamal A Ibdah, Veysel Tahan**

### Abstract

Nonalcoholic fatty liver disease (NAFLD) is well described as a common cause of chronic liver disease, mostly in the obese population. It refers to a spectrum of chronic liver disease that starts with simple steatosis than progresses to nonalcoholic steatohepatitis and cirrhosis in patients without significant alcohol consumption. NAFLD in the non-obese population has been increasingly reported and studied



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 19,000 条结果 (用时 1.27 秒)

### Obesity dependent metabolic signatures associated with nonalcoholic ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: J Barr - 2012 - 被引用次数: 61 - 相关文章

2012年3月15日 - Keywords: NAFLD, **steatosis**, NASH, metabolomics, biomarkers ... Further lipid excess in the sensitized **fatty liver** is metabolized ... **obesity** is well established as the main cause of NAFLD, we do **not** ... of **large** cohorts of human **patient** samples suitable for clinical studies. .... Please **review** our privacy policy.

### Body Mass Index: Obesity, BMI, and Health: A Critical Review

<journals.lww.com> > Home > May/June 2015 - Volume 50 - Issue 3 ▼ 翻译此页

作者: FQ Nuttall - 2015 - 被引用次数: 12 - 相关文章

Importantly, the BMI also does **not** capture information on the mass of **fat** in different ... For example, truncal (**belly fat**) accumulation would be considered to be less ... The risk for development of certain **diseases** as well as mortality data related to ..... appears to correlate best with triacylglycerols accumulating in the **liver** and ...

### Subcutaneous adipocyte size and body fat distribution

<ajcn.nutrition.org/content/87/1/56.full> ▼ 翻译此页

作者: YD Tchoukalova - 2008 - 被引用次数: 154 - 相关文章

Background: Both body **fat** distribution and adipocyte size are associated with ... Other investigators have characterized **obesity** on the basis of adipose tissue ... In normal-weight women, subcutaneous abdominal (but **not** femoral, gluteal, ..... to compensatory storage of excess **fat** in visceral and ectopic (ie, muscle, **liver**, and ...

### The Major Cytochrome P450 Subtype Activities in Diet-Induced Non ...

<https://www.omicsonline.org/.../the-major-cytochrome-p450-subtype-activiti...> ▼ 翻译此页

**Non-Alcoholic Steatohepatitis (NASH)** is now recognized as a global liver disease. ... of lipids in the liver reported in **Non-Alcoholic Fatty Liver Disease (NAFLD)**. ... However, it has **not** yet been established whether the hepatic condition of NASH. ... The livers of HFDHC fed mice were **larger** and **paler** in color



[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 19,000 条结果 (用时 1.27 秒)

### Obesity dependent metabolic signatures associated with nonalcoholic ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: J Barr - 2012 - 被引用次数: 61 - [相关文章](#)

2012年3月15日 - Keywords: NAFLD, **steatosis**, NASH, metabolomics, biomarkers ... Further lipid excess in the sensitized **fatty liver** is metabolized ... **obesity** is well established as the main cause of NAFLD, we do **not** ... of **large** cohorts of human **patient** samples suitable for clinical studies. ....

Please [review](#) our privacy policy.

### Body Mass Index: Obesity, BMI, and Health: A Critical Review

<journals.lww.com> > Home > May/June 2015 - Volume 50 - Issue 3 ▼ [翻译此页](#)

作者: FQ Nuttall - 2015 - 被引用次数: 12 - [相关文章](#)

Importantly, the BMI also does **not** capture information on the mass of **fat** in different ... For example, truncal (**belly fat**) accumulation would be considered to be less ... The risk for development of certain **diseases** as well as mortality data related to .... appears to correlate best with triacylglycerols accumulating in the **liver** and ...

### Subcutaneous adipocyte size and body fat distribution

<ajcn.nutrition.org/content/87/1/56.full> ▼ [翻译此页](#)

作者: YD Tchoukalova - 2008 - 被引用次数: 154 - [相关文章](#)

Background: Both body **fat** distribution and adipocyte size are associated with ... Other investigators have characterized **obesity** on the basis of adipose tissue ... In normal-weight women, subcutaneous abdominal (but **not** femoral, gluteal, .... to compensatory storage of excess **fat** in visceral and ectopic (ie, muscle, **liver**, and ...

### The Major Cytochrome P450 Subtype Activities in Diet-Induced Non ...

<https://www.omicsonline.org/.../the-major-cytochrome-p450-subtype-activiti...> ▼ [翻译此页](#)

**Non-Alcoholic Steatohepatitis (NASH)** is now recognized as a global liver disease. ... of lipids in the liver reported in **Non-Alcoholic Fatty Liver Disease (NAFLD)**. ... However, it has **not** yet been established whether the hepatic condition of NASH ... The livers of HFD-fed mice were **larger** and **paler** in color

Fatty liver without a large "belly": Magnified review of non-alcoholic fatty liver disea

全部

图片

视频

新闻

地图

图书

找到约 24,800 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Obesity dependent metabolic signatures associated with ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3321123/)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3321123/>

15 Mar 2012 ... Keywords: NAFLD, **steatosis**, NASH, metabolomics, biomarkers ... Further lipid excess in the sensitized **fatty liver** is metabolized ... **obesity** is well established as the main cause of NAFLD, we do **not** ... of **large** cohorts of human **patient** samples suitable for clinical studies. .... Please **review** our privacy policy.

[Subcutaneous adipocyte size and body fat distribution](http://ajcn.nutrition.org/content/87/1/56.full)[ajcn.nutrition.org/content/87/1/56.full](http://ajcn.nutrition.org/content/87/1/56.full)

Background: Both body **fat** distribution and adipocyte size are associated with ... Other investigators have characterized **obesity** on the basis of adipose tissue ... In normal-weight women, subcutaneous abdominal (but **not** femoral, gluteal, .... to compensatory storage of excess **fat** in visceral and ectopic (ie, muscle, **liver**, and ...

[The Major Cytochrome P450 Subtype Activities in Diet-Induced Non ...](https://www.omicsonline.org/.../the-major-cytochrome-p450-subtype-activities-in-dietinduced-nonalcoholic-steatohepatitis-mouse-mode...)<https://www.omicsonline.org/.../the-major-cytochrome-p450-subtype-activities-in-dietinduced-nonalcoholic-steatohepatitis-mouse-mode...>

**Non-Alcoholic Steatohepatitis** (NASH) is now recognized as a global liver disease. ... of lipids in the liver reported in **Non-Alcoholic Fatty Liver Disease** ( NAFLD). ... However, it has **not** yet been established whether the hepatic condition of NASH, .... The livers of HFHC-fed mice were **larger** and paler in color than those of ...

[Cardio Metabolic Syndrome: A Global Epidemic | Open Access ...](https://www.omicsonline.org/.../cardio-metabolic-syndrome-a-global-epidemic-2155-6156-1000513.php?...)<https://www.omicsonline.org/.../cardio-metabolic-syndrome-a-global-epidemic-2155-6156-1000513.php?...>

This is a situation where one could justifiably state that **massive problems** require ... An even more alarming finding is that CMS is a **disease** entity that is **not** .... In this study **obese patients without** diabetes or the IDF criteria for CMS were at an .... with polycystic ovarian **disease** [87], sleep apnea [88], **nonalcoholic fatty liver** ...