

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 34285

Manuscript Type: ORIGINAL ARTICLE

*Retrospective Cohort Study*

Minor endoscopic sphincterotomy followed by large balloon dilation for large choledocholith treatment

Xiao-Dan Xu, Bo Chen, Jian-Jun Dai, Jian-Qing Qian, Chun-Fang Xu

**Abstract**

**AIM**

To evaluate early and late outcomes of endoscopic papillary large balloon dilation (EPLBD) with minor sphincterotomy (mEST) for stone removal

## Match Overview

1	<b>Crossref</b> 54 words Paspatis, Gregorios A., Konstantina Paraskeva, Emmanouil Vardas, Vasilios Papastergiou, Aikaterini Tavemarak	2%
2	<b>Crossref</b> 32 words Kook Hyun Kim. "Recurrence of Bile Duct Stones after Endoscopic Papillary Large Balloon Dilation Combined ..."	1%
3	<b>Internet</b> 28 words crawled on 13-Jun-2017 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
4	<b>Crossref</b> 24 words S. Misra. "Large-diameter balloon dilation after endoscopic sphincterotomy for removal of difficult bile duct stone"	1%
5	<b>Crossref</b> 19 words Xu, Xiao-dan, Jian-jun Dai, Jian-qing Qian, and Wei-jun Wang. "Prevention of Pancreatitis After Papillary Balloon ..."	1%
6	<b>Crossref</b> 18 words Jeong, S. "Endoscopic large-balloon sphincteroplasty without preceding sphincterotomy for the removal of large ..."	1%
7	<b>Crossref</b> 16 words Okuno, Mitsuru, Takuji Iwashita, Kensaku Yoshida, Akino-ri Maruta, Shinya Uemura, Masanori Nakashima, Tsuyos	1%
8	<b>Crossref</b> 15 words Kim, Tae Hyeon, Jin Hong Kim, Dong Wan Seo, Dong Ki Lee, Nageshwar D. Reddy, Rungsun Rerknimitr, Thawe	1%

Minor endoscopic sphincterotomy followed by large balloon dilation for large chol

全部 图片 视频 新闻 地图 图书

找到约 3,840 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[Is Endoscopic Papillary Large Balloon Dilation Safe for Treating ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4991195/>

Endoscopic sphincterotomy (EST) has become the procedure of choice for removal ... Large balloon dilation after minor EST is effective for retrieving large biliary .... Recent studies have shown that EST followed by large balloon dilation,[ 10,31] ... EPLBD and EST for the extraction of choledocholithiasis showed that EPLBD ...

[Large balloon dilation post endoscopic sphincterotomy in removal of ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4069304/>

28 Jun 2014 ... Endoscopic sphincterotomy (ES) is the standard therapy in common bile duct (CBD) ... Endoscopic sphincterotomy followed by large balloon dilation .... One of six patients presented with minor delayed bleeding .... balloon dilation after sphincterotomy for difficult choledocholithiasis: A case-controlled study.

[Endoscopic Sphincterotomy with Large Balloon Dilation versus ...](#)

<https://www.hindawi.com/journals/bmri/2015/673103/>

25 Dec 2014 ... Endoscopic Sphincterotomy with Large Balloon Dilation versus Endoscopic ... lithotripsy, compared to those treated with EPLBD (13.3% versus 0.0, ). .... This was followed by balloon dilation. .... It is worth noting that 3 studies [12–14] described the methods of EPLBD as minor or mid-EST plus LBD. It is often ...

[Endoscopic large-balloon dilation alone versus endoscopic ...](#)

[bmcgastroenterol.biomedcentral.com/articles/.../1471-230X-13-15](http://bmcgastroenterol.biomedcentral.com/articles/.../1471-230X-13-15)

17 Jan 2013 ... Endoscopic sphincterotomy (EST) combined with large-balloon dilation ... alone and EST plus LBD for the treatment of large bile duct stones. ... orifice of the papilla proximally to the transverse fold (minor EST). .... [9] first reported the use of EST followed by EPBD with large-diameter (12–20 mm) balloons as ...

[Which Is the Better Treatment for the Removal of Large Biliary Stones?](#)



Minor endoscopic sphincterotomy followed large balloon dilation is an alternative

全部 图片 视频 新闻 地图 图书

找到约 4,990 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[Large balloon dilation post endoscopic sphincterotomy in removal of ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4069304/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4069304/>

28 Jun 2014 ... Endoscopic sphincterotomy followed by large balloon dilation ... Endoscopic papillary balloon dilation with biliary balloons has been proposed as an alternative to ES ... Large CBD stones or multiple stones may be difficult to remove after ... procedure in 34 patients, and only one case of minor bleeding was ...

[Is Endoscopic Papillary Large Balloon Dilation Safe for Treating ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4991195/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4991195/>

Endoscopic sphincterotomy (EST) has become the procedure of choice for removal of ... Large balloon dilation after minor EST is effective for retrieving large biliary stones ... EPBD is an alternative to EST for removing bile duct stones. ... an adjunctive tool to EST for removing large or difficult common bile duct (CBD) stones.

[Endoscopic Sphincterotomy with Large Balloon Dilation versus ...](https://www.hindawi.com/journals/bmri/2015/673103/)

<https://www.hindawi.com/journals/bmri/2015/673103/>

25 Dec 2014 ... Three RCTs compared EPLBD versus EST alone for stone removal; one ... common duct, additional techniques such as mechanical lithotripsy may be utilized [2, 3]. ... As an alternative method to EST, endoscopic papillary balloon dilation ... to large balloon dilatation for the removal of large bile duct stones, ...

[Endoscopic biliary large-balloon dilation after endoscopic ...](http://www.revistagastroenterologiamexico.org/.../endoscopic-biliary-large-balloon-dilation.../X0375090610560752/)

[www.revistagastroenterologiamexico.org/.../endoscopic-biliary-large-balloon-dilation.../X0375090610560752/](http://www.revistagastroenterologiamexico.org/.../endoscopic-biliary-large-balloon-dilation.../X0375090610560752/)

Bile ducts, biliary calculi, endoscopic sphincterotomy, balloon dilator, large stones, Mexico. ¿ Introduction. Common bile duct stones (CBD) extraction is usually performed by ... followed by removal by either a Dormia basket or extraction balloon ... is an alternative for removal of large stones, however this procedure is time ...

Minor endoscopic sphincterotomy followed by large balloon dilation for large chol

全部 图片 视频 新闻 地图 图书

找到约 4,740 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Is Endoscopic Papillary Large Balloon Dilation Safe for Treating ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4991195/>

Endoscopic sphincterotomy (EST) has become the procedure of choice for removal ... Large balloon dilation after minor EST is effective for retrieving large biliary .... Recent studies have shown that EST followed by large balloon dilation,[ 10,31] ... EPLBD and EST for the extraction of choledocholithiasis showed that EPLBD ...

[Large balloon dilation post endoscopic sphincterotomy in removal of ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4069304/>

28 Jun 2014 ... Endoscopic sphincterotomy (ES) is the standard therapy in common bile duct (CBD) ... Endoscopic sphincterotomy followed by large balloon dilation .... One of six patients presented with minor delayed bleeding. .... balloon dilation after sphincterotomy for difficult choledocholithiasis: A case-controlled study.

[Endoscopic Sphincterotomy with Large Balloon Dilation versus ...](#)

<https://www.hindawi.com/journals/bmri/2015/673103/>

25 Dec 2014 ... Endoscopic Sphincterotomy with Large Balloon Dilation versus Endoscopic ... lithotripsy, compared to those treated with EPLBD (13.3% versus 0.0, ). .... This was followed by balloon dilation. .... It is worth noting that 3 studies [12–14] described the methods of EPLBD as minor or mid-EST plus LBD. It is often ...

[Endoscopic large-balloon dilation alone versus endoscopic ...](#)

[bmcgastroenterol.biomedcentral.com/articles/.../1471-230X-13-15](http://bmcgastroenterol.biomedcentral.com/articles/.../1471-230X-13-15) ▼

17 Jan 2013 ... Endoscopic sphincterotomy (EST) combined with large-balloon dilation ... alone and EST plus LBD for the treatment of large bile duct stones. ... orifice of the papilla proximally to the transverse fold (minor EST). .... [9] first reported the use of EST followed by EPBD with large-diameter (12–20 mm) balloons as ...

[Which Is the Better Treatment for the Removal of Large Biliary Stones?](#)