

Name of Journal: World Journal of Gastroenterology

Manuscript NO: 34420

Manuscript Type: ORIGINAL ARTICLE

*Retrospective Study*

**Sex-influenced association of non-alcoholic fatty liver disease with colorectal adenomatous and hyperplastic polyps**

Qin-Fen Chen, Xiao-Dong Zhou, Yang-Jie Sun, Dan-Hong Fang, Qian Zhao, Jun-Hua Huang, Yin Jin, Jian-Sheng Wu

### Abstract

#### AIM

To investigate relationship between non-alcoholic fatty liver disease (NAFLD) and colorectal adenomatous and hyperplastic polyps.

#### METHODS

### Match Overview

1	Internet 69 words crawled on 28-Dec-2014 <a href="http://www.transtria.com">www.transtria.com</a>	2%
2	Crossref 44 words Sang Tae Hwang. "Relationship of non-alcoholic fatty li... er disease to colorectal adenomatous polyps", Journal of	1%
3	Internet 43 words crawled on 01-Jan-2011 <a href="http://lib.bioinfo.pl">lib.bioinfo.pl</a>	1%
4	Internet 37 words crawled on 06-Feb-2017 <a href="http://onlinelibrary.wiley.com">onlinelibrary.wiley.com</a>	1%
5	Internet 26 words crawled on 14-Jan-2017 <a href="http://pdfs.semanticscholar.org">pdfs.semanticscholar.org</a>	1%
6	Crossref 26 words Mykhalchyshyn, Galyna, Nazarii Kobylak, and Petro Bod nar. "Diagnostic accuracy of acyl-ghrelin and it associati	1%
7	Internet 24 words crawled on 14-Jun-2017 <a href="http://robbwolf.com">robbwolf.com</a>	1%
8	Crossref 22 words Neil H. Hyman. "Hyperplastic Polyposis and the Risk of ... Colorectal Cancer", Diseases of the Colon & Rectum, 12/	1%
9	Internet 22 words crawled on 24-May-2011	1%



时间 ^

2017以来 (17)

2016以来 (150)

2015以来 (383)

年 - 年 确认

领域 ^

临床医学 (3036)

基础医学 (538)

生物学 (191)

+

核心 ^

SCIE索引 (1810)

SCI索引 (1465)

EI索引 (14)

+

关键词 ^

Colorectal cancer

Colonoscopy

adenoma

+

类型 ^

期刊

学位

会议

+

找到约17,800条相关结果

按相关性

## Alcohol drinking, cigarette smoking, and risk of colorectal adenomatous and hyperplastic polyps.

MJ Shrubsole, H Wu, RM Ness, ... - 《American Journal...》 - 2008 - 被引量: 104

Abstract The authors evaluated alcohol drinking and cigarette smoking in relation to risk of colorectal polyps in a Nashville, Tennessee, colonoscopy-ba...

来源: Europe PMC / Oxford Univ Press / NCBI / ResearchGate<sup>FREE</sup> / Citeseer<sup>FREE</sup> v

Hyperplastic Polyps colonic polyps Cigarette Smoking



## Relationship of non-alcoholic fatty liver disease to colorectal adenomatous polyps

ST Hwang, YK Cho, JH Park, ... - 《Journal of Gastr...》 - 2010 - 被引量: 91

Abstract Metabolic syndrome and insulin resistance are associated with a higher risk of colon cancer. Non-alcoholic fatty liver disease (NAFLD) is regar...

来源: NCBI / Wiley / ingentaconnect.com / ResearchGate<sup>FREE</sup> / Wiley<sup>FREE</sup> v

non-alcoholic fatty liver disease



## Increased risk of colorectal polyps in patients with non-alcoholic fatty liver disease undergoing liver transplant evaluation

BD Bhatt, T Lukose, AB Siegel, ... - 《Journal of Gastr...》 - 被引量: 1

(OR 1.73, P=0.01) were associated with a greater risk of adenomatous polyps and CTP class C status remained protective...Relationship of non- alcoholic fatty liver disease to colorectal adenomatous polyps. J Gastroenterol Hepatol 2010...

来源: NCBI / Pubmed Central / Europe PMC / Pubmed Central<sup>FREE</sup> / Europe PMC<sup>FREE</sup> v

non-alcoholic fatty liver disease colorectal polyps



## Relationship of Colorectal Polyps and Fatty Liver Disease Diagnosed by Ultrasonography





Sex-influenced association of non-alcoholic fatty liver disease with colorectal a



全部

图片

视频

新闻

地图

图书

找到约 6,110 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

您是不是要找: [Sex-influenced association of non-alcoholic fatty liver disease with colorectal adenomas and hyperplastic polyps](#)

[Association between nonalcoholic fatty liver disease and colorectal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4358458/>

15 Jan 2015 ... Keywords: Nonalcoholic fatty liver disease, colorectal adenoma, risk factors, meta-analysis ... (RCTs) with participants of any sex or ethnic origin with colorectal adenoma on the ... Hyperplastic and inflammatory polyps were excluded. .... though NAFLD has no influence on the prognosis in CRC patients [18].

[Advanced Hepatic Fibrosis in Fatty Liver Disease Linked to ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5239862/>

3 Jan 2017 ... Our study showed an association between biopsy-proven ... Nonalcoholic fatty liver disease (NAFLD) is emerging condition and ... for colorectal cancer (CRC), colonic adenomas, hyperplastic polyps, .... Moreover, NASH and advanced hepatic fibrosis are associated with HPs independently by age, sex, ...

[Nonalcoholic Fatty Liver Disease and Extra-hepatic Malignancy ...](#)

<link.springer.com/article/10.1007/s11901-014-0213-y>

8 Feb 2014 ... Nonalcoholic fatty liver disease (NAFLD) has risen to become the most common ... The association of NAFLD with cancer specifically is an area of more ... NAFLD Fatty liver Steatosis Colon polyps Colon adenomas Colorectal ..... between adiponectin and leptin influences the risk of colorectal adenoma.

[Association of Liver Steatosis with Colorectal Cancer and Adenoma ...](#)

<ar.iiarjournals.org/content/35/4/2211.full>

Results: The prevalence of colorectal adenoma was twice as high in patients with metabolic ... Associated liver steatosis is a significant risk factor for colorectal cancer. ... against 90 patients, matched for age and sex, without metabolic syndrome. .... The relationship between non-alcoholic fatty liver disease and colorectal ...

[The Relationship between Nonalcoholic Fatty Liver Disease and ...](#)

Sex-influenced association of non-alcoholic fatty liver disease with colorectal ade

全部

图片

视频

新闻

地图

图书

找到约 2,720 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Advanced Hepatic Fibrosis in Fatty Liver Disease Linked to ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5239862/>

3 Jan 2017 ... Our study showed an **association** between biopsy-proven ... **Nonalcoholic fatty liver disease** (NAFLD) is emerging condition and ... for **colorectal** cancer (CRC), colonic **adenomas**, **hyperplastic polyps**, .... Moreover, NASH and advanced hepatic fibrosis are associated with HPs independently by age, **sex**, ...

[Association between nonalcoholic fatty liver disease and colorectal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4358458/>

15 Jan 2015 ... Keywords: **Nonalcoholic fatty liver disease**, **colorectal adenoma**, risk factors, meta -analysis ... (RCTs) with participants of any **sex** or ethnic origin with **colorectal adenoma** on the ... **Hyperplastic** and inflammatory **polyps** were excluded. .... though NAFLD has no **influence** on the prognosis in CRC patients [18].

[The relationship of nonalcoholic fatty liver disease and metabolic ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5266168/>

13 Jan 2017 ... Colorectal neoplasm is considered to have a strong **association** with nonalcoholic fatty ... NAFLD and MetS are risk factors for colorectal neoplasm and CRC, respectively. ... **Nonalcoholic fatty liver disease** (NAFLD) is defined as an .... of **colorectal adenomatous polyps** than other groups because of the little ...

[Alcohol Drinking Increased the Risk of Advanced Colorectal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4316226/>

29 Jan 2015 ... Especially in the group with **alcoholic liver diseases** and with ... Keywords: Advanced **colorectal adenoma**, **Alcohol** drinking, Risk, **Liver diseases**, **alcoholics** ... **Hyperplastic polyps** and cases accompanying colon cancer or IBDs were also ... age, **sex**, smoking, and BMI) were adjusted to find the **association** ...

[\[PDF\] Body Mass Index Increases Risk for Colorectal Adenomas Based on ...](#)