

Match Overview

1 **Crossref** 17 words
Joshua T.Y. Chai. "Fatal Israeli Spotted Fever in a UK Traveler to South Portugal", Journal of Travel Medicine, 3/2008 1%

2 **Internet** 13 words
crawled on 11-Mar-2016
cdn.intechopen.com 1%

Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 34544

Manuscript Type: CASE REPORT

Pedicated omental patch as a bridging procedure for iatrogenic bile duct injury

Jun Jie Ng, Alfred Kow

Abstract

Iatrogenic bile duct injuries during cholecystectomy can present as fulminant intra-abdominal sepsis which precludes immediate repair or biliary reconstruction. We report the case of a 29-year-old female patient who sustained a bile duct injury after an open cholecystectomy in a neighboring country. She presented to our institution 22 d after initial surgery with septic shock and multiple intra-abdominal collections. Endoscopic retrograde cholangiography revealed a large common hepatic duct defect corresponding to a Strasberg type D bile duct injury. Definitive reconstruction

Pedicled omental patch as a bridging procedure for iatrogenic bile duct injury

[全部](#) [图片](#) [视频](#) [新闻](#) [地图](#) [图书](#)

找到约 12,600 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[This is a restricted profile - ViewProfile](#)<https://www.csxchange.sg/.../fc5092f9-6642-4def-8d55-bf4e4e4ba12a>

An old **technique** with innovative indication: **pedicled omental patch** with endoscopic biliary stenting as a **bridging procedure for iatrogenic bile duct injury**.

[This is a restricted profile - ViewProfile](#)<https://www.csxchange.sg/.../a2168218-975c-430f-b520-921ca9baaa3b>

NUH , General **Surgery**. Registrar. SGH , General **Surgery**. Medical ... SGH , Orthopedic **Surgery** ... Mar 2015, **Pedicled omental patch** with endoscopic biliary stenting as a **bridging procedure for iatrogenic bile duct injury** post cholecystectomy

[Repair of a common bile duct defect with a decellularized ureteral graft](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5192268/>

28 Dec 2016 ... However, most defects generally follow **iatrogenic bile duct injury** during The common bile duct defect was **bridged** by a 2 cm long ... A **pedicled omentum** flap was brought up to wrap the interposed graft for vascularization. ... The animal had free access to water on the day of the **procedure** and resumed ...

[Omental \(Graham\) Patch: Overview, Perioperative Care, Technique](#)emedicine.medscape.com/article/1892935-overview

5 Oct 2015 ... Introduction **Omental** patching began in 1937, when Dr. Graham of Toronto ... The goal of an operative **procedure** for perforated duodenal ulcers is to ... of the **injury** with appropriate source control and limitation of parietal cell ...

[Expanded polytetrafluoroethylene in canine bile duct injury: a critical ...](#)www.scielo.br/scielo.php?script=sci_arttext&pid=S0102...

Results 7 - 16 ... ¹Full Professor, Head of the Center of Experimental **Surgery** and Coordinator of ... Partial adhesion of the **patch** to the common **bile duct** as a free luminal ... of **biliary duct iatrogenic** lesions, the expanded polytetrafluoroethylene ... arteries ... small bowel **omentum**

Pedicated omental patch as a bridging procedure for iatrogenic bile duct injury

全部 图片 视频 新闻 地图 图书

找到约 14,900 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Jun Jie Ng's Profile - ViewProfile](#)

<https://www.csxchange.sg/.../fc5092f9-6642-4def-8d55-bf4e4e4ba12a>

An old technique with innovative indication: pedicled omental patch with endoscopic biliary stenting as a bridging procedure for iatrogenic bile duct injury.

[Kon Voi Tay's Profile - ViewProfile](#)

<https://www.csxchange.sg/.../a2168218-975c-430f-b520-921ca9baaa3b>

NUH , General Surgery. Registrar. SGH , General Surgery. Medical ... SGH , Orthopedic Surgery ... Mar 2015, Pedicled omental patch with endoscopic biliary stenting as a bridging procedure for iatrogenic bile duct injury post cholecystectomy

[\[PDF\] Reconstruction of Bile Duct Injury and Defect with the ... - Springer Link](#)

<https://link.springer.com/content/pdf/10.1007%2Fs11605-017-3485-z.pdf>

23 Jun 2017 ... In one patient, the T tube was removed at 3 months after surgery and MRI at 9 months showed strictly ... Lateral bile duct injury (BDI) or defects are rare and usually secondary to ... choledochal fistula.2 Lateral BDI can also be iatrogenic and ... peptic ulcer by an omental patch.6 Major advances are lacking.

[Repair of a common bile duct defect with a decellularized ureteral graft](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5192268/>

28 Dec 2016 ... However, most defects generally follow iatrogenic bile duct injury during ... The common bile duct defect was bridged by a 2 cm long ... A pedicled omentum flap was brought up to wrap the interposed graft for vascularization. ... The animal had free access to water on the day of the procedure and resumed ...

[Expanded polytetrafluoroethylene in canine bile duct injury: a critical ...](#)

www.scielo.br/scielo.php?script=sci_arttext&pid=S0102...

Results 7 - 16 ... Full Professor, Head of the Center of Experimental Surgery and Coordinator of ... Partial adhesion of the patch to the common bile duct as a free luminal ... of biliary duct

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 15,700 条结果 (用时 0.45 秒)

Jun Jie Ng's Profile - ViewProfile

<https://www.csxchange.sg/Privacy/.../fc5092f9-6642-4def-8d55-bf4e4e4ba1...> ▼ [翻译此页](#)

An old **technique** with innovative indication: **pedicled omental patch** with endoscopic biliary stenting as a **bridging procedure for iatrogenic bile duct injury**.

Kon Voi Tay's Profile - ViewProfile

<https://www.csxchange.sg/.../a2168218-975c-430f-b520-921ca9baaa3b> ▼ [翻译此页](#)

NUH, General **Surgery**. Registrar ... World Journal of Colorectal **Surgery**. 2014 Aug; 4 (2): 2. ... Mar 2015, **Pedicled omental patch** with endoscopic biliary stenting as a **bridging procedure for iatrogenic bile duct injury** post cholecystectomy

Repair of a common bile duct defect with a decellularized ureteral graft

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5192268/> - [翻译此页](#)

作者: Y Cheng - 2016 - [相关文章](#)

2016年12月28日 - However, most defects generally follow **iatrogenic bile duct injury** during The common bile duct defect was **bridged** by a 2 cm long ... A **pedicled omentum** flap was brought up to wrap the interposed graft for vascularization. Either a tubular graft or a **patch** graft was used in these experimental studies.

Reconstruction of Bile Duct Injury and Defect with the ... - Springer Link

<https://link.springer.com/content/pdf/10.1007%2Fs11605-017-3485-z.pdf> - [翻译此页](#)

2017年6月23日 - In one patient, the T tube was removed at 3 months after **surgery** and MRI at 9 months showed strictly ... Lateral **bile duct injury** (BDI) or defects are rare and usually secondary to ... choledocal fistula.2 Lateral BDI can also be **iatrogenic** and peptic ulcer by an **omental patch**.6 Major advances are lacking.

Expanded polytetrafluoroethylene in canine bile duct injury: a critical ...

www.scielo.br/scielo.php?script=sci_arttext&pid=S0102... ▼ [翻译此页](#)

作者: A Schanaider - 2011 - [被引用次数: 11](#) - [相关文章](#)

Results 7 - 16 - ¹Full Professor, Head of the Center of Experimental **Surgery** and Coordinator of ...

Partial adhesion of the **patch** to the common **bile duct** as a free luminal ... of **biliary duct iatrogenic**