

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 18,900 条结果 (用时 0.97 秒)

Google 学术: High Yield Reproducible Rat Model Recapitulating Human Barrett's Carcinogenesis

... inhibitor in a **rat model** of gastroesophageal reflux ... - [Gibson](#) - 被引用次数: 18

Small-animal SPECT and SPECT/CT: important tools ... - [Franc](#) - 被引用次数: 194

... **modeling** the interaction of **human** cancer cells with ... - [Stadler](#) - 被引用次数: 21

Current animal models of bladder cancer: Awareness of translatability ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: JIE DING - 2014 - 被引用次数: 4 - [相关文章](#)

2014年7月11日 - A variety of animal **models** that **recapitulate human** urothelial cell carcinoma have thus far ... The remaining 20–30% of UCC are a **high-grade**, non-papillary, ... develop, inexpensive to maintain, stable, predictable and **reproducible**. For studies of **carcinogen**-induced bladder cancer **models**, **rats** are more ...

Genetic reconstitution of tumorigenesis in primary intestinal cells

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)


作者: K Onuma - 2013 - 被引用次数: 31 - [相关文章](#)

2013年6月17日 - Animal **models** for **human** colorectal cancer **recapitulate** multistep ... coli (APC), we managed to **reproducibly** induce APC-inactivated intestinal organoids. ... Keywords: colon **carcinogenesis**, shRNA, primary culture, Matrigel, validation ... We adopted lentiviral gene delivery for its **high** infection efficiency to ...

Editor's choice: Emerging roles of the microbiome in cancer - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3908754/> - [翻译此页](#)

Match Overview



1	Internet 16 words crawled on 27-May-2016 repub.eur.nl	<1%
2	Internet 15 words crawled on 06-Mar-2010 carcin.oxfordjournals.org	<1%
3	Crossref 14 words Yuji Tamagawa . "Notch signaling pathway and Cdx2 expr ... ssion in the development of Barrett's esophagus", Laborato	<1%
4	Crossref 13 words G. Cengia , G. Missale , L. Minelli , V. Villanacci , E. Rossi , F. ... Cestari . "Screening for and Surveillance of Barrett's Esoph	<1%
5	Internet 12 words crawled on 28-Sep-2006 gut.bmjournals.com	<1%

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 34613

Manuscript Type: ORIGINAL ARTICLE

Basic Study

High yield reproducible rat model recapitulating human Barrett's carcinogenesis

Matsui D *et al.* Rat model of esophageal adenocarcinoma

Daisuke Matsui, Ashten N Omstead, Juliann E Kosovec, Yoshihiro Komatsu, Emily J
Lloyd, Hailey Raphael, Ronan J Kelly, Ali H Zaidi, Blair A Jobe

Abstract

AIM

To efficiently replicate the biology and pathogenesis of human esophageal
adenocarcinoma (EAC) using the modified Levrat model of end-to-side
esophagojejunostomy.

找到约 18,800 条结果 (用时 0.57 秒)

Google 学术: High yield reproducible rat model recapitulating human Barrett's carcinogenesis

... inhibitor in a **rat model** of gastroesophageal reflux ... - **Gibson** - 被引用次数: 19

Small-animal SPECT and SPECT/CT: important tools ... - **Franc** - 被引用次数: 199

... **models** of **human** gastrointestinal development and ... - **Dedhia** - 被引用次数: 33

Current animal models of bladder cancer: Awareness of translatability ...

<https://www.ncbi.nlm.nih.gov> > **NCBI** > **Literature** > PubMed Central (PMC) - [翻译此页](#)

作者: JIE DING - 2014 - 被引用次数: 5 - [相关文章](#)

2014年7月11日 - A variety of animal **models** that **recapitulate human** urothelial cell carcinoma have ...

The remaining 20–30% of UCC are a **high**-grade, non-papillary, and xenograft **models** are both time- and cost-effective, and **reproducible**, but For studies of **carcinogen**-induced bladder cancer **models**, **rats** are more ...

Genetic reconstitution of tumorigenesis in primary intestinal cells

<https://www.ncbi.nlm.nih.gov> > **NCBI** > **Literature** > PubMed Central (PMC) - [翻译此页](#)

作者: K Onuma - 2013 - 被引用次数: 31 - [相关文章](#)

2013年6月17日 - Animal **models** for **human** colorectal cancer **recapitulate** multistep ... coli (APC), we managed to **reproducibly** induce APC-inactivated intestinal organoids. ... Keywords: colon

carcinogenesis, shRNA, primary culture, Matrigel, validation ... We adopted lentiviral gene delivery for its **high** infection efficiency to ...

Role of nitric oxide in the pathogenesis of Barrett's-associated ...

<https://www.ncbi.nlm.nih.gov> > **NCBI** > **Literature** > PubMed Central (PMC) - [翻译此页](#)

作者: G Kusaka - 2016 - 被引用次数: 4 - [相关文章](#)

2016年2月15日 - Core tip: **Barrett's carcinogenesis** is closely associated with chronic ... We previously demonstrated that a **high** amount of nitric oxide (NO) at the in normal **human** esophageal squamous epithelium specimens with those in BE might play a crucial role in LPS-induced inflammation in a **rat-model**[65].

缺少字词: **yield reproducible recapitulating**

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 7,000 条结果 (用时 0.71 秒)

Google 学术 : Postoperative changes of manometry after restorative proctocolectomy in Korean ulcerative colitis patients

... in ulcerative colitis patients after proctocolectomy ileal ... - Carmon - 被引用次数 : 86

... life and health status after restorative proctocolectomy ... - Heikens - 被引用次数 : 7

Health related quality of life in inflammatory bowel ... - Umanskiy - 被引用次数 : 29

Complications after ileal pouch-anal anastomosis in Korean patients ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : SB Ryoo - 2014 - 被引用次数 : 2 - 相关文章

2014年6月21日 - Keywords: Ulcerative colitis, Ileal pouch-anal anastomosis, Complications, Pouch failure, Pouch function Total proctocolectomy was performed on 71 (98.6%) patients. ...

Treatments for early postoperative complications after IPAA The inflammation may be a result of changes in pH, bacterial flora or ...

缺少字词 : manometry

Restorative Proctocolectomy: Operative Safety and Functional

<https://synapse.koreamed.org/Synapse/Data/PDFData/.../ymj-41-634.pdf> - 翻译此页

作者 : NK Kim - 2000 - 被引用次数 : 6 - 相关文章

Postoperative urinary function was satisfactory in 13,114 patients. Postoperative sexual ... Seoul 120—752, Korea. Tel: 322-561-5562, Fax: ... ulcerative colitis after total proctocolectomy with ileal.] pouch anal ... Anorectal manometry was performed at regular in- risk of dysplasia and malignant change. Traditionally,.

[PDF] Risk factors for complications after total colectomy in ulcerative colitis

www.turkjgastroenterol.org/sayilar/207/buyuk/11371.pdf ▼ 翻译此页

作者 : KIM In Kyoung - 2012 - 被引用次数 : 6 - 相关文章

2011年9月17日 - Department of Internal Medicine, Seoul, Republic of Korea ... tors for colectomy-related complications in ulcerative colitis patients. ... Eighty (94.1%) patients received total proctocolectomy with ileal ... surgery, extent of the disease, postoperative pat- nate colitis, the diagnosis was changed to UC after.