

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 34881

Manuscript Type: CASE REPORT

Case of familial hyperlipoproteinemia type III hypertriglyceridemia induced acute pancreatitis: role for outpatient apheresis maintenance therapy

Saleh MA *et al.* Outpatient apheresis in hypertriglyceridemia induced pancreatitis

Mohannad Abou Saleh, Emad Mansoor, Gregory S Cooper

Abstract

Hypertriglyceridemic pancreatitis (HTGP) accounts for up to 10% of acute pancreatitis presentations in non-pregnant individuals and is the third most common cause of acute pancreatitis after alcohol and gallstones. There are a number of retrospective studies and case reports that have suggested a role for apheresis and insulin infusion in the acute inpatient setting. We report a case of HTGP in a male with hyperlipoproteinemia

Match Overview

1	Internet 16 words crawled on 11-Jun-2017 www.wjgnet.com	1%
2	Internet 15 words crawled on 22-Nov-2016 www.uptodate.com	1%
3	Crossref 14 words Bitton, Samuel, Toba A. Weinstein, Jeremiah J. Levine, an ... Michael J. Pettel. "A 9-Year-Old Girl with Stabbing Stomach	1%
4	Internet 14 words crawled on 17-Apr-2015 www.docstoc.com	1%
5	Internet 13 words crawled on 14-Oct-2010 pathology5.pathology.jhmi.edu	1%
6	Internet 12 words crawled on 02-Jan-2010 www.wrongdiagnosis.com	1%
7	Internet 12 words invasivecardiology.com	1%



全部

图片

新闻

购物

视频

更多

设置

工具

找到约 3,180 条结果 (用时 0.54 秒)

Issues in Hypertriglyceridemic Pancreatitis - An Update - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: J Scherer - 2014 - 被引用次数: 95 - 相关文章

The clinical presentation of HTG-induced pancreatitis (HTG pancreatitis) is similar to ... of lipoprotein metabolism (Familial combined hyperlipidemia or Familial HTG). ... TG are seen in up to one third of all cases of AP, regardless of etiology. pancreatitis episodes, the role of maintenance apheresis needs further study.

Hypertriglyceridemia-induced recurrent acute pancreatitis: A case ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: SK Kota - 2012 - 被引用次数: 31 - 相关文章

[3] Typically hypertriglyceridemia-induced pancreatitis occurs in a patient with a ... Heparin and insulin have a role to play in the treatment. ... and VLDL cholesterol, a diagnosis of type IIb hyperlipoproteinemia (Familial J Clin Apheresis. 2003 ...

缺少字词: outpatient maintenance

Early plasmapheresis in patients with severe hypertriglyceridemia ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: P Nasa - 2015 - 被引用次数: 5 - 相关文章

Hypertriglyceridemia can cause severe diseases such as acute pancreatitis (AP) ... Plasmapheresis is a therapeutic option in such medical emergencies. ... [2,3,4,5,6] We used early plasmapheresis in 2 cases of SHTG induced severe AP ... The indications of plasmapheresis or lipid apheresis in such cases are (a) patient ...

缺少字词: familial hyperlipoproteinemia maintenance

Therapeutic Plasma Exchange in Patients With Severe ...

https://www.researchgate.net/.../41104251_Therapeutic_Plasma_Exchange_i... - 翻译此页

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 32,200 条结果 (用时 0.82 秒)

Issues in Hypertriglyceridemic Pancreatitis - An Update - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)作者: J Scherer - 2014 - [被引用次数: 84](#) - [相关文章](#)

The clinical presentation of HTG-induced pancreatitis (HTG pancreatitis) is similar to ... of lipoprotein metabolism (Familial combined hyperlipidemia or Familial HTG). ... TG are seen in up to one third of all cases of AP, regardless of etiology. ... pancreatitis episodes, the role of maintenance apheresis needs further study.

Treatment of hypertriglyceridemia-induced acute pancreatitis with insulin

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)作者: A Coskun - 2015 - [被引用次数: 3](#) - [相关文章](#)

2015年1月14日 - To present 12 cases of AP successfully treated by insulin ... Insulin may be used safely and effectively in HT-induced AP therapy. ... Keywords: acute pancreatitis, hypertriglyceridemia, hyperlipidaemia, insulin The occurrence rate of AP in type I, II and V hyperlipidaemia may be 35%, ... J Clin Apheresis.

缺少字词: familial maintenance

Hypertriglyceridemia-induced acute pancreatitis - UpToDate

www.uptodate.com/contents/hypertriglyceridemia-induced-acute-pancreatitis - [翻译此页](#)

2015年7月20日 - Hypertriglyceridemia (HTG) is the third most common cause of acute ... and up to 56 percent of pancreatitis cases during pregnancy [1,3]. ... treatment of hypertriglyceridemia-induced severe acute pancreatitis. ... Guidelines on the use of therapeutic apheresis in clinical practice--evidence-based approach ...

缺少字词: maintenance

找到约 29,900 条结果 (用时 0.59 秒)

Issues in Hypertriglyceridemic Pancreatitis - An Update - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者: J Scherer - 2014 - 被引用次数: 95 - 相关文章

The clinical presentation of HTG-induced pancreatitis (HTG pancreatitis) is similar to ... of lipoprotein metabolism (Familial combined hyperlipidemia or Familial HTG). ... TG are seen in up to one third of all cases of AP, regardless of etiology. pancreatitis episodes, the role of maintenance apheresis needs further study.

Early plasmapheresis in patients with severe hypertriglyceridemia ...

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者: P Nasa - 2015 - 被引用次数: 5 - 相关文章

Hypertriglyceridemia can cause severe diseases such as acute pancreatitis (AP) ... Plasmapheresis is a therapeutic option in such medical emergencies. ... [2,3,4,5,6] We used early plasmapheresis in 2 cases of SHTG induced severe AP ... The indications of plasmapheresis or lipid apheresis in such cases are (a) patient ...

缺少字词: familial hyperlipoproteinemia maintenance

Hypertriglyceridemia-induced recurrent acute pancreatitis: A case ...

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者: SK Kota - 2012 - 被引用次数: 31 - 相关文章

[3] Typically hypertriglyceridemia-induced pancreatitis occurs in a patient with a ... Heparin and insulin have a role to play in the treatment. ... and VLDL cholesterol, a diagnosis of type IIb

hyperlipoproteinemia (Familial J Clin Apheresis. 2003 ...

缺少字词: outpatient maintenance

Indications for apheresis as an ultima ratio treatment of refractory ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4361751/> - 翻译此页

作者: P Grützmacher - 2015 - 被引用次数: 4 - 相关文章

2015年2月17日 - Severe familial hypercholesterolemia with atherosclerotic vessel ... and hyperlipoproteinemia (a), maintenance apheresis therapy is ... Lipid apheresis treatment except from emergency cases is indicated only in ... Potential role of new drugs acute pancreatitis in patients with severe hypertriglyceridemia: