



全部 图片 视频 新闻 地图 图书

找到约 401 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

您是不是要找: [Laparoscopic finding of a hepatic subcapsular spider-like telangiectasia sign in biliary atresia](#)

[Hepatic subcapsular flow: An early marker in diagnosing biliary atresia](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4419431/>

We report an interesting sign in the sonological evaluation of neonatal ... Keywords: Biliary atresia, hepatic artery diameter, hepatic subcapsular flow, triangular cord sign ... finding, that is, hepatic subcapsular flow, in diagnosing biliary atresia. ... the surface of the liver showed telangiectatic hepatic artery branches [Figure 2] ...

[Ultrasonographic findings of type IIIa biliary atresia - Ultrasonography](#)

<https://www.e-ultrasonography.org/journal/view.php?number=45>

Among the three Kasai types of biliary atresia, type III (porta hepatis Both the triangular cord sign and the hepatic subcapsular flow are also known as one of ...

[Biliary atresia | Radiology Reference Article | Radiopaedia.org](#)

<https://radiopaedia.org/articles/biliary-atresia>

Biliary atresia (BA) is a congenital biliary disorder, which is characterised by an absence or severe deficiency of the extrahepatic biliary tree. It is one of the most ...

[Full Meeting Schedule - PAPS 50th Meeting](#)

www.papsmeeting.com/index.php/program/speaker-schedule

P-032, Laparoscopic finding of hepatic subcapsular spider-like telangiectasis sign in biliary atresia: A retrospective study, 7:05, 7:09, Shao-tao Tang.

[dandy-walker syndrome: Topics by Science.gov](#)

<https://www.science.gov/topicpages/d/dandy-walker+syndrome>

The main clinical signs typical of WS (Wisconsin syndrome) are evident in the dental abnormalities, anal atresia, polydactyly, Dandy Walker malformation and A person with Marfan syndrome may exhibit long limbs and spider-like fingers, ensuing hepatic necrosis, intraparenchymal and subcapsular hemorrhage, ...

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 35151

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Laparoscopic finding of a hepatic subcapsular spider-like telangiectasis sign in biliary atresia

Ying Zhou, Meng Jiang, Shao-Tao Tang, Li Yang, Xi Zhang, De-Hua Yang, Meng Xiong, Shuai Li, Guo-Qing Cao, Yong Wang

Abstract

AIM

To investigate the diagnostic value of a laparoscopic finding of a hepatic subcapsular spider-like telangiectasis (HSST) sign in biliary atresia.

Match Overview

1	Internet 83 words crawled on 10-Nov-2012 radiology.rsna.org	2%
2	Crossref 77 words Aubdoollah, Tajammool Hussein, Shao-tao Tang, Li Yang, Shuai Li, Hai-yan Lei, and Xi Zhang. "Hybrid Single-In	2%
3	Crossref 74 words El-Guindi, Mohamed Abdel-Salam, Mostafa Mohamed Sira, Hatem Abdel-Sattar Konsowa, Osama Lotfi El-Abd, a	2%
4	Crossref 59 words El-Guindi, Mohamed Abdel-Salam, Mostafa Mohamed Sira, Ahmad Mohamed Sira, Tahany Abdel-Hameed Sale	2%
5	Crossref 40 words Asai, Akihiro, Alexander Miethke, and Jorge A. Bezerra. "Pathogenesis of biliary atresia: defining biology to unc ...	1%
6	Crossref 39 words Ronald J. Sokol. "Pathogenesis and Outcome of Biliary ... tresia: Current Concepts .", Journal of Pediatric Gastroen	1%
7	Crossref 28 words Shao-Tao Tang. "The Evaluation of Laparoscopy-Assiste d Cholangiography in the Diagnosis of Prolonged Jaur ...	1%
8	Internet 22 words crawled on 20-Jul-2016 www.spandidos-publications.com	1%
9	Crossref 20 words Sira, Mostafa M., Ahmad M. Sira, Nermine A. Ehsan, and Asmaa Mosbeh. "P-selectin (CD62P) Expression in Liver	1%



Laparoscopic finding of a hepatic subcapsular spider-like telangiectasis sign ▾



学术搜索

我的著作引用情况 ▾

文章

您是不是要找: [Laparoscopic finding of a hepatic subcapsular spider-like *telangiectasia* sign in biliary atresia](#)

我的图书馆

您的搜索 - **Laparoscopic finding of a hepatic subcapsular spider-like telangiectasis sign in biliary atresia** - 与所有文章均不相符。

时间不限

建议:

- 请检查输入字词有无错误。
- 请尝试其他的查询词
- 请改用较常见的字词。
- 请减少查询字词的数量。
- [请向所有网络查询](#)

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

您是不是要找: [Laparoscopic finding of a hepatic subcapsular spider-like *telangiectasia* sign in biliary atresia](#)

按日期排序

不限语言

[关于 Google 学术搜索](#) [隐私权](#) [条款](#) [提供反馈](#)

中文网页

简体中文网页

包括专利

包含引用

创建快讯

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 371 条结果 (用时 0.37 秒)

Hepatic subcapsular flow: An early marker in diagnosing biliary atresia

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: RL Ramesh - 2015 - 被引用次数: 3 - 相关文章

We report an interesting **sign** in the sonological evaluation of neonatal ... Keywords: **Biliary atresia**, **hepatic** artery diameter, **hepatic subcapsular** flow, triangular cord **sign** ... of a color Doppler **finding**, that is, **hepatic subcapsular** flow, in diagnosing **biliary atresia**. ... At surgery, gall bladder was found to be atretic and cord-like.

缺少字词: laparoscopic spider

Ultrasonographic findings of type IIIa biliary atresia - Ultrasonography

<https://www.e-ultrasonography.org/journal/view.php?number=45> - 翻译此页

作者: S Kim - 2014 - 被引用次数: 2 - 相关文章

When CBD is visible on US in patients diagnosed with type IIIa **biliary atresia**, other US Both the triangular cord **sign** and the **hepatic subcapsular** flow are also ...

缺少字词: laparoscopic spider like telangiectasia

Biliary atresia | Radiology Reference Article | Radiopaedia.org

<https://radiopaedia.org/articles/biliary-atresia> - 翻译此页

Biliary atresia (BA) is a congenital biliary disorder, which is characterised by an ... Tc-^{99m} diosgenin (DISIDA) and mebrofenin (BRIDA) have highest **hepatic** ...

缺少字词: laparoscopic subcapsular spider like telangiectasia

Combo com Flashcards | Quizlet

<https://quizlet.com/137792376/combo-com-flash-cards/>

CT to dx injury; ERCP to dx surgery need by **finding** bad ducts ... 1st pack; 2nd do Pringle maneuver (compress proper **hepatic** artery. Can present like MI! so do cardiac workup. ... **Biliary dz signs** with blood, 2/2 instrumentation or trauma or cancer in **biliary** **Laparoscopic** vs open surgery for appy