

Answering Reviewers

August 13,2017

Dear Editor

Title:Extrapaneatic solid pseudopapillary neoplasm followed by multiple metastases:case report

Author:Hao Wu, Yan-Fen Huang, Xiang-Hong Liu, Mei-Hua Xu

Name of Journal:World Journal of Gastrointestinal oncology

Manuscript NO:35164

The manuscript has been improved according to the suggestions of reviewers:1

Format has been updated.2 Revision has been made according to the suggestions of the reviewers.

Reviewer 1

1 The manuscript was edited for proper English language, grammar, punctuation, spelling, and overall style by one or more of the highly qualified native English speaking editors.

2 The differential diagnosis of SPN added to discussion section.

Reviewer 2

1 The figures have been modified.

2 The paper has been polished by a native speaker.

Reviewer 3

1 Though muscle rectus of abdominis incision, the patient underwent an exploratory laparotomy. The tumor protruding from the mesentery was no invasion or attachments to adjacent organs. Unfortunately, we forgot to take pictures in the surgery.

2 References are in Vancouver style.

Reviewer 4

1 We have made a complement to immunohistochemistry. The specimen was negative for chromogranin.

2 Photomicrograph of beta-catenin have been demonstrated.

The manuscript has improved but some changes should be done

Clean of tumor is not a english surgical term

No adjuvant therapy after First operation?

HIPEC sentence in case report is difficult to understand

Remark that HIPEC as treatment of relapse in SPN is controversial

1. "In the present article, we report a patient, in whom SPN was found in the mesentery; pancreas and its periphery were found clean of tumor after histopathological analysis" changed to "In the present article, we report a patient, in whom SPN was found in the mesentery; no invasion or attachments to adjacent organs was observed".
2. Since it's well encapsulated, we believed that the prognosis is good after complete tumor excision in the first operation.
3. We marked "hyperthermic intraperitoneal chemotherapy" as the full name of "HIPEC".
4. Yes, the efficacy of adjuvant therapies in the SPN treatment remains largely unknown and a clinical challenge. The difference between hyperthermic intraperitoneal chemotherapy combined with surgery and surgery alone need for more research in high-risk group.

Manuscript review of Manuscript NO: 35164 (Id: 02860895)

Thank you for giving me a chance to check the revised manuscript.
I made some minor changes. Please have a look at an attached file.
If all these changes are allowable, I will agree with accepting it for publication.

Thank you!