

[全部](#) [图片](#) [视频](#) [新闻](#) [地图](#) [图书](#)

找到约 3,360 条结果

时间不限[过去 1 小时内](#)
[过去 24 小时内](#)
[过去 1 周内](#)
[过去 1 个月内](#)
[过去 1 年内](#)**所有结果**[精确匹配](#)

[Google 学术: Detection of KRAS G12D in colorectal cancer stool by droplet digital PCR](#)

[... digital PCR to detect KRAS mutations in circulating ...](#) - Taly - 被引用次数: 189

[... picodroplet digital PCR in advanced colorectal cancer ...](#) - Laurent-Puig - 被引用次数: 69

[Accessing genetic information with liquid biopsies](#) - Cai - 被引用次数: 26

[KRAS G12V mutation detection by droplet digital PCR in circulating ...](#)

https://www.researchgate.net/.../299572227_KRAS_G12V_mutation_detection_by_droplet_digital_PCR_in_circulating_cell-free_DNA_of_...

17 Feb 2017 ... [Detection of KRAS mutations in circulating cell-free DNA in plasma ...](#)

Keywords: KRAS; [colorectal cancer](#); plasma; [droplet digital PCR](#); circulating cell-free DNA

..... One healthy non-smoker subject had a KRAS G12D mutation in EBC DNA. [Droplet digital PCR for quantification of ITGA6 in a stool mRNA ...](#)

[Multiplex detection of KRAS mutations in colorectal cancer FFPE ...](#)

https://www.researchgate.net/.../265085985_Multiplex_detection_of_KRAS_mutations_in_colorectal_cancer_FFPE_and_cfDNA_samples_using_drople...

27 Aug 2014 ... [Multiplex detection of KRAS mutations in colorectal cancer FFPE and cfDNA](#)

... [Droplet digital PCR](#) provides a simple and robust workflow to screen a large ... mutation assays for one of seven individual KRAS mutations (G12D, G12V, ... of ITGA6 in a stool mRNA assay for the detection of [colorectal cancers](#).

[\[PDF\] Current and Emerging Applications of Droplet Digital PCR in Oncology](#)

<link.springer.com/content/pdf/10.1007%2Fs40291-017-0278-8.pdf>

applied in oncology and, particularly, in [colorectal cancer](#) CRC [colorectal cancer](#), ddPCR [droplet](#) has recently [detected the KRAS G12D mutation in stool](#).

[Droplet digital PCR for quantification of ITGA6 in a stool mRNA ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5413784/>

28 Apr 2017 ... We found that ITGA6 and ITGA6A [detection in stools](#) of patients with [colorectal cancers](#) with ddPCR is comparable to that of qPCR using ...

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 35185

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Detection of *KRAS* G12D in colorectal cancer stool by droplet digital PCR

Susana Olmedillas-López, Dennis César Lévano-Linares, Carmen Laura Aúz Alexa Sánchez, Alejandro Villagrasa, Jaime Ruíz-Tovar, Mariano García-Arranz, Damián García

Abstract

AIM

To assess *KRAS* G12D mutation detection in stool-derived DNA from colorectal cancer

(ddPCR)

Match Overview

1	Internet 61 words crawled on 05-Apr-2016 www.mdpi.com	2%
2	Internet 24 words crawled on 19-May-2015 journals.plos.org	1%
3	Internet 22 words crawled on 04-Apr-2017 www.jove.com	1%
4	Crossref 14 words Inti Zlobec. "Combined analysis of specific <i>KRAS</i> mutation, <i>BRAF</i> and microsatellite instability identifies prognostic si...	<1%
5	Internet 11 words crawled on 21-Jun-2017 www.dovepress.com	<1%
6	Internet 10 words crawled on 17-Jul-2016 www.wjgnet.com	<1%



Detection of KRAS G12D in colorectal cancer stool by droplet digital PCR



学术搜索

找到约 45 条结果 (用时0.05秒)

我的著作引用情况

文章

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

我的图书馆

Multiplex picodroplet digital PCR to detect KRAS mutations in circulating DNA from the plasma of colorectal cancer patients

V Taly, D Pekin, L Benhaim, SK Kotsopoulos... - Clinical ..., 2013 - clinchem.aaccjnls.org

被引用次数: 205 相关文章 所有 25 个版本 引用 保存

[PDF] gmo-qpcr-analysis.info

时间不限

2017以来

2016以来

2013以来

自定义范围...

Clinical relevance of KRAS-mutated subclones detected with picodroplet digital PCR in advanced colorectal cancer treated with anti-EGFR therapy

P Laurent-Puig, D Pekin, C Normand... - Clinical cancer ..., 2014 - AACR

... the value of 1% to dichotomize the patients with no mutations detected by qPCR (n ... developing and applying new, highly sensitive procedures to detect low frequency KRAS alleles ... relevance of KRAS mutation detection in metastatic colorectal cancer treated by Cetuximab plus ...

被引用次数: 76 相关文章 所有 6 个版本 引用 保存

[PDF] aacrjournals.org

按相关性排序

按日期排序

[PDF] Integrating liquid biopsies into the management of cancer

G Siravegna, S Marsoni, S Siena... - Nature reviews Clinical ..., 2017 - cancer-id.eu

... For instance, in one study⁷⁷, KRAS mutations in trDNA were detected in five of eight ... Reckamp and coworkers⁷ reported the ability to detect mutations in exons 19, 20, and 21 of ... of 60 evaluable tissue samples as a reference, the sensitivity of EGFRmutation detection in urine ...

被引用次数: 36 相关文章 所有 3 个版本 引用 保存 更多

[PDF] cancer-id.eu

不限语言

中文网页

简体中文网页

包括专利

包含引用

Accessing genetic information with liquid biopsies

X Cai, F Janku, Q Zhan, JB Fan - Trends in Genetics, 2015 - Elsevier

... In this small-scale 17 patient study, ctDNA was detected in 100% of patients with ... the conversion efficiency is currently between 10 and 50%, setting the absolute detection limit of ... analysis of rearranged ends (PARE) and digital karyotyping were developed to detect these genetic ...

被引用次数: 31 相关文章 所有 6 个版本 引用 保存

创建快讯

A study of hypermethylated circulating tumor DNA as a universal colorectal cancer biomarker

S Garrigou, G Perkins, F Garlan, C Normand... - Clinical ..., 2016 - clinchem.aaccjnls.org

被引用次数: 11 相关文章 所有 4 个版本 引用 保存

[HTML] biomedcentral.com

[HTML] Depletion of Abundant Sequences by Hybridization (DASH): using Cas9 to remove unwanted high-abundance species in sequencing libraries and molecular

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 3,260 条结果 (用时 0.57 秒)

Google 学术: Detection of KRAS G12D in colorectal cancer stool by droplet digital PCR

... digital PCR to detect KRAS mutations in circulating ... - Taly - 被引用次数: 205

... picodroplet digital PCR in advanced colorectal cancer ... - Laurent-Puig - 被引用次数: 77

... liquid biopsies into the management of cancer - Siravegna - 被引用次数: 36

Multiplex detection of KRAS mutations in colorectal cancer FFPE and ...

https://www.researchgate.net/.../265085985_Multiplex_detection_of_KRAS_mutation...

2014年8月27日 - Multiplex detection of KRAS mutations in colorectal cancer FFPE and cfDNA ...

Droplet digital PCR provides a simple and robust workflow to screen a large ... mutation assays for one of seven individual KRAS mutations (G12D, G12V, ... of ITGA6 in a stool mRNA assay for the detection of colorectal cancers.

Clinical Relevance of KRAS-Mutated Subclones Detected with ...

clincancerres.aacrjournals.org/content/21/5/1087 - 翻译此页

作者: P Laurent-Puig - 2015 - 被引用次数: 76 - 相关文章

2015年3月1日 - Colorectal cancer is the third most common cancer worldwide with more than ...

Picodroplet digital PCR (dPCR) has recently emerged as a highly sensitive ... droplets), and sensitivity is limited only by the number of molecules that can ... G12D)-mutated clone (0.26%), which was not detected in the frozen ...

Multiplex Picodroplet Digital PCR to Detect KRAS ... - Clinical Chemistry

clinchem.aaccjnl.org/content/59/12/1722 - 翻译此页

作者: V Taly - 2013 - 被引用次数: 203 - 相关文章

BACKGROUND: Multiplex digital PCR (dPCR) enables noninvasive and sensitive ... oncogene from plasma samples of patients with metastatic colorectal cancer. ... that can be detected in blood, as well as in other body fluids, such as lymph, stool. ... The 4-plex panel revealed the presence of G12D