



35238-Review

Quotes Excluded
Bibliography Excluded6%
SIMILAR

Name of Journal: *World Journal of Gastrointestinal Endoscopy*

Manuscript NO: 35238

Manuscript Type: Original Article

Retrospective Cohort Study

New 14-mm diameter Niti-S biliary uncovered metal stent for unresectable
distal biliary malignant obstruction

Masataka Kikuyama, Naofumi Shirane, Shinya Kawaguchi, Shuzou Terada,
Tsuyoshi Mukai, Ken Sugimoto

Abstract

Aim: It was expected that an uncovered self-expandable metal stent (UCSEMS)

Match Overview

- | Rank | Crossref | Words | Similarity |
|------|---|-------|------------|
| 1 | Mukai, Tsuyoshi, Ichiro Yasuda, Hiroyuki Isayama, Takuji Iwas
hita, Hiroshi Kawakami, Takao Itoi, Hirofumi Kogure, and Yous | 137 | 5% |
| 2 | Yamauchi, Hiroshi, Mitsuhiro Kida, Kosuke Okuwaki, Shiro Mi
yazawa, Tomohisa Iwai, Hiroshi Imaizumi, Miyata Eiji, Rikiya H | 17 | 1% |
| 3 | Isayama, Hiroyuki, Tsuyoshi Hamada, Ichiro Yasuda, Takao It
oi, Shomei Ryozaawa, Yousuke Nakai, Hirofumi Kogure, and K | 15 | 1% |
| 4 | Kim, C.G.. "Covered versus uncovered self-expandable metal
lic stents for palliation of malignant pyloric obstruction in ga... | 12 | <1% |
| 5 | Vincenzo Cennamo. "Can a Wire-Guided Cannulation Techni
que Increase Bile Duct Cannulation Rate and Prevent Post-... | 11 | <1% |



找到约 946 条结果 (用时 0.77 秒)

[PDF] Pancreatic and biliary stents - ASGE

<https://www.asge.org/docs/default.../doc-pancreatic-and-biliary-stents.pdf?...> ▼ 翻译此页

作者 : PR Pfau - 2013 - 被引用次数 : 46 - 相关文章

Stents may also be used to treat biliary/pancreatic leaks or to prevent post-ERCP Niti-S, Taewoong Medical, Seoul, Korea) or interior (Via- bil) of the stent.

LCD™ Biliary Stent | Taewoong Medical

www.stent.net > ... > Niti-S™ Biliary Stent ▼ 翻译此页

Niti-S™ LCD™ Biliary Stent is unfixed large cell with weaving construction for easy ... Small cell- versus large cell-sized metal stent in endoscopic bilateral stent-in-stent ... 8-mm versus 10-mm diameter self-expandable metallic stent in bilateral endoscopic stent-in-stent deployment for malignant hilar biliary obstruction

New tapered metallic stent for unresectable malignant hilar bile duct ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : Y Sakai - 2015 - 相关文章

2015年10月16日 - Keywords: Malignant hilar bile duct obstruction, Metallic stent, ... The guidelines for biliary cancer diagnosis recommend drainage as of an uncovered metal stent with slightly tapered shape in its distal end for the Newly designed large cell Niti-S stent for malignant hilar biliary obstruction: a pilot study.

An Update to Hepatobiliary Stents - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : BT Moy - 2015 - 被引用次数 : 6 - 相关文章

2015年3月15日 - Keywords: Biliary obstruction, Stent, Hepatobiliary malignancy, Liver hilum ... Larger diameter stents maintain longer patency, and self-expanding metal stents ... unresectable malignant biliary strictures receiving the 6 mm Zilver stent, ... Suk et al. investigated Niti-S Mira-Cover stents coated with paclitaxel.

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 638 条结果 (用时 0.47 秒)

An Update to Hepatobiliary Stents - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: BT Moy - 2015 - 被引用次数: 8 - [相关文章](#)

2015年3月15日 - Keywords: Biliary obstruction, Stent, Hepatobiliary malignancy, Liver hilum ... Larger diameter stents maintain longer patency, and self-expanding metal stents ... Uncovered SEMS versus covered SEMS (Granted permission for use) ... unresectable malignant biliary strictures receiving the 6 mm Zilver stent, ...

New tapered metallic stent for unresectable malignant hilar bile duct ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: Y Sakai - 2015 - 被引用次数: 1 - [相关文章](#)

2015年10月16日 - Keywords: Malignant hilar bile duct obstruction, Metallic stent, Tapered metallic stent ... The guidelines for biliary cancer diagnosis recommend drainage as ... of the MS until it achieved its fully expanded state of 10 mm in diameter. uncovered metal stent with slightly tapered shape in its distal end for the ...

Endoscopic Stent Placement in the Palliation of Malignant Biliary ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3363064/> - [翻译此页](#)

作者: JH Kim - 2011 - 被引用次数: 29 - [相关文章](#)

2011年12月31日 - In patients with unresectable malignant distal bile duct obstructions, endoscopic ... than one biliary stent placement.¹⁴ While plastic stents are inserted using a ... recommend insertion of SEMS, 10 mm in-diameter, in patients with an ... for endoscopic bilateral metal stenting using a Y-type biliary Niti-S stent.

[Abstract](#) · [INTRODUCTION](#)

Treatment of Malignant Biliary Obstruction with a PTFE-Covered Self ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)



New 14-mm diameter Niti-S biliary uncovered metal stent for unresectable



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 636 条结果 (用时 0.64 秒)

Antireflux Metal Stent as a First-Line Metal Stent for Distal Malignant ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5221872/> - 翻译此页

作者: T Hamada - 2017 - 被引用次数: 2 - 相关文章

2016年6月13日 - In distal malignant biliary obstruction, an antireflux metal stent (ARMS) ... the superiority of covered SEMS over uncovered SEMS in terms of stent ... on the Niti-S ComVi-type SEMS (Taewoong Medical Inc., Gimpo, ... Two lengths were available during the study (60 and 80 mm), and the diameter was 10 mm.

New tapered metallic stent for unresectable malignant hilar bile duct ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4607807/> - 翻译此页

作者: Y Sakai - 2015 - 被引用次数: 1 - 相关文章

2015年10月16日 - Keywords: Malignant hilar bile duct obstruction, Metallic stent, Tapered metallic stent ... The guidelines for biliary cancer diagnosis recommend drainage as of the stent, and its internal diameter in the papillary side is 10 mm, while an uncovered metal stent with slightly tapered shape in its distal end for ...

Endoscopic Stent Placement in the Palliation of Malignant Biliary ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3363064/> - 翻译此页

作者: JH Kim - 2011 - 被引用次数: 29 - 相关文章

2011年12月31日 - In patients with unresectable malignant distal bile duct obstructions, endoscopic ... than one biliary stent placement. 14 While plastic stents are inserted using a ... recommend insertion of SEMS, 10 mm in-diameter, in patients with an for endoscopic bilateral metal stenting using a Y-type biliary Niti-S stent.

Abstract · INTRODUCTION