

**3**  
Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 35444

Manuscript Type: ORIGINAL ARTICLE

*Basic Study*

Potential rat model of anxiety-like gastric hypersensitivity induced by sequential stress

Fu-Chun Jing, Jun Zhang, Chen Feng, Yuan-Yuan Nian, Jin-Hai Wang, Hao Hu, Bao-De Yang, Xiao-Ming Sun, Jian-Yun Zheng, Xiao-Ran Yin

Abstract

AIM

## Match Overview

- | Match Number | Source   | Words    | Similarity |
|--------------|--|----------|------------|
| 1            | Crossref   | 19 words | <1%        |
|              | Rok Seon Choung. "Do Distinct Dyspepsia Subgroups Exist in the Community? A Population-Based Study", The American Journal of Gastroenterology        |          |            |
| 2            | Publications   | 17 words | <1%        |
|              | Abdel-Aziz, Heba Wadie, Walaa Zaki, Hala. "Novel sequential stress model for functional dyspepsia: efficacy of the h..."                             |          |            |
| 3            | Internet   | 16 words | <1%        |
|              | crawled on 05-Oct-2017<br>real.mtak.hu   |          |            |
| 4            | Crossref   | 15 words | <1%        |
|              | Masahiro Ochi. "Perfectionism underlying psychological background correlated with the symptoms of functional dyspepsia", Journal of Gastroenterology |          |            |
| 5            | Internet   | 13 words | <1%        |
|              | crawled on 18-May-2014<br>www.ncbi.nlm.nih.gov   |          |            |

Potential rat model of anxiety-like gastric hypersensitivity induced by sequential s

全部

图片

视频

新闻

地图

图书

找到约 284,000 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Google 学术: Potential rat model of anxiety-like gastric hypersensitivity induced by sequential stress](#)

[... CRF expression, depression-and anxiety-like behavior ...](#) - Liu - 被引用次数: 33

[The gut-brain axis: interactions between enteric ...](#) - Carabotti - 被引用次数: 191

[... forced swimming test and chronic mild stress models ...](#) - Dang - 被引用次数: 159

[Experimental gastritis leads to anxiety-and depression-like ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3878489/>

17 Dec 2013 ... Psychological stress causes disturbances in GI physiology, such as altered GI ... IAA treatment induced gastric inflammation in rats of either gender. ... leads to anxiety- and depression-like behaviors in female but not male rats via the ... A potential drawback of IAA-induced gastritis model is the significant ...

[Transient Gastric Irritation in the Neonatal Rats Leads to Changes in ...](#)

[journals.plos.org/plosone/article?id=10.1371/journal.pone...](https://journals.plos.org/plosone/article?id=10.1371/journal.pone...)

12 May 2011 ... Behavioral tests revealed changes of anxiety- and depression-like ... and stress- induced ACTH were significantly higher in IA-treated rats. ... used a previously validated model of FD in rats, induced by a mild gastric irritation, resulting in chronic gastric hypersensitivity and motor dysfunction in adulthood [11].

[Intestinal microbiota, probiotics and mental health: from Metchnikoff ...](#)

<https://gutpathogens.biomedcentral.com/articles/10.1186/1757-4749-5-4>

16 Mar 2013 ... Intestinal microbiota Autointoxication Depression Anxiety Probiotics Microbial ecology ... In animal models, researchers can induce dysbiosis through ... healthy animals in stressful situations reduced anxiety and depression-like behaviors in ... in a rat model of post-inflammatory colonic hypersensitivity [34].

[Neuroplasticity and dysfunction after gastrointestinal inflammation ...](#)

[www.nature.com/proastro/journal/vaop/.../abs/proastro.2014.103.html?](http://www.nature.com/proastro/journal/vaop/.../abs/proastro.2014.103.html?)

Potential rat model of anxiety-like gastric hypersensitivity induced by sequential s

全部

图片

视频

新闻

地图

图书

找到约 284,000 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Google 学术: Potential rat model of anxiety-like gastric hypersensitivity induced by sequential stress](#)

[... CRF expression, depression-and anxiety-like behavior ...](#) - Liu - 被引用次数: 33

[The gut-brain axis: interactions between enteric ...](#) - Carabotti - 被引用次数: 191

[... forced swimming test and chronic mild stress models ...](#) - Dang - 被引用次数: 159

[Experimental gastritis leads to anxiety-and depression-like ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3878489/>

17 Dec 2013 ... Psychological stress causes disturbances in GI physiology, such as altered GI ... IAA treatment induced gastric inflammation in rats of either gender. ... leads to anxiety- and depression-like behaviors in female but not male rats via the ... A potential drawback of IAA-induced gastritis model is the significant ...

[Transient Gastric Irritation in the Neonatal Rats Leads to Changes in ...](#)

[journals.plos.org/plosone/article?id=10.1371/journal.pone...](https://journals.plos.org/plosone/article?id=10.1371/journal.pone...)

12 May 2011 ... Behavioral tests revealed changes of anxiety- and depression-like ... and stress- induced ACTH were significantly higher in IA-treated rats. ... used a previously validated model of FD in rats, induced by a mild gastric irritation, resulting in chronic gastric hypersensitivity and motor dysfunction in adulthood [11].

[Intestinal microbiota, probiotics and mental health: from Metchnikoff ...](#)

<https://gutpathogens.biomedcentral.com/articles/10.1186/1757-4749-5-4>

16 Mar 2013 ... Intestinal microbiota Autointoxication Depression Anxiety Probiotics Microbial ecology ... In animal models, researchers can induce dysbiosis through ... healthy animals in stressful situations reduced anxiety and depression-like behaviors in ... in a rat model of post-inflammatory colonic hypersensitivity [34].

[Neuroplasticity and dysfunction after gastrointestinal inflammation ...](#)

[www.nature.com/proastro/journal/vaop/.../abs/proastro.2014.103.html?](http://www.nature.com/proastro/journal/vaop/.../abs/proastro.2014.103.html?)



[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 330,000 条结果 (用时 0.66 秒)

## Google 学术: Potential rat model of anxiety-like gastric hypersensitivity induced by sequential stress

... CRF expression, depression-and anxiety-like behavior ... - Liu - 被引用次数: 33

The gut-brain axis: interactions between enteric ... - Carabotti - 被引用次数: 192

... forced swimming test and chronic mild stress models ... - Dang - 被引用次数: 159

### Experimental gastritis leads to anxiety-and depression-like behaviors ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: J Luo - 2013 - 被引用次数: 24 - 相关文章

2013年12月17日 - IAA treatment induced gastric inflammation in rats of either gender. ... There are three potential pathways that have been proposed so far, through .... The female but not male rats with IAA-induced gastritis develop anxiety-like behavior. .... symptom of depression, in mild stress models of depression [38-40].

### Transient Gastric Irritation in the Neonatal Rats Leads to ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: L Liu - 2011 - 被引用次数: 33 - 相关文章

2011年5月12日 - Behavioral tests revealed changes of anxiety- and depression-like ... and stress-induced ACTH were significantly higher in IA-treated rats. ... used a previously validated model of FD in rats, induced by a mild gastric irritation, resulting in chronic gastric hypersensitivity and motor dysfunction in adulthood [11].

### Transient Gastric Irritation in the Neonatal Rats Leads to ... - PLOS

[journals.plos.org/plosone/article?id=10.1371/journal.pone.0019498](https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0019498) - 翻译此页

作者: L Liu - 2011 - 被引用次数: 33 - 相关文章

2011年5月12日 - Behavioral tests revealed changes of anxiety- and depression-like ... and stress-induced ACTH were significantly higher in IA-treated rats. ... used a previously validated model of FD in rats, induced by a mild gastric irritation, resulting in chronic gastric hypersensitivity and motor dysfunction in adulthood [11].