

学术搜索

找到约 78 条结果 (用时0.12秒)

文章

我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利☒ 包含引用☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Complications of endoscopic biliary sphincterotomy

[HTML] nejm.org

ML Freeman, DB Nelson, S Sherman... - New England ..., 1996 - Mass Medical Soc

... (14). References References. 1. Classen M, Demling L. Endoskopische Sphinkterotomie der

Papilla Vateri und Steinextraktion aus dem Ductus choledochus. ... In: Sivak MV, ed.

Gastroenterologic endoscopy. ... Resume of a seminar on endoscopic retrograde sphincterotomy ( ...

被引用次数: 2568 相关文章 所有 16 个版本 引用 保存

Advances in the endoscopic management of common bile duct stones

[PDF] researchgate.net

G Trikudanathan, MA Arain, R Attam... - Nature Reviews ..., 2014 - nature.com

... 11 Challenges include difficulties in accessing the papilla (for example, owing to periampullary

diverticulum ... c | Very large papillary orifice enabling a view up the duct. ... a randomized trial of limited

EBS with large-balloon dilatation versus endoscopic sphincterotomy alone for ...

被引用次数: 20 相关文章 所有 11 个版本 引用 保存

[HTML] Endoscopic biliary drainage for severe acute cholangitis

[HTML] nejm.org

ECS Lai, FPT Mok, ESY Tan, C Lo, S Fan... - New England ..., 1992 - Mass Medical Soc

... The endoscope was considered to have been properly positioned for drainage when the tip of

the ... (2012) Evaluation of effects of a novel endoscopically applied radiofrequency ... (2010) Is it

necessary to insert a nasobiliary drainage tube routinely after endoscopic clearance of ...

被引用次数: 597 相关文章 所有 13 个版本 引用 保存

[HTML] Papillary cannulation and sphincterotomy techniques at ERCP:

[HTML] thieme-connect.com

European Society of Gastrointestinal Endoscopy (ESGE) Clinical Guideline

PA Testoni, A Mariani, L Aabakken, M Arvanitakis... - ..., 2016 - thieme-connect.com

... Endoscopic retrograde cholangiopancreatography (ERCP) with biliary and/or pancreatic

sphincterotomy has ... Guideline, commissioned by the European Society of Gastrointestinal

Endoscopy (ESGE), is ... The supervisor should take over the endoscope from the trainee when ...

被引用次数: 21 相关文章 所有 8 个版本 引用 保存

Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 35581

Manuscript Type: Original Article

### 1 *Observational Study*

Endoscopic papillary large balloon dilatation with sphincterotomy is safe and effective for biliary stone removal independent of timing and size of sphincterotomy

Aujla UI *et al.* Safety and efficacy of EPLBD

Usman Iqbal Aujla, Nimzing Ladep, Laura Dwyer, Stephen Hood, Nicholas Stern, Richard Sturgess

### 2 Abstract

## Match Overview

1	<b>Crossref</b> 92 words Aujla, Usman I., Hui Lin Lee, Courtenay Ryan-Fisher, Omar Noorullah, Laura K. Dwyer, Stephen V. Hood, Nick Stern, an	3%
2	<b>Internet</b> 47 words crawled on 10-Jul-2016 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
3	<b>Internet</b> 30 words crawled on 23-Mar-2015 <a href="http://www.medcalc.org">www.medcalc.org</a>	1%
4	<b>Publications</b> 21 words Xu, Lei Kyaw, Moe Htet Tse, Yee Kit Lau., "Endoscopic sphincterotomy with large balloon dilation versus endoscopic ...	1%



时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☐ 创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

## Endoscopic sphincterotomy plus large-balloon dilation versus endoscopic sphincterotomy for removal of bile-duct stones

JH Heo, DH Kang, HJ Jung, DS Kwon, JK An... - ... *endoscopy*, 2007 - Elsevier  
... of the stone and the diameter of the shaft of the endoscope, as measured ... acute endoscopic hemorrhage) and endoscopic bleeding during the follow-up endoscopy (late endoscopic ... The rates of acute and late endoscopic bleeding were not significantly different between the 2 ...

☆ 99 被引用次数：255 相关文章 所有 9 个版本

## Endoscopic sphincterotomy and endoscopic papillary balloon dilatation for bile duct stones: A prospective randomized controlled multicenter trial

N Fujita, H Maguchi, Y Komatsu, I Yasuda... - ... *endoscopy*, 2003 - Elsevier  
... 19, N Fujita. Endoscopic balloon dilatation of the duodenal papilla: Is it a safe and effective treatment for bile duct stones? ... *Endoscopy*, 33 (2001), pp. 563-567. 21, ... Can endoscopic papillary balloon dilation really preserve sphincter of Oddi function? *Gut*, 49 (2001), pp. 686-691. ...

☆ 99 被引用次数：268 相关文章 所有 11 个版本

## Comparison of endoscopic papillary large balloon dilation and endoscopic sphincterotomy for retrieval of choledocholithiasis: a meta-analysis of randomized ...

Y Feng, H Zhu, X Chen, S Xu, W Cheng, J Ni... - *Journal of ...*, 2012 - Springer  
... be routinely performed, EPLBD should be considered as an alternative treatment method, because of a wider orifice of the papilla. ... *Endoscopy*. ... in balloon size to over 15 mm does not affect the development of pancreatitis after endoscopic papillary large balloon dilatation for bile ...

☆ 99 被引用次数：92 相关文章 所有 10 个版本

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 77,400 条结果 (用时 0.58 秒)

**Su1637 Endoscopic Papillary Large Volume Balloon Dilatation Is a ...**[www.giejournal.org/article/S0016-5107\(15\)00821-4/abstract](http://www.giejournal.org/article/S0016-5107(15)00821-4/abstract) - 翻译此页

作者 : UI Aujla - 2015

Su1637 Endoscopic Papillary Large Volume Balloon Dilatation Is a Safe and ... for Biliary Stone Removal Independent of Timing or Size of Sphincterotomy.

**Su1637 Endoscopic Papillary Large Volume Balloon Dilatation Is a ...**[www.giejournal.org/article/S0016-5107\(15\)00821-4/fulltext](http://www.giejournal.org/article/S0016-5107(15)00821-4/fulltext) - 翻译此页

作者 : UI Aujla - 2015

Su1637 Endoscopic Papillary Large Volume Balloon Dilatation Is a Safe and Effective ... for Biliary Stone Removal Independent of Timing or Size of Sphincterotomy ... EPLVBD is a safe and effective technique used to extract bile duct stones.

**[PDF] Endoscopic Papillary Large Volume Balloon Dilatation Is a Safe and ...**[www.journals.elsevierhealth.com/article/S0016-5107\(15\)00821-4/pdf](http://www.journals.elsevierhealth.com/article/S0016-5107(15)00821-4/pdf) - 翻译此页

作者 : UI Aujla - 2015

There were no significant differences in stone size (EHL 15.0+7.6 mm, LL 13.1+4.4 ... Recurrence of Bile Duct Stones After Endoscopic Papillary Large Balloon Dilation Combined With Sphincterotomy: Long-Term ... and Effective Technique for Biliary Stone Removal Independent of Timing or Size of Sphincterotomy.

**Is Endoscopic Papillary Large Balloon Dilation Safe for Treating Large ...**<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4991195/> - 翻译此页

作者 : CS Shim - 2016 - 被引用次数 : 3 - 相关文章

Endoscopic sphincterotomy (EST) has become the procedure of choice for removal of ... Large balloon dilation after minor EST is effective for retrieving large biliary stones without the ... EPBD is an alternative to EST for removing bile duct stones. ... Larger balloon size was independently associated with a decrease in AEs ...

**Is endoscopic papillary large balloon dilatation without endoscopic ...**<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4476892/> - 翻译此页

作者 : S Omuta - 2015 - 被引用次数 : 7 - 相关文章

2015年6月21日 - Endoscopic sphincterotomy (EST) and endoscopic papillary balloon dilatation ... papillary large balloon dilation (EPLBD) to remove large bile duct stones, ... a large size balloon (15-18 mm) without EST was both effective and safe ... and bile duct diameter &lt; 9 mm were independent risk