



Staging Chronic Pancreatitis with Exocrine Function Tests: Are we Better?



All

Images

Videos

News

Shopping

More

Settings

Tools

About 389,000 results (0.85 seconds)

Pancreatic function testing: Here to stay for the 21st century - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC)

by JG Lieb II - 2008 - Cited by 63 - Related articles

May 28, 2008 - The diagnosis of **Chronic Pancreatitis** (CP) is based on the detection of ... The pancreatic **function tests more** accurately determine the presence of ... physiology to end **stage** disease with very little **endocrine** or **exocrine** function. This is the reason **we** delay EUS, S-MRCP, fecal elastase testing, fecal fat ...

Chronic pancreatitis: A diagnostic dilemma - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC)

by SN Duggan - 2016 - Cited by 17 - Related articles

Feb 21, 2016 - Keywords: Pancreatitis, chronic; Diagnosis; **Exocrine** pancreatic insufficiency; ... Therefore diagnostic **tests** of pancreatic structure and **function** are required ... Although **more** invasive than CT and MRI/MRCP, EUS is the most sensitive ... for **chronic pancreatitis**" refers to early-**stage chronic pancreatitis**[19].

Exocrine Pancreatic Insufficiency Workup: Laboratory Studies ...

emedicine.medscape.com/article/2121028-workup ▼

Apr 5, 2017 - **Exocrine** pancreatic insufficiency (EPI) is a condition characterized ... MD; Chief Editor: Romesh Khardori, MD, PhD, FACP **more**. ... determine the probability of EPI in patients with **chronic pancreatitis**. ... The 3-**stage** Schilling test can often help differentiate these conditions. ... Next: Pancreatic **Function Tests** ...

Chronic Pancreatitis - Cleveland Clinic Center for Continuing Education

www.clevelandclinicmeded.com/medicalpubs/.../chronic-pancreatitis/ ▼

by J. Lee - Cited by 3 - Related articles

1
Name of journal: World Journal of Gastroenterology

Manuscript NO: 35610

Manuscript Type: Editorial

Staging chronic pancreatitis with exocrine function tests: Are we Better?

Sperti et al. Pancreatic function tests

1
[Redacted text]

Match Overview

1	Internet 710 words crawled on 13-Jun-2017 www.wjgnet.com	26%
2	Internet 72 words crawled on 04-Apr-2017 www.aisponline.it	3%
3	Internet 65 words crawled on 06-Mar-2017 www.mdpi.com	2%
4	Crossref 65 words Alexander Schneider . "The M-ANNHEIM classification of c hronic pancreatitis: introduction of a unifying classificati...	2%
5	Internet 61 words crawled on 03-Jun-2017 www.amc.nl	2%
6	Internet 52 words crawled on 08-Sep-2017 repository.ubn.ru.nl	2%
7	Internet 42 words crawled on 15-Jul-2017 mobile.repository.ubn.ru.nl	2%
8	Crossref 36 words "Abstracts for Oral Presentation", Journal of Gastroenterol	1%



Staging Chronic Pancreatitis with Exocrine Function Tests: Are we Better?



All

Images

Videos

News

Shopping

More

Settings

Tools

About 296,000 results (0.95 seconds)

Pancreatic function testing: Here to stay for the 21st century - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC)

by JG Lieb II - 2008 - Cited by 64 - Related articles

May 28, 2008 - The diagnosis of **Chronic Pancreatitis** (CP) is based on the detection of ... The pancreatic **function tests more** accurately determine the presence of ... physiology to end **stage** disease with very little **endocrine** or **exocrine** function. This is the reason **we** delay EUS, S-MRCP, fecal elastase testing, fecal fat ...

Chronic pancreatitis: A diagnostic dilemma - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC)

by SN Duggan - 2016 - Cited by 18 - Related articles

Feb 21, 2016 - Keywords: Pancreatitis, chronic; Diagnosis; **Exocrine** pancreatic insufficiency; ... Therefore diagnostic **tests** of pancreatic structure and **function** are required ... Although **more** invasive than CT and MRI/MRCP, EUS is the most sensitive ... for **chronic pancreatitis**" refers to early-**stage chronic pancreatitis**[19].

Chronic Pancreatitis - Cleveland Clinic Center for Continuing Education

www.clevelandclinicmeded.com/medicalpubs/.../chronic-pancreatitis/ ▼

by P Lee - Cited by 2 - Related articles

Loss of **exocrine** and **endocrine function** results from parenchymal fibrosis. ... **Chronic pancreatitis** in the United States results in **more** than 122,000 These **tests** are sensitive for moderate and late-**stage exocrine** insufficiency but lack challenges inherent in the management of this disease, **we** have developed a ...



Staging chronic pancreatitis with exocrine function tests: Are we better?



登录

全部

图片

视频

新闻

购物

更多

设置

工具

找到约 219,000 条结果 (用时 0.48 秒)

Pancreatic function testing: Here to stay for the 21st century - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: JG Lieb II - 2008 - 被引用次数: 64 - 相关文章

2008年5月28日 - The pancreatic **function tests** **more** accurately determine the presence of CP ... test, Fecal elastase, Endoscopic secretin stimulation test, **Chronic pancreatitis** ... physiology to end **stage** disease with very little **endocrine** or **exocrine** function. In our institution, for the above reasons, **we** reserve the 72 h stool ...

Chronic pancreatitis: A diagnostic dilemma - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: SN Duggan - 2016 - 被引用次数: 19 - 相关文章

2016年2月21日 - Keywords: Pancreatitis, chronic; Diagnosis; **Exocrine** pancreatic insufficiency; ... Therefore diagnostic **tests** of pancreatic structure and **function** are required ... Although **more** invasive than CT and MRI/MRCP, EUS is the most sensitive ... for **chronic pancreatitis*** refers to early-stage **chronic pancreatitis**[19].

A rapid, endoscopic exocrine pancreatic function test and the Lundh ...

<https://www.ncbi.nlm.nih.gov/pubmed/18849644> - 翻译此页

作者: NM Jensen - 2008 - 被引用次数: 17 - 相关文章

2008年10月13日 - BACKGROUND/AIMS: The diagnosis of **chronic pancreatitis** is often difficult in the early **stages** of the ... A new **test** for **exocrine** pancreatic **function**, using endoscopic aspiration of secretin-stimulated pancreatic juice, has been developed. **We** evaluated the **test** using the Lundh meal **test** as reference.

Chronic pancreatitis | Nature Reviews Disease Primers

<https://www.nature.com> > nature reviews disease primers > primers

2017年9月7日 - Diagnosing early-stage **chronic pancreatitis** is challenging as ... In this Primer, **we** focus