

找到约 176,000 条结果 (用时 0.42 秒)

Google 学术: Albumin as a prognostic marker for Ulcerative Colitis

... [markers on clinical relapse in ulcerative colitis patients](#) ... - Bessissow - 被引用次数: 112

... the clinical course of acute severe [ulcerative colitis](#) - Ho - 被引用次数: 111

Characterization, outcome, and [prognosis](#) in 273 ... - Tischendorf - 被引用次数: 252

Laboratory markers in ulcerative colitis: Current insights and future ...

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - [翻译此页](#)

作者: M Cioffi - 2015 - 被引用次数: 25 - [相关文章](#)

2015年2月15日 - [Ulcerative colitis](#) (UC) and [Crohn's disease](#) (CD) are the major forms of ... The ability to determine the type, severity, [prognosis](#) and response to [Albumin](#) is a negative acute phase [marker](#) and decreased levels may be found ...

Laboratory markers in IBD: useful, magic, or unnecessary toys?

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - [翻译此页](#)

作者: S Vermeire - 2006 - 被引用次数: 678 - [相关文章](#)

Laboratory [markers](#) have been investigated in inflammatory bowel disease (IBD) for [diagnostic](#) and differential [diagnostic](#) ... interest in inflammatory [markers](#) (especially C reactive [protein](#) (CRP)), given ... Furthermore, CRP correlates less well with disease activity in patients with [ulcerative colitis](#) (UC) as compared with CD.

The Role of Laboratory Tests in Crohn's Disease - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - [翻译此页](#)

作者: M Cappello - 2016 - 被引用次数: 4 - [相关文章](#)

2016年8月18日 - Keywords: [Crohn's disease](#), laboratory tests, inflammatory bowel, C-reactive [protein](#): a [predictive](#) factor and [marker](#) of inflammation in ...

[PDF] Serum Calprotectin: A Novel Diagnostic and Prognostic Marker in ...

78.39.227.9/.../2016%20AJG%20Volume%20111%20Issue%2012%20Dece... ▾ [翻译此页](#)

作者: R Kalla - 2016 - 被引用次数: 6 - [相关文章](#)

2016年9月6日 - (CD) and [ulcerative colitis](#) (UC), are chronic, debilitating inflam- recorded. Laboratory markers, including CRP and [albumin](#), were measured

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 35635

Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

Albumin as a prognostic marker for ulcerative colitis

Khan N *et al.* Albumin prognosticating UC

Nabeel Khan, Dhruvan Patel, Yash Shah, Chinmay Trivedi, Yu-Xiao Yang

Abstract

AIM

To evaluate the role of albumin at the time of ulcerative colitis (UC) diagnosis in predicting the clinical course of disease.

METHODS

Match Overview

1	Crossref 87 words Khan, N. H., R. M. Almukhtar, E. B. Cole, and A. M. Abbas. "Early corticosteroids requirement after the diagnosis of ulc...	2%
2	Crossref 59 words Nabeel Khan, Dhruvan Patel, Yash Shah, Yu-Xiao Yang. "A Novel Model for Predicting Incident Moderate to Severe A...	2%
3	Internet 24 words crawled on 18-Dec-2015 www.uptodate.com	1%
4	Crossref 23 words Vinayak Kumar, Yash Shah, Dhruvan Patel, Nabeel Khan. "Elderly-Onset and Adult-Onset Ulcerative Colitis Are Mor ...	1%
5	Crossref 20 words Jensen, G. L. "Inflammation as the Key Interface of the Med ical and Nutrition Universes: A Provocative Examination c...	1%
6	Internet 17 words crawled on 05-Jun-2014 www.commonwealthfund.org	<1%
7	Internet 16 words crawled on 25-Aug-2016 connection.ebscohost.com	<1%
8	Internet 14 words crawled on 03-Jul-2016 www.dovepress.com	<1%

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 182,000 条结果 (用时 0.65 秒)

Google 学术: Albumin as a prognostic marker for ulcerative colitis

... markers on clinical relapse in ulcerative colitis patients ... - Bessissow - 被引用次数: 118

... the clinical course of acute severe ulcerative colitis - Ho - 被引用次数: 114

Characterization, outcome, and prognosis in 273 ... - Tischendorf - 被引用次数: 256

Comments on "Serum Urea:Albumin Ratio as a Prognostic Marker in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4062662/> - 翻译此页

作者: K Syal - 2014 - 相关文章

2014年4月26日 - I read the article "Serum Urea:Albumin Ratio as a Prognostic Marker in Critical ... of 19 serum proteins in Crohn's disease and ulcerative colitis:

Laboratory markers in ulcerative colitis: Current insights and future ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: M Cioffi - 2015 - 被引用次数: 27 - 相关文章

2015年2月15日 - Ulcerative colitis (UC) and Crohn's disease (CD) are the major forms of ... The ability to determine the type, severity, prognosis and response to Albumin is a negative acute phase marker and decreased levels may be found ...

Laboratory markers in IBD: useful, magic, or unnecessary toys?

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: S Vermeire - 2006 - 被引用次数: 689 - 相关文章

CRP is an objective marker of inflammation and correlates well with disease ... with disease activity in patients with ulcerative colitis (UC) as compared with CD. ... and finally it should have a prognostic value towards relapse or recurrence of the disease. Albumin is a typical example of a negative acute phase reactant and ...

Comments on "Serum Urea:Albumin Ratio as a Prognostic Marker in ...

https://www.researchgate.net/.../263430490_Comments_on_Serum_UreaAlb... - 翻译此页

Sir, I read the article "Serum Urea:Albumin Ratio as a Prognostic Marker in ... Similarly, low albumin levels may be due to ailments like Crohn's disease [3] and ...

Albumin as a prognostic marker for ulcerative colitis

全部

图片

视频

新闻

地图

图书

找到约 181,000 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Comments on "Serum Urea:Albumin Ratio as a Prognostic Marker in ...](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4062662/>

26 Apr 2014 ... I read the article "Serum Urea:Albumin Ratio as a Prognostic Marker in Critical ... of 19 serum proteins in Crohn's disease and ulcerative colitis.

[Laboratory markers in ulcerative colitis: Current insights and future ...](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4325297/>

15 Feb 2015 ... Ulcerative colitis (UC) and Crohn's disease (CD) are the major forms of ... The ability to determine the type, severity, prognosis and response to Albumin is a negative acute phase marker and decreased levels may be found ...

[Laboratory markers in IBD: useful, magic, or unnecessary toys?](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1856093/>

CRP is an objective marker of inflammation and correlates well with disease ... with disease activity in patients with ulcerative colitis (UC) as compared with CD. ... and finally it should have a prognostic value towards relapse or recurrence of the disease. Albumin is a typical example of a negative acute phase reactant and ...

[Comments on "Serum Urea:Albumin Ratio as a Prognostic Marker in ...](#)https://www.researchgate.net/.../263430490_Comments_on_Serum_UreaAlbumin_Ratio_as_a_Prognostic_Marker_in_Critical_Patients_With_...

Sir, I read the article "Serum Urea:Albumin Ratio as a Prognostic Marker in ... Similarly, low albumin levels may be due to ailments like Crohn's disease [3] and ...

[Advanced Therapy of Inflammatory Bowel Disease: Ulcerative Colitis ... -](#)[Google 图书结果](#)<https://books.google.co.uk/books?isbn=1607952165>

Theodore M. Bayless, Professor Theodore M Bayless - 2014 - Inflammatory bowel diseases
We also follow CRP in patients hospitalized with severe colitis and find the Oxford ... by other