

Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 35755

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Value of the gamma-glutamyltranspeptidase-to-platelet ratio in the diagnosis of hepatic fibrosis in patients with chronic hepatitis B

Yan-Chao Hu, Hao Liu, Xiao-Yan Liu, Li-Na Ma, Yu-Hua Guan, Xia Luo, Xiang-Chun Ding

Abstract

AIM

Match Overview

1	Crossref 26 words Hanai, Tatsunori, Makoto Shiraki, Sachiyo Ohnishi, Tsuneyuki Miyazaki, Takayasu Ideta, Takahiro Kochi, Kenji Imai, At	1%
2	Internet 24 words crawled on 16-Jan-2017 f1000.com	1%
3	Internet 15 words crawled on 10-Oct-2010 humanneuro.physiol.umu.se	<1%
4	Internet 15 words crawled on 13-Jun-2017 www.wjgnet.com	<1%
5	Crossref 15 words Li, Q., W. Li, Y. Huang, and L. Chen. "The gamma-glutamyl transpeptidase-to-platelet ratio predicts liver fibrosis and cir	<1%
6	Crossref 13 words Wang, J.. "Real-time elastography with a novel quantitative technology for assessment of liver fibrosis in chronic hepat	<1%
7	Internet 13 words crawled on 28-Mar-2016 www.apiindia.org	<1%

找到约 50,900 条结果 (用时 0.38 秒)

The Gamma-Glutamyl-Transpeptidase to Platelet Ratio Does not ...

[https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMed Central \(PMC\)](https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral(PMC)) - 翻译此页

作者: Q Li - 2016 - 被引用次数: 6 - 相关文章

2016年4月22日 - GPR is a new serum **diagnostic** model for **liver fibrosis** and cirrhosis, but does ... (**GGT**) to **platelet ratio** (GPR), in a cohort of 135 CHB **patients** in ... At present, there is a lack of data about the **diagnostic value** of GPR for **liver fibrosis** and ... CHB was defined as the persistent presence of serum **HBV** surface ...

The gamma-glutamyl transpeptidase to platelet ratio for non-invasive ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5438679/> - 翻译此页

作者: Q Li - 2017 - 相关文章

2017年3月13日 - The **gamma-glutamyl transpeptidase-to-platelet ratio** (GPR) is a novel serum model, ... 131 **patients** with CHB-NAFLD were included, and the **diagnostic** performances of ... Keywords: **chronic hepatitis B**, non-alcoholic fatty **liver** disease, ... Lemoine et al propose a novel **fibrosis** model—the gamma-glutamyl ...

Gamma-glutamyl-transpeptidase to platelet ratio is not superior to ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5561053/> - 翻译此页

2017年8月17日 - We analyzed **diagnostic values** of GPR for detecting **liver fibrosis** and ... to estimate **liver fibrosis** in **patients** with **chronic hepatitis B** (CHB) in ...

Gamma-Glutamyl Transpeptidase-to-Platelet Ratio Predicts ... - Hindawi

<https://www.hindawi.com/journals/grp/2017/7089702/> - 翻译此页

作者: T Ren - 2017

2017年5月22日 - **Gamma-Glutamyl Transpeptidase-to-Platelet Ratio** Predicts Significant **Liver Fibrosis** of **Chronic Hepatitis B Patients** in China ... The recognized gold standard for **diagnosing** fibrosis and cirrhosis is liver biopsy (LB), All **values** provided are 2-sided and a $P < 0.05$ was considered



Value of the gamma-glutamyl transpeptidase-to-platelet ratio in the diagnosis of liver fibrosis



登录

全部

新闻

图片

购物

地图

更多

设置

工具

找到约 31,200 条结果 (用时 0.30 秒)

The Gamma-Glutamyl-Transpeptidase to Platelet Ratio Does not ...

<https://www.ncbi.nlm.nih.gov/pubmed/26811111> - 翻译此页

作者: Q Li - 2016 - 被引用次数: 6 - 相关文章

2016年4月22日 - GPR is a new serum **diagnostic** model for **liver fibrosis** and cirrhosis, but does ... of sensitivity and positive predictive **value** (PPV) for **diagnosing** cirrhosis, and the ... (GGT) to **platelet ratio** (GPR), in a cohort of 135 CHB **patients** in Gambia, ... CHB was defined as the persistent presence of serum **HBV** surface ...

The gamma-glutamyl transpeptidase to platelet ratio for non-invasive ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5438679/> - 翻译此页

作者: Q Li - 2017 - 相关文章

2017年3月13日 - The **gamma-glutamyl transpeptidase-to-platelet ratio** (GPR) is a novel serum model, ... GPR for **liver fibrosis** in **patients** with **chronic hepatitis B** (CHB) and non-alcoholic fatty ... 131 **patients** with CHB-NAFLD were included, and the **diagnostic** ... Keywords: **chronic hepatitis B**, non-alcoholic fatty liver disease, ...

The gamma-glutamyl transpeptidase to platelet ratio (GPR) predicts ...

[gut.bmj.com](http://gut.bmj.com/content/64/12/1771) > [Online First](#) - 翻译此页

作者: M Lemoine - 2015 - 被引用次数: 45 - 相关文章

The **gamma-glutamyl transpeptidase to platelet ratio** (GPR) predicts significant **liver fibrosis** and cirrhosis in **patients** with **chronic HBV** infection in West Africa.

Gamma-Glutamyl Transpeptidase-to-Platelet Ratio Predicts ... - Hindawi

<https://www.hindawi.com/journals/grp/2017/7089702/> - 翻译此页

作者: T Ren - 2017

2017年5月22日 - **Gamma-Glutamyl Transpeptidase-to-Platelet Ratio** Predicts Significant **Liver Fibrosis** of **Chronic Hepatitis B Patients** in China ... The recognized gold standard for **diagnosing** fibrosis and

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 46,800 条结果 (用时 0.59 秒)

您是不是要找: **Value of the gamma-*glutamyl transpeptidase*-to-platelet ratio in the diagnosis of hepatic fibrosis in patients with chronic hepatitis B**

Gamma-glutamyl-transpeptidase to platelet ratio is not superior to ...

<https://www.ncbi.nlm.nih.gov/pubmed/28819319> - 翻译此页

作者: R Huang - 2017

2017年8月17日 - Gamma-glutamyl-transpeptidase to platelet ratio is not superior to APRI, FIB-4 and RPR for diagnosing liver fibrosis in CHB patients in China. ... to platelet ratio (GPR) is a novel index to estimate liver fibrosis in chronic hepatitis B (CHB). ... We analyzed diagnostic values of GPR for detecting liver fibrosis and ...

The Gamma-Glutamyl-Transpeptidase to Platelet Ratio Does not ...

[https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMed Central \(PMC\)](https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral(PMC)) - 翻译此页

作者: Q Li - 2016 - 被引用次数: 6 - 相关文章

2016年4月22日 - GPR is a new serum diagnostic model for liver fibrosis and cirrhosis, but does not ... the gamma-glutamyl-transpeptidase (GGT) to platelet ratio (GPR), in a cohort ... value of GPR for liver fibrosis and cirrhosis in CHB patients in China, and ... CHB was defined as the persistent presence of serum HBV surface ...

The gamma-glutamyl transpeptidase to platelet ratio for non-invasive ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5438679/> - 翻译此页

作者: Q Li - 2017 - 相关文章

2017年3月13日 - The gamma-glutamyl transpeptidase-to-platelet ratio (GPR) is a novel serum model, ... of GPR for liver fibrosis in patients with chronic hepatitis B (CHB) and ... Keywords: chronic hepatitis B, non-alcoholic fatty liver disease, Diagnostic performances of noninvasive models for liver fibrosis and cirrhosis.

Gamma-glutamyl transpeptidase to platelet ratio index is a good ...

journals.sagepub.com/doi/full/10.1177/0300060516664638 - 翻译此页

作者: RQ Wang - 2016 - 被引用次数: 1 - 相关文章

跳到 Patients and methods - All enrolled patients underwent liver biopsy. ... (i) co-infection with human immunodeficiency virus, hepatitis A, C or D ... hepatic failure, and other causes of chronic liver