



Name of Journal: *World Journal of Gastrointestinal Oncology*

Manuscript NO: 36031

Manuscript Type: Original Article

Retrospective Study

Impact of duration of adjuvant chemotherapy in radically resected patients
with T4bN1-3M0/TxN3bM0 gastric cancer

Qiwei Wang, Xiaotian Zhang, Ming Lu, Jian Li, Xicheng Wang, Jifang Gong,
Jun Zhou, Yanshuo Cao, Lin Shen

Abstract

AIM

To provide evidence regarding the postoperative treatment of patients with
T4bN1-3M0/TxN3bM0 gastric cancer, for which guidelines have not been

Match Overview

1	Internet 109 words crawled on 03-Apr-2017 www.wjgnet.com	2%
2	Crossref 51 words Tae Kyung Ha. "The Effect of Adjuvant Chemotherapy on... tage IV (T4N1-3M0 and T1-3N3M0) Gastric Cancer", <i>Canc</i>	1%
3	Publications 38 words "Study Results from Prince of Wales Hospital Broaden U... erstanding of Hepatocellular Carcinoma (Trans", <i>Clinical Tri</i>	1%
4	Crossref 37 words Bajetta, E., I. Floriani, M. Di Bartolomeo, R. Labianca, A. F alcone, F. Di Costanzo, G. Comella, D. Amadori, C. Pinto,	1%
5	Internet 36 words crawled on 04-Oct-2016 jco.ascopubs.org	1%
6	Internet 34 words crawled on 08-Mar-2016	1%

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

获得 5 条结果 (用时 0.66 秒)

Impact of neoadjuvant chemotherapy with PELF-protocoll versus ...

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者: C Ruf - 2014 - 被引用次数: 4 - 相关文章

2014年1月24日 - Adjuvant chemotherapy was not performed at all. ... The overall survival was 38% after CTx and 42% after resection only. ... In patients with advanced gastric carcinoma, neoadjuvant CTx with the PELF- by radical resection in patients with initially unresectable gastric adenocarcinoma: a phase II study.

Lymph Node Counts and Survival Rates After Resection for Colon and ...

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者: SL Wong - 2009 - 被引用次数: 38 - 相关文章

Obtaining more lymph nodes may benefit patients because it allows for more ... for consideration of adjuvant chemotherapy in colon cancer patients with a small Impact of preoperative radiation for rectal cancer on subsequent lymph node ...

缺少字词: radically t4bn4 3m0 bxn3bm0 gastric

Impact of esophageal cancer staging on overall survival and disease ...

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者: Q Li - 2013 - 被引用次数: 15 - 相关文章

2012年11月2日 - Patients with stage N2 or N3 cancer were more likely to have tumor recurrences, ... cancer classifications were harmonized with those of gastric cancer. ... and cancer classified as T2-4N1-3M0 according to the seventh edition of the ... All patients with esophageal cancer underwent radical resection plus ...

Gallbladder Cancer: Comparison of Patients Presenting Initially for ...

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者: Y Fong - 2000 - 被引用次数: 379 - 相关文章



时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利☐ 包含引用☒ 创建快讯

您的搜索 - Impact of duration of adjuvant chemotherapy in radically resected patients with T4bN1-3M0/TxN3bM0 gastric cancer - 与所有文章均不相符。

建议：

请检查输入字词有无错误。

请尝试其他的查询词

请改用较常见的字词。

请减少查询字词的数量。

请向所有网络查询

[全部](#)[图片](#)[新闻](#)[地图](#)[更多](#)[设置](#)[工具](#)

获得 5 条结果 (用时 0.66 秒)

Impact on survival of timing and duration of adjuvant chemotherapy in ...

europepmc.org/abstract/med/27032700 ▾ 翻译此页

作者: M Di Bartolomeo - 2015

Intergroup Trial of **Adjuvant Chemotherapy** in Adenocarcinoma of the ... survival of timing and **duration of adjuvant chemotherapy in radically resected gastric cancer**. ... **Adjuvant chemotherapy** improves survival of patients with **gastric cancer**.

缺少字词: t4bn1 3m0 bxn3bm0

Impact of neoadjuvant chemotherapy with PELF-protocol versus ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3909936/> - 翻译此页

作者: C Ruf - 2014 - 被引用次数: 4 - 相关文章

2014年1月24日 - **Adjuvant chemotherapy** was not performed at all. ... 26%). The overall survival was 38% after CTx and 42% after **resection only**. ... In **patients** with advanced **gastric carcinoma**, neoadjuvant CTx with the PELF- protocol A. Combined intensive chemotherapy and **radical surgery** for incurable **gastric cancer**.

缺少字词: t4bn1 3m0 bxn3bm0

[Abstract](#) · [Background](#) · [Results](#) · [Discussion](#)

Timing of Adjuvant Chemotherapy and Impact on Survival for ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/27459982> ▾ 翻译此页

作者: EK Greenleaf - 2016 - 被引用次数: 5 - 相关文章

2016年7月26日 - ... Chemotherapy and **Impact** on Survival for **Resected Gastric Cancer**. ... the survival **impact** of timing of **adjuvant chemotherapy** (AC) in **patients** ...

缺少字词: radically t4bn1 3m0 bxn3bm0

Treatment of resectable gastric cancer - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3263979/> ▾ 翻译此页