

11

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 36309

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Preserved liver regeneration capacity after partial hepatectomy in rats with non-alcoholic steatohepatitis

Haldrup D *et al.* Liver regeneration in rats with NASH

David Haldrup, Sara Heebøll, Karen Louise Thomsen, Kasper Jarlhelt Andersen, Michelle Meier, Frank Viborg Mortensen, Jens Randel Nyengaard, Stephen Hamilton-Dutoit, Henning Grønbaek

## 符合内容总览

2	Crossref 75 个字 Thomsen, K. L., H. Grønbaek, E. Glavin d. L. Hebbard, M. Jensen, A. Clausen	1%
3	互联网 32 个字 于 2016 年 08 月 23 日 缓慢进行 journals.lww.com	1%
4	Crossref 25 个字 D. Haldrup, S. Heebøll, K.L. Thomsen, K.L. Andersen, M. Meier, F.V. Mortensen	<1%
5	互联网 21 个字 于 2012 年 07 月 23 日 缓慢进行 www.asir-journal.com	<1%
6	互联网 16 个字 于 2016 年 12 月 25 日 缓慢进行 office.wjnet.com	<1%
7	互联网 14 个字 于 2017 年 02 月 23 日 缓慢进行 jama-network.com	<1%
8	Crossref 14 个字 Thomsen, Karen L., Lionel Hebbard, E milie Glavin, Andrew Clausen, Heidi	<1%
9	互联网 14 个字 于 2011 年 03 月 28 日 缓慢进行 www.nature.com	<1%
10	互联网 14 个字 于 2017 年 09 月 15 日 缓慢进行 d-nb.info	<1%
11	互联网 14 个字 于 2017 年 10 月 05 日 缓慢进行 real.mtak.hu	<1%
12	互联网 13 个字 于 2017 年 03 月 01 日 缓慢进行 www.deepdyve.com	<1%
13	Crossref 13 个字 de Jong, K.P., "Serum response of hep atoma growth factor in adult like adult	<1%
14	Crossref 13 个字 Holt, R., "Inhibition of hepatic	<1%



文章

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☐ 包括专利

☐ 包含引用

[引用] Liver Regeneration Capacity after Partial Hepatectomy in Rats with Non-Alcoholic Steatohepatitis

D Haldrup, S Heebøll, KL Thomsen... - Journal of ..., 2016 - journal-of-hepatology.eu

Methods: C57BL6/J mice were fed a high-fat/high-sugar diet (HFSD) containing low amounts of VD3 for 16 weeks to induce obesity, NASH and liver fibrosis. The effects of preventive (starting from wk 1) and interventional (starting from wk 12) dietary treatment with high amounts of VD3 were studied on the level of liver histology and hepatic/intestinal gene expression. Results: Animals receiving HFSD with low VD3 developed obesity, ...

☆ 99 所有 2 个版本

以上显示的是最相近的搜索结果。 [查看全部搜索结果](#)



Preserved liver regeneration capacity after partial hepatectomy in rats with nc



文章

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☐ 包括专利

☐ 包含引用

Google 已关闭此广告

停止显示此广告

为什么显示该广告? ▸

### [引用] Liver Regeneration Capacity after Partial Hepatectomy in Rats with Non-Alcoholic Steatohepatitis

D Haldrup, S Heebøll, KL Thomsen... - Journal of ..., 2016 - journal-of-hepatology.eu

Methods: C57BL6/J mice were fed a high-fat/high-sugar diet (HFSD) containing low amounts of VD3 for 16 weeks to induce obesity, NASH and liver fibrosis. The effects of preventive (starting from wk 1) and interventional (starting from wk 12) dietary treatment with high amounts of VD3 were studied on the level of liver histology and hepatic/intestinal gene expression. Results: Animals receiving HFSD with low VD3 developed obesity ...

☆ 99 所有 2 个版本

以上显示的是最相近的搜索结果。 [查看全部搜索结果](#)

[全部](#)[图片](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 12,500 条结果 (用时 0.54 秒)

## Google 学术: Preserved liver regeneration capacity after partial hepatectomy in rats with non-alcoholic steatohepatitis

... portal vein embolization and partial hepatectomy: a ... - Yokoyama - 被引用次数: 163

... fatty change following partial hepatectomy in rats - Rao - 被引用次数: 46

Role of Kupffer cells in host defense and liver disease - Bilzer - 被引用次数: 572

## Effect of non-alcoholic liver disease on recurrence rate and liver ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5486397/> - 翻译此页

作者: NW Molla - 2017

2017年6月27日 - The regenerative ability of the liver after partial liver resection can be ... of liver steatosis is an important indicator of the liver's regeneration capacity. ... of nafld, liver regeneration, and tumour recurrence after hepatectomy for crc-lm. .... Parenchyma-preserving hepatic resection for colorectal liver metastases.

## Liver failure following partial hepatectomy - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2131683/> - 翻译此页

作者: TS Helling - 2006 - 被引用次数: 59 - 相关文章

This regenerative capacity has made it possible for surgeons to remove large ... Of course, liver failure may be said to occur if, following partial hepatectomy, .... nonalcoholic fatty liver disease and the accompanying steatohepatitis, has been found ..... Gaub X, Iversen J. Rat liver regeneration after 90% partial hepatectomy.

## Defective hepatic regeneration after partial hepatectomy in leptin ...

[www.nature.com](http://www.nature.com) > laboratory investigation > research article - 翻译此页

作者: IA Leclercq - 2006 - 被引用次数: 36 - 相关文章

Liver regeneration after partial hepatectomy (PH) is impaired in leptin-deficient ob/ob mice. ... or leptin-resistant fatty Zucker rats) exhibit obesity, severe hepatic steatosis and ... was not associated with increased