



文章

找到约 514 条结果 (用时0.11秒)

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

 包括专利 包含引用 创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

### Histologic heterogeneity and mucin phenotypic expression in early gastric cancer

A Saito, T Shimoda, [Y Nakanishi](#)... - Pathology ..., 2001 - Wiley Online Library

... Positive staining for pyloric gland-type mucin is located in the deep layer of the mucosa (original magnification ×200). ... Histological type, Histological type. ... In order to understand this phenomenon more precisely, further studies such as genetic analysis are needed. ...

☆ 99 被引用次数: 99 相关文章 所有 6 个版本

### [PDF] Gastric carcinoma

C Fenoglio-Preiser, [F Carneiro](#), P Correa... - Pathology and genetics ..., 2000 - iarc.fr

... often of the diffuse type and the frequency of serosal, lymphatic, and vascular ... accuracy of pathological staging is proportional to the number of regional lymph nodes examined and ... Further analysis of this heterogeneous group using histochemical methods may allow their ...

☆ 99 被引用次数: 291 相关文章 所有 9 个版本

[PDF] iarc.fr

### Gastric adenocarcinoma of fundic gland type (chief cell predominant type): proposal for a new entity of gastric adenocarcinoma

H Ueyama, T Yao, Y Nakashima... - The American journal ..., 2010 - journals.lww.com

... Wolters Kluwer Health Logo: Subscribe. Search Jobs. All Issues. Advanced Search. ... Skip Navigation Links Home > May 2010 - Volume 34 - Issue 5 > Gastric Adenocarcinoma of Fundic Gland Type (Chief Cell Pred. ....

☆ 99 被引用次数: 117 相关文章 所有 6 个版本

### Signet ring cell mixed histology may show more aggressive behavior than other histologies in early gastric cancer

CW Huh, DH Jung, JH Kim, YC Lee... - Journal of surgical ..., 2013 - Wiley Online Library

... the cumulative survival rate, and the log-rank test was used to analyze differences in ... All statistical analyses were performed using the software SPSS version 12.0 for Windows (SPSS ... Kaplan-Meier analysis indicated that the patients with SRC had a higher cumulative survival ...

☆ 99 被引用次数: 37 相关文章 所有 6 个版本

10

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 36379

Manuscript Type: ORIGINAL ARTICLE

### Retrospective Study

Differential analysis of lymph node metastasis in histological mixed-type early gastric carcinoma in the mucosa and submucosa

Zhong Q *et al.* LNM in histological mixed-type EGC

Qian Zhong, Qi Sun, Gui-Fang Xu, Xiu-Qin Fan, Yuan-Yuan Xu, Fei Liu, Shi-Yi Song, Chun-Yan Peng, Lei Wang

### Abstract

#### AIM

To investigate the relationship between histological mixed-type in early gastric cancer (EGC) and lymph node metastasis (LNM) in the mucosa and

### Match Overview

1	Crossref 141 words Miyamae, Mahito, Shuhei Komatsu, Daisuke Ichikawa, Toshiyuki Kosuga, Takeshi Kubota, Kazuma Okamoto, Hir	4%
2	Crossref 137 words Yoon, Hong Jin, Yong Hoon Kim, Jie-Hyun Kim, HyunKi Kim, Hogueun Kim, Jae Jun Park, Young Hoon Yoon, Hyoj	4%
3	Crossref 78 words Takizawa, Kohei, Hiroyuki Ono, Naomi Kakushima, Masa ki Tanaka, Noriaki Hasuike, Hiroyuki Matsubayashi, Yuic	2%
4	Crossref 51 words Jeung Hui Pyo, Hyuk Lee, Byung-Hoon Min, Jun Haeng Lee, Min Gew Choi, Jun Ho Lee, Tae Sung Sohn, Jae M	1%
5	Internet 48 words crawled on 23-Oct-2009 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	1%
6	Internet 37 words crawled on 13-Jun-2017 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
7	Crossref 19 words Ohara, Yoshiko, Nobuyuki Toshikuni, Kazuhiro Matsueda, Hirokazu Mouri, and Hiroshi Yamamoto. "The superfici	<1%
8	Crossref 16 words Chen Han-Shiang. "Curative Resection of Colorectal Adenocarcinoma: Multivariate Analysis of 5-Year Follow-u	<1%
9	Crossref 15 words Hiroki Shimizu. "The decision criterion of histological mixed type in T1/T2 gastric carcinoma-comparison betwe ...	<1%

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 8,560 条结果 (用时 0.51 秒)

### Risk of lymph node metastasis in mixed-type early gastric cancer ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4823252/> - [翻译此页](#)作者: CS Hwang - 2016 - 被引用次数: 5 - [相关文章](#)

2016年4月21日 - Risk of lymph node metastasis in mixed-type early gastric cancer ... We reviewed 550 cases of EGC with diffuse- and mixed-type histology. ... observed in 12.9% (71/550) of early gastric cancers cases [15/288 mucosal ... Endoscopic submucosal dissection (ESD), a recently developed ... Statistical analysis.

缺少字词: differential

### Risk of lymph node metastasis in differentiated type mucosal early ...

<https://www.ncbi.nlm.nih.gov/pubmed/25344305> - [翻译此页](#)作者: JH Lee - 2015 - 被引用次数: 16 - [相关文章](#)

2014年10月25日 - Risk of lymph node metastasis in differentiated type mucosal early gastric cancer mixed with minor undifferentiated type histology. ... is critical to the assessment of the indication for endoscopic submucosal dissection. ... We analyzed the proportion of the undifferentiated type components of the tumor and ...

缺少字词: differential

### Gastric cancer: Classification, histology and application of molecular ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3418539/> - [翻译此页](#)作者: B Hu - 2012 - 被引用次数: 200 - [相关文章](#)

Early gastric carcinoma is defined as invasive carcinoma confined to mucosa and/or submucosa, with or without lymph node metastases, irrespective of the ... Tubular adenocarcinoma is the most common histologic type of early gastric ... One important differential diagnosis of neoplastic signet ring cells in gastric mucosa is ...

### Risk factors for lymph node metastasis of submucosal invasive ...

[https://www.researchgate.net/publication/225743524\\_Risk\\_factors\\_for\\_lymph\\_node\\_m...](https://www.researchgate.net/publication/225743524_Risk_factors_for_lymph_node_m...) - [翻译此页](#)

Results: The rate of lymph node metastasis was significantly higher in differentiated ... Multivariate analysis revealed that lymphatic vessel invasion was the most ... in clinicopathologic criteria in early gastric cancer: the NECA-Korea ESD for Early ... invasion (differentiated type, differentiated-type-predominant mixed type

找到约 9,080 条结果 (用时 0.52 秒)

### Risk of lymph node metastasis in mixed-type early gastric cancer ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4823252/> ▾ 翻译此页

作者 : CS Hwang - 2016 - 被引用次数 : 6 - 相关文章

2016年4月21日 - Risk of **lymph node metastasis** in **mixed-type early gastric cancer** ... We reviewed 550 cases of EGC with diffuse- and **mixed-type histology**. ... observed in 12.9% (71/550) of **early gastric cancers** cases [15/288 **mucosal** ... Endoscopic **submucosal** dissection (ESD), a recently developed ... Statistical **analysis**.

缺少字词 : differential

Abstract · INTRODUCTION · MATERIALS AND METHODS · RESULTS

### Risk of lymph node metastasis in differentiated type mucosal early ...

<https://www.ncbi.nlm.nih.gov/pubmed/25344305> - 翻译此页

作者 : JH Lee - 2015 - 被引用次数 : 16 - 相关文章

2014年10月25日 - Risk of **lymph node metastasis** in differentiated **type mucosal early gastric cancer** **mixed** with minor undifferentiated **type histology**. ... is critical to the assessment of the indication for endoscopic **submucosal** dissection. ... We **analyzed** the proportion of the undifferentiated **type** components of the tumor and ...

缺少字词 : differential

### Risk factors for lymph node metastasis of submucosal invasive ...

[https://www.researchgate.net/.../225743524\\_Risk\\_factors\\_for\\_lymph\\_node\\_...](https://www.researchgate.net/.../225743524_Risk_factors_for_lymph_node_...) - 翻译此页

Results: The rate of **lymph node metastasis** was significantly higher in differentiated ... Multivariate **analysis** revealed that lymphatic vessel invasion was the most ... in clinicopathologic criteria in **early gastric cancer**: the NECA-Korea ESD for **Early** ... invasion (differentiated type, differentiated-type-predominant **mixed type**, ...

### Predictive value for lymph node metastasis of epithelial-mesenchymal ...

[www.sciencedirect.com/science/article/pii/S0344033816307622](http://www.sciencedirect.com/science/article/pii/S0344033816307622) ▾ 翻译此页

**Early gastric cancer** (EGC) is defined as cancer that invades only within the **submucosal** layer, ... **mucosal** resection, endoscopic **submucosal** dissection, or sentinel **node** ... We **analyzed** the expression of 5 EMT-related markers and 6 stem cell ... diffuse or **mixed histologic type**, **submucosal** invasion, **lymphatic** invasion, and ...

### Distinction of differentiated type early gastric carcinoma with gastric ...

[onlinelibrary.wiley.com/doi/10.1002/1097-0142\(20000815\)89...0.../full](http://onlinelibrary.wiley.com/doi/10.1002/1097-0142(20000815)89...0.../full) ▾ 翻译此页

作者 : K Koseki - 2000 - 被引用次数 : 142 - 相关文章