



文章

找到约 2,040 条结果 (用时0.07秒)

时间不限

2017以来

2016以来

2013以来

自定义范围...

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

 包括专利 包含引用 创建快讯**Transarterial chemoembolization plus sorafenib: a sequential therapeutic scheme for HCV-related intermediate-stage hepatocellular carcinoma: a randomized clinical ...**

D Sansonno, G Lauletta, S Russi, V Conteduca... - The ..., 2012 - AlphaMed Press

... Early evidence of HCC progression is a critical point in the assessment of sorafenib efficacy ... Serum or tissue-based molecular biomarkers are eagerly awaited to predict HCC progression ... should include a follow-up period long enough to demonstrate an overall survival advantage ...

☆ 99 被引用次数: 139 相关文章 所有 10 个版本

[\[HTML\] alphamedpress.org](#)**[HTML] Management of hepatocellular carcinoma: an update**

J Bruix, M Sherman - Hepatology, 2011 - Wiley Online Library

... The usefulness of portal pressure measurement to predict the outcome of patients ... and complications rates after radiofrequency ablation of very early hepatocellular carcinoma in cirrhosis ... Feng Shen, Antiviral Therapy Inhibits Viral Reactivation and Improves Survival after ...

☆ 99 被引用次数: 5220 相关文章 所有 37 个版本

[\[HTML\] wiley.com](#)**[HTML] Recent progress in understanding, diagnosing, and treating hepatocellular carcinoma**

M Maluccio, A Covey - CA: a cancer journal for clinicians, 2012 - Wiley Online Library

[\[HTML\] wiley.com](#)

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 36495

Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

Early prediction of survival in hepatocellular carcinoma with transarterial chemoembolization plus sorafenib

Meng XC *et al.* Survival prediction in HCC with TACE-sorafenib

Xiao-Chun Meng, Bing-Hui Chen, Jing-Jun Huang, Wen-Sou Huang, Ming-Yue Cai, Jing-Wen Zhou, Yong-Jian Guo, Kang-Shun Zhu

Abstract

AIM

To identify clinical biomarkers that could early predict improved survival in patients with advanced-stage hepatocellular carcinoma (HCC) treated with transarterial

Match Overview

1	Crossref 71 words L. Liu, W. Wang, H. Chen, Y. Zhao, W. Bai, Z. Yin, C. He, J. Jia, M. Yang, J. Xia, D. Fan, G. Han. "EASL- and mRE	2%
2	Crossref 42 words Dong-Jun Yoo. "Clinical outcome of 251 patients with extrahepatic metastasis at initial diagnosis of hepatocellular	1%
3	Internet 24 words crawled on 23-Nov-2017 www.wjgnet.com	1%
4	Internet 21 words crawled on 28-Feb-2015 www.jscimedcentral.com	<1%
5	Crossref 17 words Liu, Lei, Yan Zhao, Xingshun Qi, Guohong Cai, Chuangye He, Wengang Guo, Zhanxin Yin, Hui Chen, Xi Chen, D	<1%
6	Crossref 16 words Song, Do Seon. "Outcome of transarterial chemoembolization-based multi-modal treatment in patients with unre ...	<1%
7	Internet 15 words crawled on 05-Oct-2017 real.mtak.hu	<1%
8	Publications 14 words Cai, Zhen Wang, Chungge Liu, Peiwen Shen. "Ginkgo biloba extract in combination with sorafenib is clinically s: ...	<1%
9	Internet 14 words crawled on 04-Feb-2013 gastroindia.net	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 59,600 条结果 (用时 0.44 秒)

[Google 学术: Early prediction of survival in hepatocellular carcinoma with transarterial chemoembolization plus sorafenib](#)

Transarterial chemoembolization plus sorafenib: a ... - Sansonno - 被引用次数: 140

Management of hepatocellular carcinoma: an update - Bruix - 被引用次数: 5378

..., diagnosing, and treating hepatocellular carcinoma - Maluccio - 被引用次数: 416

[Early Sorafenib-related Biomarkers for Combination Treatment with ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/28263701> - 翻译此页

作者: BY Zhong - 2017 - 相关文章

2017年3月6日 - Purpose To identify early biomarkers for the prediction of the therapeutic response in patients with hepatocellular carcinoma (HCC) treated with transarterial chemoembolization (TACE) and sorafenib (referred to as TACE plus sorafenib) and establish an effective prognostic nomogram. Materials and ...

[Transarterial chemoembolization in hepatocellular carcinoma treatment](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4579879/> - 翻译此页

作者: K Han - 2015 - 被引用次数: 16 - 相关文章

2015年9月28日 - Additionally, TACE plus radiotherapy has yielded better survival in patients with HCC and portal venous thrombosis. Considering these ... Keywords: Hepatocellular carcinoma, Transarterial chemoembolization, Sorafenib, Radiofrequency ablation, Hepatic resection, Liver transplantation. Core tip: This ...

[Prediction of Response to Sorafenib in Hepatocellular Carcinoma: A ...](#)

www.mcponline.org/content/early/2017/05/26/mcp.M116.066704 - 翻译此页

作者: H Kim - 2017 - 相关文章

2017年5月26日 - Prediction of Response to Sorafenib in Hepatocellular Carcinoma: A Marker Panel by Multiple Reaction Monitoring-Mass Spectrometry. Hyunsoo Kim,; Su Jong ... On the contrast, the triple-marker panel was not a prognostic factor for patients who were treated with transarterial chemoembolization (TACE).

[Combined strategies for hepatocellular carcinoma treatment: a new](#)

[全部](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多](#)[设置](#) [工具](#)

找到约 21,000 条结果 (用时 0.47 秒)

Google 学术 : Early prediction of survival in hepatocellular carcinoma with transarterial chemoembolization plus sorafenib

Transarterial chemoembolization plus sorafenib: a ... - Sansonno - 被引用次数 : 141

Management of hepatocellular carcinoma: an update - Bruix - 被引用次数 : 5412

... , diagnosing, and treating hepatocellular carcinoma - Maluccio - 被引用次数 : 418

Early Sorafenib-related Biomarkers for Combination Treatment with ...

<https://www.ncbi.nlm.nih.gov/pubmed/28263701> - 翻译此页

作者 : BY Zhong - 2017 - 相关文章

2017年3月6日 - Purpose To identify early biomarkers for the prediction of the therapeutic response in patients with hepatocellular carcinoma (HCC) treated with transarterial chemoembolization (TACE) and sorafenib (referred to as TACE plus sorafenib) and establish an effective prognostic nomogram. Materials and ...

Early sorafenib-related adverse events predict therapy ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pubmed/27038145> ▾ 翻译此页

作者 : Y Zhao - 2016 - 被引用次数 : 5 - 相关文章

2016年8月15日 - Early sorafenib-related adverse events predict therapy response of TACE plus sorafenib: A multicenter clinical study of 606 HCC patients. ... as an early biomarker can predict the long-term outcomes following the combination therapy of transarterial chemoembolization (TACE) plus sorafenib (TACE-S).

Transarterial chemoembolization in hepatocellular carcinoma treatment

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4579879/> ▾ 翻译此页

作者 : K Han - 2015 - 被引用次数 : 16 - 相关文章

2015年9月28日 - Keywords: Hepatocellular carcinoma, Transarterial chemoembolization, Sorafenib, Radiofrequency ablation, Hepatic resection, Liver transplantation ... and AASLD) generally agree that the BCLC system is preferred for HCC staging because it helps to predict survival outcomes and plan treatment options, ...

Combined strategies for hepatocellular carcinoma treatment: a new ...

amj.amegroups.com/article/view/3931/4637 ▾ 翻译此页

作者 : F Gomes Romeiro - 2017 - 被引用次数 : 1

2017年7月19日 - Only patients with early stage HCC are candidates for curative treatments, whereas those with intermediate and advanced tumors should receive palliative treatments such as transarterial