

9
 Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 36759

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Split-dose bowel preparation improves adequacy of bowel preparation and gastroenterologists' adherence to National Colorectal Cancer Screening and Surveillance Guidelines

Menees SB *et al.* Impact of split-dose bowel regimen on GI follow-up recommendations

Stacy Bartnik Menees, H Myra Kim, Philip Schoenfeld

Abstract

AIM

To quantify the impact of split-dose regimen on endoscopists' compliance with guideline recommendations for timing of repeat colonoscopy in patients with normal

Match Overview

1	Crossref 69 words Stacy B Menees, Eric Elliott, Shail Govani, Constantinos Anastassiades et al. "The Impact of Bowel Cleansing on	2%
2	Internet 34 words crawled on 22-Dec-2015 www.ncbi.nlm.nih.gov	1%
3	Internet 17 words crawled on 19-Jul-2017 www.gastro.org	<1%
4	Internet 17 words crawled on 28-Aug-2017 millionhearts.hhs.gov	<1%
5	Internet 17 words crawled on 15-Dec-2014 www.experts.umich.edu	<1%
6	Internet 16 words crawled on 13-Jun-2017 www.wjgnet.com	<1%
7	Internet 16 words crawled on 14-Sep-2010 cfah.org	<1%
8	Internet 14 words crawled on 27-Jun-2017 www.wisconsinmedicalsociety.org	<1%
9	Internet 14 words crawled on 05-Oct-2017 real.mtak.hu	<1%

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 101,000 条结果 (用时 0.70 秒)

Google 学术: Split-dose Bowel Preparation Improves Gastroenterologists' adherence to National Colorectal Cancer Screening and Surveillance Guidelines

... of Gastroenterology guidelines for colorectal cancer ... - Rex - 被引用次数: 1319

... the US multi-society task force on colorectal cancer - Johnson - 被引用次数: 203

Screening, surveillance, and primary prevention for ... - Kahi - 被引用次数: 142

Adherence to recommended intervals for surveillance colonoscopy in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4114302/> - 翻译此页

作者: SB Manees - 2014 - 被引用次数: 12 - 相关文章

The quality of colorectal cancer (CRC) screening with colonoscopy is primarily ... However, the academic gastroenterology societies, including the American ... of quality improvement programs and national benchmarks by organizations such as CMS. ... of split-dose bowel preparation will improve adherence to guideline ...

Abstract - METHODS - RESULTS - DISCUSSION

The Impact of Bowel Cleansing on Follow-Up Recommendations in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4114303/> - 翻译此页

作者: SB Manees - 2014 - 被引用次数: 30 - 相关文章

Our study quantifies adherence to this recommendation and the impact of ... "fair" bowel preparations may be a helpful intervention to improve adherence to ... These dates preceded institution of PM/AM split-dose bowel preparation ... American College of Gastroenterology guidelines for colorectal cancer screening 2009 ...

Abstract - INTRODUCTION - Methods - Discussion

Achieving the best bowel preparation for colonoscopy - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4273122/> - 翻译此页

作者: A Parra-Blanco - 2014 - 被引用次数: 29 - 相关文章

2014年12月21日 - US National Library of Medicine ... Adherence to preparation is a key factor for improving bowel preparation. ... P = 0.012], which is very relevant for colon cancer screening, ... In a

elines of the American College of

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 16,700 条结果 (用时 0.74 秒)

Patient compliance and suboptimal bowel preparation with split-dose ...

<https://www.ncbi.nlm.nih.gov/pubmed/24631492> - 翻译此页

作者: SB Menees - 2014 - 被引用次数: 18 - 相关文章

2014年3月13日 - PATIENTS: Average-risk patients undergoing colonoscopy for colorectal cancer screening between August 2011 and January 2013. MAIN OUTCOME MEASUREMENTS: Split-dose bowel regimen patient-reported compliance and bowel preparation adequacy with the Boston Bowel Preparation Scale ...

Patient compliance and suboptimal bowel preparation with split ...

www.sciencedirect.com/science/article/pii/S0016510714000480 - 翻译此页

Although split-dose bowel regimen is recommended in colon cancer screening and surveillance guidelines, implementation in clinical practice has seemingly ... with the split-dose bowel regimen and assess patient- and preparation process-related factors associated with compliance and bowel preparation adequacy.

Optimizing Adequacy of Bowel Cleansing for ... - Gastroenterology

[www.gastrojournal.org/article/S0016-5085\(14\)00881-6/fulltext](http://www.gastrojournal.org/article/S0016-5085(14)00881-6/fulltext) - 翻译此页

作者: DA Johnson - 2014 - 被引用次数: 214 - 相关文章

Effect of Inadequate Preparation on Polyp/Adenoma Detection and Recommended Follow-up Intervals; Dosing and Timing of Colon Cleansing Regimens ... In addition to CRC screening and surveillance, colonoscopy is used widely for the diagnostic evaluation of symptoms and other positive CRC screening tests.

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 22,600 条结果 (用时 0.59 秒)

Optimizing Adequacy of Bowel Cleansing for ... - Gastroenterology

[www.gastrojournal.org/article/S0016-5085\(14\)00881-6/fulltext](http://www.gastrojournal.org/article/S0016-5085(14)00881-6/fulltext) ▼

作者: DA Johnson - 2014 - 被引用次数: 214 - 相关文章

Effect of Inadequate Preparation on Polyp/Adenoma Detection and Recommended Follow-up Intervals; Dosing and Timing of Colon Cleansing Regimens ... In addition to CRC screening and surveillance, colonoscopy is used widely for the diagnostic evaluation of symptoms and other positive CRC screening tests.

Patient compliance and suboptimal bowel preparation with split-dose ...

<https://www.ncbi.nlm.nih.gov/pubmed/24631492> ▼ 翻译此页

作者: SB Menees - 2014 - 被引用次数: 18 - 相关文章

2014年3月13日 - PATIENTS: Average-risk patients undergoing colonoscopy for colorectal cancer screening between August 2011 and January 2013. MAIN OUTCOME MEASUREMENTS: Split-dose bowel regimen patient-reported compliance and bowel preparation adequacy with the Boston Bowel Preparation Scale ...

Patient compliance and suboptimal bowel preparation with split-dose ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4107415/> ▼ 翻译此页

作者: SB Menees - 2014 - 被引用次数: 18 - 相关文章

2014年3月13日 - Although split-dose bowel regimen is recommended in colon cancer screening and surveillance guidelines, implementation in clinical practice has ... the split-dose bowel regimen and assess patient- and preparation process-related factors associated with compliance and bowel preparation adequacy.

Bowel cleansing before colonoscopy: Balancing efficacy, safety, cost ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4707321/> ▼ 翻译此页

作者: NM Harrison - 2016 - 被引用次数: 10 - 相关文章