

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 48,500 条结果 (用时 0.60 秒)

STEC Hemolytic Uremic Syndrome - NORD (National Organization for ...

<https://rarediseases.org> › For Patients and Families › Rare Disease Information ▼ [翻译此页](#)
classic hemolytic uremic syndrome; diarrhea-associated (D+) hemolytic uremic ... More recently large numbers of adults were affected by STEC HUS in Europe [serotype O104:H4]. STEC HUS affects males and females in equal numbers. the kidneys may reveal characteristic changes that occur in STEC HUS such as ...

Recurrent hemolytic uremic syndrome - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2813136/> - [翻译此页](#)

作者: G Lakshminarayana - 2008 - 相关文章

HUS that is not associated with diarrhea (D-) is caused by a heterogeneous group of disorders. We report here a case of recurrent HUS (D-) in an adult female ...

Atypical hemolytic uremic syndrome in the setting of complement ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5437142/> - [翻译此页](#)

作者: A Asif - 2017 - 被引用次数: 6 - 相关文章

2016年11月15日 - Atypical hemolytic uremic syndrome (aHUS) is a rare, genetic, progressive, Genetic testing did not reveal any complement gene mutations. ... 7 % of total aHUS cases [9] and up to 20 % of cases in adult females [4, 28]. Clinical symptoms of some infections, including diarrhea, may complicate the ...

Hemolytic Uremic Syndrome Workup: Laboratory Studies, Imaging ...

emedicine.medscape.com/article/1183555-workup ▼ [翻译此页](#)

2013年12月17日 - When Gasser et al first described hemolytic uremic syndrome (HUS) in 1955, it was ... The peripheral blood smear reveals fragmented RBCs (eg, ... HUS. Of interest, TTP occurring after verotoxigenic E coli O157:H7 infection in adults may ... Strikingly low platelet counts may be seen in pregnant women with ...

[PDF] Recent outbreak of hemolytic uremic syndrome ... - Kidney Internatio...

[www.kidney-international.org/article/S0085-2538\(15\)55167-3/pdf](http://www.kidney-international.org/article/S0085-2538(15)55167-3/pdf) ▼ [翻译此页](#)

作者: U Kunzendorf - 2011 - 被引用次数: 7 - 相关文章

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 37120

Manuscript Type: CASE REPORT

Gastroenteritis in an adult female revealing hemolytic uremic syndrome: Case report

Chinchilla-López P *et al.* Gastroenteritis revealing hemolytic uremic syndrome

Paulina Chinchilla-López, Vania Cruz-Ramón, Oscar Ramírez-Pérez, Nahum Méndez-Sánchez

Abstract

Nowadays acute gastroenteritis infection caused by *Escherichia coli* (*E coli*) O157:H7 is frequently associated with hemolytic uremic syndrome (HUS), which usually developed after prodromal diarrhea that is often bloody. The abdominal pain accompanied by failure kidney is a suspicious symptom to develop this disorder.

Match Overview

1	Crossref 39 words Leo, P.J., "Hemolytic uremic syndrome: Just another case ... gastroenteritis?", American Journal of Emergency Medicin	2%
2	Crossref 34 words "ESCHERICHIA COLI O157:H7 GASTROENTERITIS AND ... THE HEMOLYTIC UREMIC SYNDROME: An Emerging Infe	2%
3	Crossref 33 words Fabiél Gerardo Pérez-Cruz, Patricia Villa-Díaz, María Consuelo Pintado-Delgado, María Loreto Fernández_Rodríguez...	2%
4	Internet 26 words crawled on 02-Aug-2010 usagiedu.com	2%
5	Crossref 19 words Zafrani, Lara, Eric Mariotte, Michael Darmon, Emmanuel C anet, Sybille Merceron, David Boutboul, Agnes Veyradier, L	1%
6	Internet 18 words crawled on 16-Apr-2016 tpp.uah.edu	1%

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 40,300 条结果 (用时 0.36 秒)

Colonic Necrosis and Perforation Secondary to Escherichia coli O157 ...

<https://academic.oup.com/cid/article/35/9/e103/331687> - 翻译此页

作者: GR Kravitz - 2002 - 被引用次数: 15 - 相关文章

Colonic Necrosis and Perforation Secondary to Escherichia coli O157:H7 **Gastroenteritis in an Adult Patient without Hemolytic Uremic Syndrome** to our knowledge, the first case of colonic necrosis and perforation due to E. coli O157:H7 in an **adult** patient without manifestations of **HUS**. **Case report**. A 48-year-old **woman** ...

Hemolytic Uremic Syndrome-associated Encephalopathy ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5709643/> - 翻译此页

作者: T Hosaka - 2017

2017年9月25日 - In this report, we present the case of a 20-year-old **woman** with coma after the onset of **HUS** caused by EHEC026. after **treatment**; however, she developed hemolytic anemia and acute kidney injury five days after the appearance of the symptoms of **gastroenteritis**. ... A stool culture **revealed** EHEC026.

Lessons Learned From Outbreaks of Shiga Toxin Producing ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3555238/> - 翻译此页

作者: S Hauswaldt - 2013 - 被引用次数: 34 - 相关文章

2012年12月5日 - The majority of STEC infections and **HUS cases** were observed in **adults**, with a preponderance of the **female** gender. ... Until July 4, when the end of the outbreak was officially declared, 855 **cases** of **HUS**, 2,987 **cases** of acute **gastroenteritis**, and 53 deaths were registered in Germany [13, 14]. Additionally ...

Campylobacter-Associated Hemolytic Uremic Syndrome Associated ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4762831/> - 翻译此页

作者: EE Bowen - 2016 - 被引用次数: 2 - 相关文章

2015年5月23日 - We describe a **case** of life-threatening pulmonary hemorrhage associated with Campylobacter **hemolytic uremic syndrome (HUS)**, which we believe is a new ... A 22-year-old previously well Caucasian **woman** was transferred to our renal unit with a 6 day **history** of watery, non-bloody diarrhea and vomiting.

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 16,800 条结果 (用时 0.51 秒)

Hemolytic Uremic Syndrome-associated Encephalopathy ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5709643/> - 翻译此页

作者: T Hosaka - 2017

2017年9月25日 - In this report, we present the case of a 20-year-old **woman** with coma after the onset of **HUS** caused by EHEC026. ... after **treatment**; however, she developed hemolytic anemia and acute kidney injury five days after the appearance of the symptoms of **gastroenteritis**. ... A stool culture **revealed** EHEC026.

Colonic Necrosis and Perforation Secondary to Escherichia coli O157 ...

<https://academic.oup.com/cid/article/35/9/e103/331687> - 翻译此页

作者: GR Kravitz - 2002 - 被引用次数: 15 - 相关文章

Colonic Necrosis and Perforation Secondary to Escherichia coli O157:H7 **Gastroenteritis in an Adult** Patient without **Hemolytic Uremic Syndrome** to our knowledge, the first case of colonic necrosis and perforation due to E. coli O157:H7 in an **adult** patient without manifestations of **HUS**. **Case report**. A 48-year-old **woman** ...

Outbreak of Escherichia coli O104:H4 haemolytic uraemic syndrome ...

<https://academic.oup.com/ndt/article/29/3/565/1865803> ▼ 翻译此页

作者: Y Delmas - 2013 - 被引用次数: 53 - 相关文章

2013年11月28日 - The common form of **haemolytic uraemic syndrome** (**HUS**) occurs in the setting of **gastroenteritis** caused mostly in children by Shiga toxin-producing Escherichia coli (STEC) of the O157:H7 serotype [2]. There are no established guidelines for **STEC-HUS treatment**; in addition to the best supportive care ...

STEC Hemolytic Uremic Syndrome - NORD (National Organization for ...

<https://rarediseases.org/ForPatientsandFamilies/RareDiseaseInformation> ▼ 翻译此页

The symptoms of **STEC HUS** are usually preceded by infection of the digestive tract (**gastroenteritis**) characterized by abdominal cramps and pain, fever and diarrhea. Diarrhea eventually becomes bloody within a few days. Nausea and vomiting also occur in **many cases**. Approximately 3 to 10 days after the development of ...

[PDF] Recent outbreak of hemolytic uremic syndrome ... - Kidney Internatio...

[www.kidney-international.org/article/S0085-2538\(15\)55167-3/pdf](http://www.kidney-international.org/article/S0085-2538(15)55167-3/pdf) ▼ 翻译此页

作者: U Kunzendorf - 2011 - 被引用次数: 7 - 相关文章

In a recent issue of Kidney International, Dr. Sigrid Harendza's diary described how an unprecedented number of patients with **hemolytic uremic syndrome** (**HUS**) swamped hospitals in northern Germany in