



Name of Journal: *World Journal of Hepatology*

Manuscript NO: 37218

Manuscript Type: Original Article

Retrospective Study

Collagen proportionate area correlates to hepatic venous pressure gradient in non-abstinent cirrhotic patients with alcoholic liver disease

Sophie Restellini, Nicolas Goossens, Sophie Clément, Nicolas Lanthier, Francesco Negro, Laura Rubbia-Brandt, Laurent Spahr

Abstract

AIM

To explore the relationship between collagen proportionate area (CPA) and portal hypertension-related clinical manifestations in alcoholic liver disease (ALD).

Match Overview



1

Crossref 45 words

"Poster Session 1: Ascites, Renal Dysfunction and Hepatorenal Syndrome", *Hepatology*, 2014.

1%

2

Internet 13 words

crawled on 06-Dec-2017
www.j3.jstage.jst.go.jp

<1%

3

Crossref 10 words

Akinobu Tawada. "Magnitude of contrast-enhanced ultrasonography as a noninvasive predictor for hepatic fibrosis: comparison...

<1%

Collagen proportionate area is correlated to HVPG in cirrhotic non-abstinent ALC

全部 图片 视频 新闻 地图 图书

找到约 1,720 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Collagen proportionate area is superior to other histological ...](https://www.sciencedirect.com/science/article/pii/S0168827814000038)

www.sciencedirect.com/science/article/pii/S0168827814000038

Collagen proportionate area is superior to other histological methods for ... However, it is becoming increasingly apparent that **cirrhosis** is **not** a single disease ... of nodules and septa was recently described, which **correlated** well with **HVPG** [11]. **ALD**, alcoholic liver disease; **NASH**, **non**-alcoholic steatohepatitis; **MELD**, ...

[Collagen proportionate area is superior to other histological ... - NCBI](https://www.ncbi.nlm.nih.gov/pubmed/24412606)

<https://www.ncbi.nlm.nih.gov/pubmed/24412606>

8 Jan 2014 ... **Collagen proportionate area** is superior to other histological methods for sub-classifying **cirrhosis** and determining prognosis. Tsochatzis E(1) ...

[Collagen proportionate area is superior to other ... - ResearchGate](https://www.researchgate.net/.../259698347_Collagen_proportionate_area_is_superior_to_other_histological_methods_for_sub-classifying_cirrhosis_an...)

https://www.researchgate.net/.../259698347_Collagen_proportionate_area_is_superior_to_other_histological_methods_for_sub-classifying_cirrhosis_an...

Official Full-Text Paper (PDF): **Collagen proportionate area** is superior to other histological methods for sub-classifying **cirrhosis** and ... methods for sub- classifying **cirrhosis** and determining prognosis **correlated** well with **HVPG** [11] **ALD**, alcoholic liver disease; **NASH**, **non**-alcoholic steatohepatitis; **MELD**, model.

[\[PDF\] The relationship between transient elastography and ... - IRIS UniPA](https://iris.unipa.it/.../)

https://iris.unipa.it/...

The%20relationship%20between%20transient%20elastography%2...

collagen proportionate area for assessing fibrosis in chronic viral hepatitis. Graziella Isgro ... showed that only CPA was **related to HVPG** ($r^2 = 0.41$, $p = 0.01$) , both for ... used to validate **non**-invasive markers of liver fibrosis, and to evaluate effects of ... increases with worsening **cirrhosis** in HCV patients post liver transplant ...

[\[PDF\] Liver collagen proportionate area predicts ... - IRIS UniPA](#)



文章

获得 2 条结果 (用时0.08秒)

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☐ 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

10th Annual NCAIAMSARSA MEDICAL-SCIENTIFIC CONFERENCE

P NIKETHAMIDE - 1979 - Wiley Online Library

... the MMPI, and the Family question- naire which describes 10 areas of family life at the time of ...
109 EMPIRICAL CORRELATES OF SELF-REPORT DRINKING MEASURES ... Judicious use of
halo- peridol provided benefits to patients and staff in this difficult area of control of violent ...

☆ 00

Tobacco and Injury: An Annotated Bibliography.

PJ Amoroso, KL Reynolds, JA Barnes, [DJ White](#) - 1996 - dtic.mil

... lead to vitamin deficiencies (324), which in turn impair collagen synthesis (necessary ... Close
correlation between age and recovery of sensation and between smoking and ... conditions include:
age, vital organ failure, diabetes, arterial and venous diseases, medications, smoking ...

☆ 00 被引用次数: 23 相关文章 所有 3 个版本

[PDF] dtic.mil

全部

图片

新闻

视频

购物

更多

设置

工具

找到约 12,900 条结果 (用时 0.76 秒)

Collagen proportionate area is superior to other histological methods ...

<https://www.sciencedirect.com/science/article/pii/S0168827814000038> - 翻译此页

作者: E Tsochatzis - 2014 - 被引用次数: 62 - 相关文章

Collagen proportionate area is superior to other histological methods for sub-classifying cirrhosis and determining prognosis ... the original histological description of cirrhosis [6–8], by Nagula [9] and Kumar [10]; all have used hepatic vein pressure gradient (HVPG) as a surrogate endpoint in parallel with Laennec's system.

Hepatic venous pressure gradient: clinical use in chronic liver disease

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3992331/> - 翻译此页

作者: KT Suk - 2014 - 被引用次数: 38 - 相关文章

2014年3月26日 - Hepatic venous pressure gradient (HVPG) measurement is the best available method to evaluate the presence and severity of portal hypertension. ... At the non-cirrhotic stage of chronic liver disease (METAVIR F1-F3), there is no histological or clinical evidence of LC, and portal pressure is within normal ...

缺少字词: collagen proportionate abstinent

Computer-assisted image analysis of liver collagen: relationship to ...

<https://www.ncbi.nlm.nih.gov/pubmed/19133646> - 翻译此页

作者: V Calvaruso - 2009 - 被引用次数: 178 - 相关文章

Computer-assisted image analysis of liver collagen: relationship to Ishak scoring and hepatic venous pressure gradient. ... One hundred fifteen patients with hepatitis C virus (HCV) who had undergone transplantation had 250 consecutive transjugular liver biopsies combined with HVPG (median length, 22 mm; median total ...

缺少字词: abstinent alcoholic