

Match Overview

1	Internet 18 words crawled on 29-Jul-2017 www.biomedcentral.com	<1%
2	Crossref 17 words Elizabeth Cartwright, David Cunningham. "The Role of Systemic Therapy in Resectable Gastric and Gastro-oesophageal ..."	<1%
3	Internet 16 words crawled on 01-Jun-2017 www.onlinejacc.org	<1%
4	Internet 15 words crawled on 05-Oct-2017 real.mtak.hu	<1%
5	Crossref 14 words Anna C. Pfannenberger. "Low dose non-enhanced CT versus standard dose contrast-enhanced CT in combined PET/CT"	<1%
6	Internet 13 words crawled on 25-Feb-2011 www.ohpd.quintessenz.de	<1%

4
 Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 37499

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Impact of postoperative TNM stages after neoadjuvant therapy on prognosis of adenocarcinoma of the gastro-oesophageal junction tumours

Thomaschewski M *et al.* Prognosis of AEG TNM stages

Michael Thomaschewski, Richard Hummel, Ekaterina Petrova, Juliana Knief, Ulrich Friedrich Wellner, Dirk Bausch

Abstract

AIM

To compare prognostic relevance of postoperative tumour/node/metastasis (TMN) stages between patients with and without neoadjuvant treatment.

找到约 21,400 条结果（用时 0.58 秒）

包含以下查询字词的结果：**Impact of postoperative TNM stages after neoadjuvant therapy on prognosis of adenocarcinoma of the *gastroesophageal* junction tumours**

仅搜索：**Impact of postoperative TNM stages after neoadjuvant therapy on prognosis of adenocarcinoma of the gastro-oesophageal junction tumours**

Tumor Stage After Neoadjuvant Chemotherapy Determines Survival ...

ascopubs.org/doi/full/10.1200/jco.2014.55.9070 ▼ [翻译此页](#)

作者：AR Davies - 2014 - 被引用次数：86 - 相关文章

Neoadjuvant chemotherapy is established in the management of most resectable **esophageal** and esophagogastric **junction adenocarcinomas**. However, assessing the downstaging **effects** of chemotherapy and predicting response to **treatment** remain challenging, and the relative importance of **tumor stage** before and **after** ...

Outcomes After Surgery for Esophageal Cancer - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2632530/> ▼ [翻译此页](#)

作者：TA D'Amico - 2007 - 被引用次数：43 - 相关文章

The recent increase in the incidence of **esophageal carcinoma** and the relationship of **esophageal carcinoma** to **gastroesophageal** reflux suggests that the ... Furthermore, as the average 5-year **survival** for **esophageal** cancer patients is still only 25%, the deleterious **effects** of surgical complications on quality of life cannot ...

Esophageal cancer: staging system and guidelines for staging and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4037413/> ▼ [翻译此页](#)

作者：MF Berry - 2014 - 被引用次数：67 - 相关文章

Esophageal cancer **staging** is defined by the American Joint Committee on Cancer (AJCC) **Staging System** that establishes **tumor-node-metastasis (TNM)** for esophageal and **gastroesophageal junction** cancer: **impact** of increased use of primary **neoadjuvant therapy** on preoperative locoregional **staging** accuracy.

Results of neoadjuvant therapy followed by esophagectomy for ...



Impact of postoperative TNM stages after neoadjuvant therapy on progn



全部

图片

新闻

购物

地图

更多

设置

工具

找到约 21,600 条结果 (用时 0.67 秒)

包含以下查询字词的结果: **Impact of postoperative TNM stages after neoadjuvant therapy on prognosis of adenocarcinoma of the *gastroesophageal* junction tumours**

仅搜索: Impact of postoperative TNM stages after neoadjuvant therapy on prognosis of adenocarcinoma of the gastro-oesophageal junction tumours

Histopathologic Examination and Reporting of Esophageal ...

<https://academic.oup.com/ajcp/article-pdf/129/2/252/.../ajcpath129-0252.pdf> - 翻译此页

作者: F Chang - 2008 - 被引用次数: 49 - [相关文章](#)

Carcinomas **Following** Preoperative **Neoadjuvant Therapy**. Practical Guidelines and ... George, MBBS, MRCPath. Key Words: Esophagus; Residual **carcinoma**; Neoadjuvant chemoradiotherapy; **Tumor** regression grading; Histopathology ... **gastroesophageal junction** has risen markedly, and it is now more common than ...

Results of neoadjuvant therapy followed by esophagectomy for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5334115/> - 翻译此页

作者: D Lin - 2017 - 被引用次数: 1 - [相关文章](#)

2017年2月19日 - We retrospectively reviewed all of the patients underwent surgery **following neoadjuvant therapy** for locally advanced **esophageal** squamous cell **carcinoma** (ESCC) during January 1st, 2013 and December 31st, 2015 in Fudan University Shanghai **Cancer** Center (FUSCC). **Prognostic** factors for DFS and ...

Tumor Regression Grading of Gastrointestinal Carcinomas after ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3791673/> - 翻译此页

作者: S Thies - 2013 - 被引用次数: 50 - [相关文章](#)

2013年10月7日 - Namely for **gastro-esophageal** carcinomas these TRGs provide important **prognostic** information **since** complete or subtotal **tumor** regression has shown ... The **prognostic** value of TRG may even exceed those of currently used staging systems (e.g., **TNM staging**) for **tumors** treated by **neoadjuvant therapy**.

Tumor Stage After Neoadjuvant Chemotherapy Determines Survival ...