

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 37602

Manuscript Type: ORIGINAL ARTICLE

Clinical Trials Study

Correlation between serum vitamin B12 level and peripheral neuropathy in atrophic gastritis

Guo-Tao Yang, Hong-Ying Zhao, Yu Kong, Ning-Ning Sun, Ai-Qin Dong

Abstract

AIM

To explore the correlation between serum vitamin B12 level and peripheral neuropathy in patients with chronic atrophic gastritis.

METHODS

A total of 593 patients diagnosed with chronic gastritis by gastroscopy and

Match Overview

1	Internet 25 words crawled on 11-Nov-2017 mdpi.com	1%
2	Crossref 21 words "Poster Presentations : Poster Presentations", <i>Journal of Gastroenterology and Hepatology</i> , 2013.	1%
3	Internet 10 words crawled on 28-Nov-2017 spandidos-publications.com	<1%
4	Internet 10 words crawled on 26-Sep-2017 www.geneticsmr.com	<1%

The correlation between serum vitamin B12 level and peripheral neuropathy in

全部 图片 视频 新闻 地图 图书

找到约 67,400 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Chinese Clinical Trial Register \(ChiCTR\) - The world health ...](#)

www.chictr.org.cn/showprojen.aspx?proj=24082

2017年12月20日 ... The correlation between serum vitamin B12 level and peripheral neuropathy in patients with chronic atrophic gastritis. download. 注册号: . Registration number: . ChiCTR-RDC-17014051. 最近更新日期: . Date of Last Refreshed on: . 2017-12-20. 注册时间: . Date of Registration: . 2017-12-20. 注册号状态: .

[Autoimmune atrophic gastritis: current perspectives - NCBI - NIH](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5304992/>

7 Feb 2017 ... The prevalence of pernicious anemia (PA; one of the distinctive manifestations of autoimmune metaplastic atrophic gastritis [AMAG]) is ~0.1% in the general to timely treat these patients with parenteral vitamin B12 in order to stop progression and improve neurological deficits.73 Peripheral neuropathy is ...

[\[Polyneuropathy caused by vitamin B12 deficiency secondary to ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/9658486>

INTRODUCTION: In chronic atrophic gastritis atrophy of the stomach glands leads to intrinsic factor deficit, with consequent failure to absorb vitamin B12 and gastric achylia, which predisposes to Giardia infection which in itself leads to depletion of vitamin B12. We describe the case of a patient with peripheral and central ...

[Pernicious anemia: New insights from a gastroenterological point of ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2773890/>

7 Nov 2009 ... Keywords: Pernicious anemia, Autoimmune diseases, Atrophic gastritis, Intrinsic factor, Autoantibodies, Parietal cells, Vitamin B12 deficiency, that the level of ascorbic acid in the gastric juice is reduced in patients with ABG, with an indirect correlation between ascorbic acid level and intragastric pH[67].

[\[PDF\] Vitamin B12 deficiency - BMJ Best Practice](#)

bestpractice.bmj.com/topics/en-us/822/pdf/822.pdf

The likelihood of vitamin B12 deficiency is defined according to the serum vitamin B12 level as follows: <200 to patient complaints of vague neurologic symptoms such as paresthesias or concern for peripheral neuropathy. Megaloblastic anemia with hypersegmented polymorphonucleated cells is a classic finding in.



Correlation between serum vitamin B12 level and peripheral neuropathy in atro



登录

全部

新闻

图片

视频

购物

更多

设置

工具

找到约 137,000 条结果 (用时 0.46 秒)

The correlation between serum vitamin B12 level and peripheral ...

www.chictr.org.cn/showprojen.aspx?proj=24082 ▼ 翻译此页

2017年12月20日 - Code of disease<. Code of disease - Primary sponsor(s) - Secondary sponsor(s) - Funding source - Recruiting status - Register status - Measure - Ethical committee - Study type. The correlation between serum vitamin B12 level and peripheral neuropathy in patients with chronic atrophic gastritis. download ...

Vitamin B12 deficiency among patients with diabetes mellitus: is ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3649932/> ▼ 翻译此页

作者 : D Kibirige - 2013 - 被引用次数 : 60 - 相关文章

2013年5月7日 - It presents with diverse clinical manifestations ranging from impaired memory, dementia, delirium, peripheral neuropathy, sub acute combined degeneration of the spinal cord, No positive correlation was noted between low vitamin B12 levels and gender, age, duration of DM and level of glycemic control.

Pernicious anemia: New insights from a gastroenterological point of view

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2773890/> ▼ 翻译此页

作者 : E Lahner - 2009 - 被引用次数 : 150 - 相关文章

2009年11月7日 - Keywords: Pernicious anemia, Autoimmune diseases, Atrophic gastritis, Intrinsic factor, Autoantibodies, Parietal cells, Vitamin B12 deficiency, that the level of ascorbic acid in the gastric juice is reduced in patients with ABG, with an indirect correlation between ascorbic acid level and intragastric pH[67].

Polyglandular Syndrome Type III and Severe Peripheral Neuropathy ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5580155/> - 翻译此页

作者 : AWP de Sousa - 2015 - 相关文章

2015年1月12日 - It was proven that atrophic gastritis with positive intrinsic anti-factor was responsible for the framework of pernicious anemia, which in turn dangerously reduced the serum levels of vitamin B12, leading to myelopathy. There was a progressive neurological improvement after parenteral

找到约 294,000 条结果 (用时 0.57 秒)

The correlation between serum vitamin B12 level and peripheral ...

www.chictr.org.cn/showprojen.aspx?proj=24082 ▼ 翻译此页

2017年12月20日 · Code of disease<. Code of disease · Primary sponsor(s) · Secondary sponsor(s) · Funding source · Recruiting status · Register status · Measure · Ethical committee · Study type. The correlation between serum vitamin B12 level and peripheral neuropathy in patients with chronic atrophic gastritis. download ...

Vitamin B12 deficiency among patients with diabetes mellitus: is ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3649932/> ▼ 翻译此页

作者: D Kibirige · 2013 · 被引用次数: 60 · 相关文章

2013年5月7日 · It presents with diverse clinical manifestations ranging from impaired memory, dementia, delirium, peripheral neuropathy, sub acute combined degeneration of the spinal cord, No positive correlation was noted between low vitamin B12 levels and gender, age, duration of DM and level of glycemic control.

Pernicious anemia: New insights from a gastroenterological point of view

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2773890/> ▼ 翻译此页

作者: E Lahner · 2009 · 被引用次数: 150 · 相关文章

2009年11月7日 · Keywords: Pernicious anemia, Autoimmune diseases, Atrophic gastritis, Intrinsic factor, Autoantibodies, Parietal cells, Vitamin B12 deficiency, that the level of ascorbic acid in the gastric juice is reduced in patients with ABG, with an indirect correlation between ascorbic acid level and intragastric pH[67].

Cobalamin Deficiency: Clinical Picture and Radiological Findings

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3847746/> ▼ 翻译此页

作者: C Briani · 2013 · 被引用次数: 92 · 相关文章

2013年11月15日 · Isolated peripheral neuropathy is less frequent, but likely overlooked. Vitamin B12 deficiency has been correlated negatively with cognitive functioning in healthy elderly subjects. Symptoms include slow mentation, memory impairment, attention deficits and dementia. Optic neuropathy occurs occasionally in ...