

Name of Journal: *World Journal of Gastrointestinal Oncology*

Manuscript NO: 37630

Manuscript Type: Case Report

EGFR amplification induces sensitivity to anti EGFR therapy in pancreatic acinar cell carcinoma

Richard C *et al.* EGFR amplification induces sensitivity to anti EGFR therapy in PACC

Corentin Richard, Julie Niogret, Romain Boidot, Francois Ghiringhelli

符合内容总览

- | Rank | Source | Similarity |
|------|---|------------|
| 1 | Crossref 42 个字
François Ghiringhelli, Corentin Richard, Sandy Chavrier, Frédérique Vénran, Romain Boidot "Efficacy of EGFR inhibitors in pancreatic acinar cell carcinoma" | 2% |
| 2 | Crossref 15 个字
Kuenstner, J Todd. "Resolution of Crohn's disease and complex regional pain syndrome following treatment with infliximab" | 1% |
| 3 | 互联网 15 个字
于 2009年12月19日 缓慢进行
news.rare-cancer.org | 1% |
| 4 | 互联网 13 个字
于 2014年11月25日 缓慢进行
genesequencing.ca | 1% |
| 5 | Crossref 12 个字
Jiao, Yuchen, Raluca Yonescu, G Johan A Offerhaus, David S Klimstra, Anirban Maitra, James R Eshleman | 1% |
| 6 | 互联网 12 个字
于 2016年08月31日 缓慢进行
issuu.com | 1% |



EGFR amplification induces sensitivity to anti EGFR therapy in pancreatic aci



文章

找到约 3,390 条结果 (用时0.10秒)

时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☐ 包括专利

☐ 包含引用

☒ 创建快讯

seek68文献馆--各种中外期刊数据库!

不限IP | 包月下载 | 可开发票 | 九年金牌服务

您是不是要找: EGFR amplification *induced* sensitivity to anti EGFR therapy in pancreatic acinar cell carcinoma

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] EGF receptor is required for KRAS-induced pancreatic tumorigenesis

[HTML] sciencedirect.com

CM Ardito, BM Grüner, KK Takeuchi, ... - *Cancer cell*, 2012 - Elsevier

... Without EGFR activity, active RAS levels are not sufficient to induce robust MEK/ERK activity, a ... (A-G) Panels show (A-C) spontaneous and (D-G) cerulein-induced mPanIN formation in ... cell-derived tumorigenesis, we treated 30-day-old Kras G12D, Kras G12D ;Egfr KO, and ...

☆ 99 被引用次数: 256 相关文章 所有 14 个版本

[HTML] Epidermal growth factor receptor in relation to tumor development: EGFR gene and cancer

[HTML] wiley.com

T Mitsudomi, Y Yatabe - *The FEBS journal*, 2010 - Wiley Online Library

... EGF in the A431 squamous cell carcinoma cell line that had an amplified EGFR gene ... that mutations occur early in the development of lung adenocarcinomas and that amplification might be ... It is also noteworthy that EGFR, ERBB2, BRAF, KRAS and ALK mutations almost never ...

☆ 99 被引用次数: 371 相关文章 所有 8 个版本

The epidermal growth factor receptor in human pancreatic cancer

NR Lemoine, CM Hughes, CM Barton, ... - *The Journal of ...*, 1992 - Wiley Online Library

... Immunocytochemical detection of epidermal growth factor receptors (EGFR) and transferrin receptor (TR) on ... Epidermal growth factor (EGF/LRO) induces expression of regulatory peptides in damaged human ... Amplification and over- expression of the EGF receptor and c-erbB-2 ...

☆ 99 被引用次数: 212 相关文章 所有 7 个版本

[HTML] Responsiveness to Cetuximab without Mutations in EGFR

[HTML] nejm.org

Z Tsuchihashi, S Khambata-Ford, ... - *New England Journal ...*, 2005 - Mass Medical Soc

Induced by Cetuximab Monotherapy in a Patient Infected With

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 26,500 条结果 (用时 0.68 秒)

Google 学术: EGFR amplification induces sensitivity to anti EGFR therapy in pancreatic acinar cell carcinoma

EGF receptor is required for KRAS-induced pancreatic ... - Ardito - 被引用次数: 258

... relation to tumor development: EGFR gene and cancer - Mitsudomi - 被引用次数: 376

... growth factor receptor in human pancreatic cancer - Lemoine - 被引用次数: 213

Treatment of pancreatic cancer with epidermal growth factor receptor ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2747340/> ▼ 翻译此页

作者: BA Faller - 2009 - 被引用次数: 38 - 相关文章

跳到 Mechanisms of resistance to EGFR targeted therapy - Above all, a high rate of acquired or inherent resistance of pancreatic cancer to EGFR targeted therapy is most likely to explain the ... Additionally, efforts to restore sensitivity to anti-EGFR resistant tumor cells have focused on targeting a downstream ...

缺少字词: acinar

EGFR biology in pancreatic ... · EGFR tyrosine kinase ... · EGFR-directed antibody ...

EGF Receptor is Required for KRAS-induced Pancreatic Tumorigenesis

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3443395/> ▼ 翻译此页

作者: CM Ardito - 2012 - 被引用次数: 258 - 相关文章

In vitro, treatment of acinar cell explants with EGFR ligands, such as transforming growth factor alpha (TGFA), results in ADM (De Lisle and Logsdon, 1990; blocking EGFR activity effectively eliminates KRAS-initiated pancreatic tumorigenesis, with or without pancreatitis induction, due to its critical role in amplifying ERK ...

Mechanisms of resistance to EGFR targeted therapies - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3667869/> ▼ 翻译此页