

**Name of Journal:** *World Journal of Gastroenterology*

**Manuscript NO:** 37911

**Manuscript Type:** CASE REPORT

**1** Four cancer cases after esophageal atresia repair: Time to start screening the upper gastrointestinal tract

Vergouwe FWT *et al.* Gastrointestinal cancer after EA repair

Floor WT Vergouwe, Madeleine Gottrand, Bas PL Wijnhoven, Hanneke IJsselstijn, Guillaume Piessen, Marco J Bruno, René MH Wijnen, Manon CW Spaander

### Abstract

Esophageal atresia (EA) is one of the most common congenital digestive malformations and requires surgical correction early in life. Dedicated centers have reported survival rates up to 95%. The most frequent comorbidities after EA repair are dysphagia (72%) and gastroesophageal reflux

### Match Overview

1	Internet 27 words crawled on 18-Dec-2017 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
2	Crossref 21 words Sarah R. Fausett. "Compartmentalization of the foregut tube: developmental origins of the trachea and esophagus", ...	1%
3	Crossref 16 words Brent R. O'Neill. "Prevalence of tethered spinal cord in infants with VACTERL : Clinical article", Journal of Neurosurgery	1%
4	Internet 14 words crawled on 18-Nov-2015 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	<1%



此网站为英文页面, 是否需要翻译?

翻译网页

鼠标悬停翻译

人工翻译

不再翻译此

Google 学术搜索

Four cancer cases after esophageal atresia repair: time to start screening the



文章

找到约 5,790 条结果 (用时0.14秒)



我的个人学术档案



我的

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Cluster of 4 cases of esophageal squamous cell cancer developing in adults with surgically corrected esophageal atresia—time for screening to start

CS Jayasekera, PV Desmond, JA Holmes... - ... of pediatric surgery, 2012 - Elsevier

... Four years after surgery, the patient presented with a subarachnoid hemorrhage. ... Cancer after repair of esophageal atresia: population-based long-term follow-up. J Pediatr Surg, 43 (4) (2008), pp. ... Cancer developing in esophageal cicatricial stenosis following alkali burns. ...

☆ 90 被引用次数: 23 相关文章 所有 7 个版本

[HTML] The Japanese guidelines for gastric cancer screening

C Hamashima, D Shibuya, H Yamazaki... - Japanese journal of ..., 2008 - academic.oup.com

By continuing to use our website, you are agreeing to our use of cookies. You can change your cookie settings at any time. Find out more Skip to Main Content. ... Article Navigation.

The Japanese Guidelines for Gastric Cancer Screening. ...

☆ 90 被引用次数: 332 相关文章 所有 16 个版本

[HTML] Intestinal atresia and stenosis: a 25-year experience with 277 cases

LK Dalla Vecchia, JL Grosfeld, KW West... - ... of Surgery, 1998 - jamanetwork.com

... II (fibrous cord), type IIIa (mesenteric gap defect), type IIIb ("apple peel"), or type IV (multiple atresias). ... 1955;21065- 1067Article. 4. Santulli TVBlanc WA Congenital atresia of the intestine: pathogenesis and ... Mishalany HGNajjar FB Familial jejunal atresia: three cases in one family ...

☆ 90 被引用次数: 440 相关文章 所有 9 个版本

Evolving Consensus in Portal Hypertension Report of the Baveno IV Consensus Workshop on methodology of diagnosis and therapy in portal hypertension

[HTML] oup.com

[HTML] jamanetwork.com

[HTML] journal-of-hepatology.eu



[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 847,000 条结果 (用时 0.45 秒)

### F6Publishing

<https://www.f6publishing.com/ArticleInPressDetail/36862> - 翻译此页

2017年12月12日 - Specialty, Gastroenterology and Hepatology. Manuscript Type, Case Report. Article Title, **Four cancer cases after esophageal atresia repair: Time to start screening the upper gastrointestinal tract**. Manuscript Source, Unsolicited Manuscript. All Author List, Floor WT Vergouwe, Madeleine Gottrand, Bas PL ...

### Anastomotic Strictures after Esophageal Atresia Repair: Incidence ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5447026/> - 翻译此页

作者: R Tambucci - 2017 - 相关文章

2017年5月29日 - More recently, Sun et al. proposed the **Esophageal** Anastomotic Stricture Index (EASI), as a predictor of the development and severity of ASs **after** EA **repair** (19). The EASI was generated **after** fluoroscopic evaluation of the **upper gastrointestinal tract** in the early postoperative period (postoperative days ...

### Delayed Primary Repair of Esophageal Atresia With ...

<https://jamanetwork.com/journals/jamasurgery/fullarticle/211589> - 翻译此页

作者: PJ Healey - 1998 - 被引用次数: 32 - 相关文章

An additional 23 children had the **TEF** divided and a gastrostomy placed secondary to (1) severe RDS and prematurity (n = 6), (2) long-gap EA (gap length >4 cm or the **upper** pouch above the thoracic inlet (n = 10), or (3) associated cardiac defects (n = 7). Delayed primary EA **repair** was done when the RDS resolved or the ...

### High Prevalence of Barrett's Esophagus and Esophageal Squamous ...

<https://www.sciencedirect.com/science/article/pii/S1542356517313198> - 翻译此页

作者: FWT Vergouwe - 2017

2017年11月11日 - The prevalence of BE is 4-fold higher in young adults with **esophageal atresia**, and the prevalence of ESCC is 108-fold higher than in the general population. ... Carcinoma of the **upper gastrointestinal tract** at a relatively young age has been described in EA **patients**: 8 esophageal carcinomas (3 EAC and 5 ...

**Esophageal heterotopia gastric mucosa in esophageal atresia**

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 847,000 条结果 (用时 0.45 秒)

### F6Publishing

<https://www.f6publishing.com/ArticleInPressDetail/36862> - 翻译此页

2017年12月12日 - Specialty, Gastroenterology and Hepatology. Manuscript Type, Case Report. Article Title, **Four cancer cases after esophageal atresia repair: Time to start screening the upper gastrointestinal tract**. Manuscript Source, Unsolicited Manuscript. All Author List, Floor WT Vergouwe, Madeleine Gottrand, Bas PL ...

### Anastomotic Strictures after Esophageal Atresia Repair: Incidence ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5447026/> - 翻译此页

作者: R Tambucci - 2017 - 相关文章

2017年5月29日 - More recently, Sun et al. proposed the **Esophageal** Anastomotic Stricture Index (EASI), as a predictor of the development and severity of ASs **after** EA **repair** (19). The EASI was generated **after** fluoroscopic evaluation of the **upper gastrointestinal tract** in the early postoperative period (postoperative days ...

### Delayed Primary Repair of Esophageal Atresia With ...

<https://jamanetwork.com/journals/jamasurgery/fullarticle/211589> - 翻译此页

作者: PJ Healey - 1998 - 被引用次数: 32 - 相关文章

An additional 23 children had the **TEF** divided and a gastrostomy placed secondary to (1) severe RDS and prematurity (n = 6), (2) long-gap EA (gap length >4 cm or the **upper** pouch above the thoracic inlet (n = 10), or (3) associated cardiac defects (n = 7). Delayed primary EA **repair** was done when the RDS resolved or the ...

### High Prevalence of Barrett's Esophagus and Esophageal Squamous ...

<https://www.sciencedirect.com/science/article/pii/S1542356517313198> - 翻译此页

作者: FWT Vergouwe - 2017

2017年11月11日 - The prevalence of BE is **4**-fold higher in young adults with **esophageal atresia**, and the prevalence of ESCC is 108-fold higher than in the general population. ... Carcinoma of the **upper gastrointestinal tract** at a relatively young age has been described in EA **patients**: 8 esophageal carcinomas (3 EAC and 5 ...

**Esophageal heterotopia gastric mucosa in esophageal atresia**