

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

已启用安全搜索

找到约 78 条结果 (用时 0.36 秒)

### Global Genomic Analysis of Intraductal Papillary Mucinous Neoplasms ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3957431/> ▼ [翻译此页](#)作者：S Fritz - 2009 - 被引用次数：73 - [相关文章](#)

To determine whether intraductal papillary mucinous neoplasms of the **pancreas** (IPMNs) have a different genetic background compared with ductal adenocarcinoma (PDAC). .... For all **patients**, written consent was obtained for the collection and **use** of the tumor DNA, and was approved **by** our Institutional Review Board.

缺少字词：unexpected young microbiopsy forceps ngs

### Prevalence, Diagnosis and Management of Pancreatic Cystic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4562774/> ▼ [翻译此页](#)作者：JJ Farrell - 2015 - 被引用次数：50 - [相关文章](#)

2015年9月15日 - Most of these asymptomatic incidental **pancreatic** cysts are likely to be small branch duct **IPMNs**, but firm pathologic proof is lacking. However this is balanced **by** suggestion from **analysis** of a SEER database that the overall malignant transformation of these cysts is very rare, with 1,137 mucin-producing ...

缺少字词：unexpected microbiopsy forceps supplemental ngs

### Intraductal papillary mucinous neoplasm of the pancreas: differentiate ...

<https://www.ncbi.nlm.nih.gov/pubmed/21324627> ▼ [翻译此页](#)作者：JH Kim - 2012 - 被引用次数：31 - [相关文章](#)

2011年2月15日 - PURPOSE: To evaluate the differentiating factors for intraductal papillary mucinous neoplasm of the pancreas and **chronic pancreatitis** as determined **by** MR imaging. MATERIALS AND METHODS: During a three-year period, we performed MR imaging on 33, consecutive **patients** with **IPMN** and on 41 ...

缺少字词：unexpected young novel needle microbiopsy forceps supplemental ngs

### Digital next-generation sequencing identifies low-abundance ...

Match Overview 

**Name of Journal:** *World Journal of Gastrointestinal Endoscopy*

**Manuscript NO:** 37981

**Manuscript Type:** CASE REPORT

**Unexpected diagnosis of an IPMN in a young patient with chronic pancreatitis using a novel through-the-needle microbiopsy forceps with supplemental NGS analysis: A case report**

**Charlotte Vestrup Rift, Bojan Kovacevic, John Gásdal Karstensen, Julie Plougmann, Pia Klausen, Anders Toxværd, Evangelos Kalaitzakis, Carsten Palnæs Hansen, Jane Preuss Hasselby, Peter Vilmann**

### Abstract

Pancreatic cysts are increasingly diagnosed due to expanding use of cross-sectional imaging, but current diagnostic modalities have limited diagnostic accuracy. Recently, a novel through-the-needle microbiopsy forceps, has become

There are no matching sources for this report.

[全部](#)[图片](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 953 条结果 (用时 0.55 秒)

### Endoscopic ultrasound-guided fine-needle aspiration plus KRAS and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5161125/> ▼ [翻译此页](#)

作者: B Bournet - 2016 - 被引用次数: 5 - 相关文章

2016年11月10日 - Endoscopic ultrasound-guided fine-needle aspiration plus KRAS and .... Intraductal papillary mucinous neoplasia of the pancreas (IPMN) is ... In most cases, BD-IPMNs are benign, but there is a 15 % risk of invasive carcinoma. ... Recent studies report that GNAS and/or KRAS mutations were found in 90 ...

### To fine needle aspiration or not? An endosonographer's approach to ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4064166/> ▼ [翻译此页](#)

作者: DYK But - 2014 - 被引用次数: 8 - 相关文章

Endoscopic ultrasound (EUS) guided fine needle aspiration (FNA) is an established ... [1,2] In one autopsy study, the prevalence of pancreatic cysts was even 24.3%. ... Branch-duct type intraductal papillary mucinous neoplasia (BD-IPMN) may .... In case of a cystic lesion in the head of the pancreas, needle access can be ...

### Endoscopic Ultrasound-Guided Fine-Needle Aspiration Cytology in ...

[pancreas.imedpub.com/endoscopic-ultrasound-guided-fine-needle-aspiration-...](https://www.imedpub.com/endoscopic-ultrasound-guided-fine-needle-aspiration-...) ▼ [翻译此页](#)

作者: C Salla - 2007 - 被引用次数: 32 - 相关文章

Context Intraductal papillary mucinous neoplasm (IPMN) is an increasingly ... Although there are several reports in the literature on EUS diagnosis of IPMN [9, 10, ... EUS-guided FNA was performed in all cases using 22-gauge needles via a ...

缺少字词: microbiopsies

### IMMUNOHISTOCHEMICAL CLASSIFICATION OF IPMN IN EUS ...

<https://www.thieme-connect.com/products/ejournals/ /10 /s-0038-1637202> - [翻译此页](#)

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 9,230 条结果 (用时 0.59 秒)

### Endoscopic ultrasound-guided fine-needle aspiration plus KRAS and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5161125/> ▼ [翻译此页](#)

作者 : B Bournet - 2016 - 被引用次数 : 5 - 相关文章

2016年11月10日 - Endoscopic ultrasound-guided fine-needle aspiration plus KRAS and .... Intraductal papillary mucinous neoplasia of the pancreas (IPMN) is ... In most cases, BD-IPMNs are benign, but there is a 15 % risk of invasive carcinoma. ... Recent studies report that GNAS and/or KRAS mutations were found in 90 ...

### My Treatment Approach: Pancreatic Cysts - Mayo Clinic Proceedings

[www.mayoclinicproceedings.org/article/S0025-6196\(17\)30489-5/fulltext](http://www.mayoclinicproceedings.org/article/S0025-6196(17)30489-5/fulltext) - [翻译此页](#)

作者 : O Basar - 2017 - 相关文章

2017年9月7日 - Intraductal Papillary Mucinous Cystic Neoplasms; Mucinous Cystic Neoplasms ... mucinous neoplasms, are currently most commonly diagnosed and resected. ... and devices such as microbiopsy forceps help us better define and select ..... When the cyst is aspirated with EUS-guided fine needle aspiration ...

### Endoscopic Ultrasound-Guided Fine-Needle Aspiration Cytology in ...

[pancreas.imedpub.com/endoscopic-ultrasoundguided-fineneedle-aspiration-...](http://pancreas.imedpub.com/endoscopic-ultrasoundguided-fineneedle-aspiration-...) ▼ [翻译此页](#)

作者 : C Salla - 2007 - 被引用次数 : 32 - 相关文章

Context Intraductal papillary mucinous neoplasm (IPMN) is an increasingly ... Although there are several reports in the literature on EUS diagnosis of IPMN [9, 10, ... EUS-guided FNA was performed in all cases using 22-gauge needles via a ...

缺少字词 : microbiopsies

### Use of a novel through-the-needle biopsy forceps in endoscopic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4831934/> ▼ [翻译此页](#)

作者 : MH Shakhathreh - 2016 - 被引用次数 : 13 - 相关文章

2016年3月30日 - We report on a novel tissue acquisition device for pancreatic cysts. ... acquire pancreatic cyst wall tissue and aid in diagnosis and management. ... The patient was referred for EUS with possible FNA, which ... Microbiopsy specimen, case 1 ( × 20). ... Gastric-type intraductal papillary mucinous neoplasm with ...

### [PDF] Endoscopic Ultrasound in the Diagnosis of Mucinous Pancreatic ...

[internalmedicinejournal.org/images/sidebar/pdf/112-357-1-PB.pdf](http://internalmedicinejournal.org/images/sidebar/pdf/112-357-1-PB.pdf) ▼ [翻译此页](#)

needed to determine the ideal modality for evaluation of PCNs. ... Endoscopic Ultrasound in the Diagnosis of Mucinous Pancreatic Neoplasms. 2. Copyright