

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 752,000 条结果 (用时 0.53 秒)

High-risk alcohol use and anxiety and depression symptoms in ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/25821523> - 翻译此页

作者：MA Knychala - 2015 - 被引用次数：9 - 相关文章

2015年3月24日 - **High-risk** alcohol use and **anxiety** and **depression** symptoms in adolescents and **adults** with type 1 diabetes mellitus: a **cross-sectional study**. ... BACKGROUND: The medical literature shows that alcohol consumption is common among diabetic individuals and is **associated** with poor adherence to treatment, ...

缺少字词：water decreased

Depression, anxiety, and smartphone addiction in university students ...

<https://www.ncbi.nlm.nih.gov/pubmed/28777828> - 翻译此页

作者：BJ Matar - 2017 - 被引用次数：2 - 相关文章

2017年8月4日 - **Depression**, **anxiety**, and smartphone addiction in university students- A **cross sectional study**. Matar Boumosleh J(1), Jaalouk D(1) ... **RESULTS**: Prevalence rates of smartphone-related compulsive behavior, functional impairment, tolerance and withdrawal symptoms were substantial. 35.9% felt tired during ...

缺少字词：water risk

Anxiety and depression symptoms and alcohol use among ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5442592/> - 翻译此页

作者：EL Johannessen - 2017 - 相关文章

2017年5月23日 - **Anxiety** and **depression** symptoms and alcohol use among adolescents - a **cross sectional study** of Norwegian secondary school students. Espen Lund ... **Results**. Higher levels of

Match Overview

1	Crossref 37 words Esmailzadeh, A., A. H. Keshteli, A. Feizi, F. Zaribaf, C. Feinle-Bisset, and P. Adibi. "Patterns of diet-related practices a..."	1%
2	Internet 34 words crawled on 26-Jan-2018 ajcn.nutrition.org	1%
3	Crossref 26 words F. Haghighatdoost, L. Azadbakht, A. H. Keshteli, C. Feinle-Bisset et al. "Glycemic index, glycemic load, and common ..."	1%
4	Internet 16 words crawled on 16-Aug-2017 jcancer.org	<1%
5	Internet 16 words crawled on 22-Dec-2016 pdfs.semanticscholar.org	<1%

Name of Journal: *World Journal of Psychiatry*

Manuscript NO: 38275

Manuscript Type: Original Article

Observational Study

Drinking plain water is associated with decreased risk of depression and anxiety in adults: Results from a large cross-sectional study

Fahimeh Haghighatdoost, Awat Feizi, Ahmad Esmailzadeh, Nafiseh Rashidi-Pourfard, Ammar Hassanzadeh Keshteli, Hamireza Roohafza, Peyman Adibi

Abstract

AIM

To investigate the relation between plain water drinking and risk of depression and anxiety among a large sample of Iranian adults.

[全部](#)[图片](#)[新闻](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 363,000 条结果 (用时 0.31 秒)

Anxiety and Depression in Young Women With Metastatic Breast ...

<https://www.ncbi.nlm.nih.gov/pubmed/29525523> - [翻译此页](#)

作者: EM Park - 2018 - [相关文章](#)

2018年1月31日 - **Anxiety** and **Depression** in Young Women With Metastatic Breast Cancer: A **Cross-Sectional Study**. Park EM(1) ... **BACKGROUND:** Young **adults** with cancer experience disruptions in their **normal** ... Young women with metastatic breast cancer (MBC) are at particular **risk** of adverse mental health outcomes.

缺少字词: **drinking water decreased large**

Depression and anxiety in adolescents and adults with cystic fibrosis ...

<https://www.ncbi.nlm.nih.gov/pubmed/24642184> ▼ [翻译此页](#)

作者: AJ Duff - 2014 - **被引用次数: 20** - [相关文章](#)

... in adolescents and **adults** with cystic fibrosis in the UK: a **cross-sectional study**. ... **BACKGROUND:** The International **Depression/anxiety** Epidemiological Study (TIDES) in the UK ... **RESULTS:** Thirty-nine CF centres recruited 2065 patients. ... unemployment for health reasons and poor lung function were **associated** with ...

缺少字词: **drinking plain water decreased large**

Depression, anxiety, and somatoform disorders: vague or distinct ...

<https://www.ncbi.nlm.nih.gov/pubmed/19686874> ▼ [翻译此页](#)

作者: G Hanel - 2009 - **被引用次数: 214** - [相关文章](#)

2009年6月27日 - **Results** from a **large cross-sectional study**. ... **OBJECTIVE:** **Depression, anxiety**, and somatization are the most frequently observed mental disorders in primary health care. ... GPs' clinical diagnoses and **associated** features were assessed. ... **Adult**; Age Factors; Anxiety Disorders/classification; Anxiety ...

缺少字词: **drinking plain water decreased risk**

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 1,170,000 条结果 (用时 0.61 秒)

Depression and anxiety in adolescents and adults with cystic fibrosis ...

<https://www.ncbi.nlm.nih.gov/pubmed/24642184> ▾ [翻译此页](#)

作者: AJ Duff - 2014 - 被引用次数: 20 - [相关文章](#)

Depression and anxiety in adolescents and adults with cystic fibrosis in the UK: a ... RESULTS: Thirty-nine CF centres recruited 2065 patients. ... For adult patients, older age, unemployment for health reasons and poor lung function were associated ... Anxiety Disorders/epidemiology*; Child; Cross-Sectional Studies; Cystic ...

缺少字词: drinking plain water decreased large

Anxiety and Depression in Young Women With Metastatic Breast ...

<https://www.ncbi.nlm.nih.gov/pubmed/29525523> - [翻译此页](#)

作者: EM Park - 2018 - [相关文章](#)

2018年1月31日 - Anxiety and Depression in Young Women With Metastatic Breast Cancer: A Cross-Sectional Study. Park EM(1) ... BACKGROUND: Young adults with cancer experience disruptions in their normal ... Young women with metastatic breast cancer (MBC) are at particular risk of adverse mental health outcomes.

缺少字词: drinking water decreased large

Prevalence and determinants of depressive and anxiety symptoms in ...

<https://www.ncbi.nlm.nih.gov/pubmed/27531739> - [翻译此页](#)

作者: N Sun - 2016 - 被引用次数: 12 - [相关文章](#)

2016年8月16日 - ... in adults with type 2 diabetes in China: a cross-sectional study. ... OBJECTIVES: To evaluate the prevalence and determinants of anxiety and depression and to ... RESULTS: The prevalence of depressive symptoms and anxiety ... was associated with poor glycaemic control (relative excess risk due to ...

缺少字词: drinking plain water decreased large

IJERPH | Free Full-Text | Depression, Anxiety and Symptoms of Stress ...

www.mdpi.com/1660-4601/12/9/11072/htm ▾ [翻译此页](#)

作者: T Cheung - 2015 - 被引用次数: 51 - [相关文章](#)

2015年9月7日 - This study examines the weighted prevalence and associated risk ... colleagues, low physical activity, no leisure and drinking alcohol. ... of Stress among Hong Kong Nurses: A Cross-sectional Study As age increased, depressive, anxiety and stress symptoms decreased (Table 2, Table 3 and Table 4).

Perceived current needs, psychological distress and functional