

Gastroduodenal ulcer bleeding in elderly patients on low dose aspirin therapy

Koh Fukushi *et al.* Hemorrhagic gastroduodenal ulcer in the elderly

Koh Fukushi, Keiichi Tominaga, Kazunori Nagashima, Akira Kanamori, Naoya Izawa, Mimari Kanazawa, Takako Sasai, Hideyuki Hiraishi

Abstract

AIM

To determine the clinical characteristics of elderly patients of hemorrhagic gastroduodenal ulcer on low-dose aspirin (LDA) therapy.

METHODS

A total of 1105 patients with hemorrhagic gastroduodenal ulcer treated in our hospital between January 2000 and March 2016 were grouped by age and drugs used, and these groups were compared in several factors. These groups were compared in terms of length of hospital stay, presence/absence of hemoglobin (Hb) decrease, presence/absence of blood transfusion, Forrest I

Match Overview

1

Crossref 14 words

Hiroshi Kanamori. "Comparison of the psychosocial quality of life in hemodialysis patients between the elderly and non-

<1%

2

Crossref 13 words

KAORU DOMON. "CLINICAL EVALUATION OF HEMORRHAGIC GASTRODUODENAL ULCER IN THE ELDERLY: IS HE

<1%

3

Internet 13 words

crawled on 08-Mar-2016
www.med.kindai.ac.jp

<1%

4

Crossref 12 words

Kobayashi, J., M. Yoshida, S. Tarui, M. Hirata, K. Takahashi, K. Naruse, S. Kasahara, S. Sano, H. Oh, M. Halbach, G. Pei

<1%

5

Crossref 12 words

Joe Chen. "Those Who are Left Behind: An Estimate of the... Number of Family Members of Suicide Victims in Japan", S

<1%



Hemorrhagic gastroduodenal ulcer in patients on medication: difference



全部

图片

新闻

购物

视频

更多

设置

工具

找到约 440,000 条结果 (用时 0.53 秒)

The treatment of bleeding peptic ulcer in the elderly | BMC Geriatrics ...

<https://bmcgeriatr.biomedcentral.com/articles/10.1186/1471-2318-9-S1-A31> ▼ 翻译此页

作者: M Fezzi - 2009

The treatment of bleeding peptic ulcer in the elderly. Margherita Fezzi,; Mauro Roseano,; Angelo Turollo and; Gennaro Liguori. BMC Geriatrics20099(Suppl 1):A31. <https://doi.org/10.1186/1471-2318-9-S1-A31>. © Fezzi et al; licensee BioMed Central Ltd. 2009. Published: 1 April 2009 ...

Peptic ulcer hemorrhage combined with acute gout: analyses of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4483932/> ▼ 翻译此页

作者: Z Xu - 2015 - 被引用次数: 2 - 相关文章

2015年4月15日 - The occurrence rate of peptic ulcer is > 15% in patients with long-term use of NSAIDs [8], and these drugs are the most important causative factor of PUB [9]; in particular, elderly patients with NSAID use are very susceptible to upper gastrointestinal hemorrhage [10,11]. PUB induced by NSAIDs accounts for ...

Concurrent use of nonsteroidal anti-inflammatory drugs and oral ...

<https://www.ncbi.nlm.nih.gov/pubmed/8333804> ▼ 翻译此页

作者: RI Shorr - 1993 - 被引用次数: 818 - 相关文章

Concurrent use of nonsteroidal anti-inflammatory drugs and oral anticoagulants places elderly persons at high risk for hemorrhagic peptic ulcer disease. ... joint use of nonsteroidal anti-inflammatory drugs (NSAIDs) and oral anticoagulants may increase the risk of gastrointestinal tract hemorrhage in elderly persons, no ...

Complications of Peptic Ulcer Disease - Karger Publishers

<https://www.karger.com/Article/Pdf/331517> ▼ 翻译此页

Complications can occur in patients with peptic ulcer of any etiology. Giant ulcers and pyloric channel ulcers may be associated with a higher rate of complications. In recent decades the incidence of peptic ulcer disease (PUD) has increased, especially in the elderly [1, 2]. Hemorrhage. Hemorrhage is the most frequent ...

Process of Care and Outcomes for Elderly Patients Hospitalized With ...

[All](#)[Images](#)[News](#)[Videos](#)[Shopping](#)[More](#)[Settings](#)[Tools](#)

About 764,000 results (0.47 seconds)

Scholarly articles for **Gastroduodenal ulcer bleeding in elderly patients on low dose aspirin therapy**

... of **low-dose aspirin therapy** in **peptic ulcer bleeding**: a ... - [Sung](#) - Cited by 367

... celecoxib vs nonsteroidal anti-inflammatory drugs **for** ... - [Silverstein](#) - Cited by 3767

... of **bleeding peptic ulcer** associated with individual non ... - [Langman](#) - Cited by 982

Low-dose aspirin and comorbidities are significantly related to ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/24583422>

by T Higuchi - 2014 - Cited by 9 - Related articles

METHODS: A total of 461 **patients** with **bleeding peptic ulcers** underwent ... **low-dose aspirin therapy** and comorbidities in **elderly patients** with **peptic ulcers**.

Gastrointestinal ulcers, role of aspirin, and clinical outcomes ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3970722/> ▼

by B Cryer - 2014 - Cited by 19 - Related articles

Mar 3, 2014 - **Low-dose aspirin** prescriptions have increased, particularly **for** ... **For** some **patients**, the clinical consequences beyond GI **bleeding** may be severe. drug use and increased risk **for peptic ulcer** disease in **elderly persons**.

[Aspirin-induced ulcers](#) · [Treatment, management ...](#) · [Raising awareness of ...](#)

Continuation of Low-Dose Aspirin Therapy in Peptic Ulcer Bleeding

annals.org/.../continuation-low-dose-aspirin-therapy-peptic-ulcer-bleeding-randomize... ▼

Jan 5, 2010 - **Patients: Low-dose aspirin** recipients with **peptic ulcer bleeding**. ... **Elderly patients** who

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 698,000 条结果 (用时 0.51 秒)

Google 学术: Gastroduodenal ulcer bleeding in elderly patients on low dose aspirin therapy

... of low-dose aspirin therapy in peptic ulcer bleeding: a ... - Sung - 被引用次数: 367

... celecoxib vs nonsteroidal anti-inflammatory drugs for ... - Silverstein - 被引用次数: 3771

... of bleeding peptic ulcer associated with individual non ... - Langman - 被引用次数: 986

Continuation of Low-Dose Aspirin Therapy in Peptic Ulcer Bleeding

[annals.org/.../continuation-low-dose-aspirin-therapy-peptic-ulcer-bleeding-r...](https://www.annals.org/.../continuation-low-dose-aspirin-therapy-peptic-ulcer-bleeding-r...) ▼ [翻译此页](#)

2010年1月5日 - Patients: Low-dose aspirin recipients with peptic ulcer bleeding. ... Elderly patients who test positive for Helicobacter pylori infection have ...

Low-dose aspirin and comorbidities are significantly related to ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/24583422> - [翻译此页](#)

作者: T Higuchi - 2014 - 被引用次数: 9 - 相关文章

METHODS: A total of 461 patients with bleeding peptic ulcers underwent ... low-dose aspirin therapy and comorbidities in elderly patients with peptic ulcers.

Recommencing aspirin following a peptic ulcer bleed: when is the time ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3959318/> ▼ [翻译此页](#)

作者: GS Masterton - 2011 - 相关文章

Title: Recommencing continuation of low-dose aspirin therapy in peptic ulcer ... ages it is increasingly common for patients who present with a peptic ulcer bleed to ... We would suggest that elderly patients with multiple co-morbidities should ...

Discontinuation of Low-Dose Aspirin Therapy After Peptic Ulcer ...

[www.cghjournal.org/article/S1542-3565\(12\)01038-5/fulltext](http://www.cghjournal.org/article/S1542-3565(12)01038-5/fulltext) ▼ [翻译此页](#)

作者: M Derogar - 2013 - 被引用次数: 56 - 相关文章

2012年9月12日 - Of the 118 patients who received low-dose aspirin therapy, the therapy was ... Peptic ulcer bleeding is the most common and feared complication of peptic ... elderly people are more likely to receive aspirin for concomitant ...