

Name of Journal: *World Journal of Nephrology*

Manuscript NO: 39966

Manuscript Type: ORIGINAL ARTICLE

Observational study

Bicarbonate levels in hemodialysis patients switching from lanthanum carbonate to sucroferric oxyhydroxide

Stavroulopoulos A *et al.* Bicarbonate Levels and sucroferric oxyhydroxide

Aristeidis Stavroulopoulos, Vasiliki Aresti, Christoforos Papadopoulos, Panagiotis Nennes, Polixeni Metaxaki, Anastasios Galinas

Match Overview

1	Crossref 73 words Vassilis Filiopoulos. "Lanthanum Carbonate Versus Sevelamer Hydrochloride: Improvement of Metabolic Acidosis and	3%
2	Internet 32 words crawled on 09-Jun-2017 www.accessdata.fda.gov	1%
3	Internet 29 words crawled on 03-Dec-2017 documents.mx	1%
4	Internet 20 words crawled on 08-Sep-2017 www.artificial-organs.com	1%



时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☐ 包括专利☐ 包含引用☒ 创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

Oral phosphate binders in patients with kidney failure

M Tonelli, N Pannu, B Manns - New England Journal of Medicine, 2010 - Mass Medical Soc

... safety profiles,67 although sevelamer has been associated with a slightly higher serum bicarbonate level (1,43 mmol ... However, careful monitoring of serum magnesium levels is required (perhaps in conjunction with a ... the initial goal of therapy should be to reduce the level until it ...

☆ 99 被引用次数：329 相关文章 所有 15 个版本

[PDF] semanticscholar.org

Efficacy and safety of sucroferric oxyhydroxide compared with sevelamer hydrochloride in Japanese haemodialysis patients with hyperphosphataemia: A randomized ...

F Koiwa, K Yokoyama, M Fukagawa, A Terao... - ..., 2017 - Wiley Online Library

... clinical laboratory tests, increasing trends in serum ferritin, TSAT, and haemoglobin levels were observed ... clinical studies[15] of PA21 confirmed that the iron absorption level was consistently ... condition due to renal dysfunction.[19] In this study, the bicarbonate ion concentration ...

☆ 99 被引用次数：14 相关文章 所有 7 个版本

[PDF] wiley.com

[HTML] ... , crossover design study of sevelamer carbonate powder and sevelamer hydrochloride tablets in chronic kidney disease patients on haemodialysis

S Fan, C Ross, S Mitra, P Kalra, J Heaton... - Nephrology Dialysis ..., 2009 - academic.oup.com

... of sevelamer hydrochloride, if necessary, to keep serum phosphorus levels within a ... The patients' haemodialysis prescription regarding dialysate bicarbonate, calcium concentrations and treatment time ... phosphorus product and lipids between treatment regimens at the 5% level ...

☆ 99 被引用次数：51 相关文章 所有 13 个版本

[HTML] oup.com

Randomized crossover study of the efficacy and safety of sevelamer hydrochloride and lanthanum carbonate in Japanese patients undergoing hemodialysis

resis and Dialysis, 2012 - Wiley Online Library

[全部](#)[图片](#)[购物](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 1,430 条结果 (用时 0.41 秒)

Google 学术 : Bicarbonate levels in hemodialysis patients switching from lanthanum carbonate to sucroferric oxyhydroxide

Oral phosphate binders in patients with kidney failure - Tonelli - 被引用次数 : 329

Efficacy and safety of sucroferric oxyhydroxide ... - Koiwa - 被引用次数 : 14

... in chronic kidney disease patients on haemodialysis - Fan - 被引用次数 : 51

American Society of Nephrology | Kidney Week - Abstract Details

<https://www.asn-online.org/education/kidneyweek/.../program-abstract.aspx?...> ▼ 翻译此页

Evaluation of Blood Bicarbonate Levels and Gas Analysis in Hemodialysis Patients Who Switch from Lanthanum Carbonate to Sucroferric Oxyhydroxide.

[PDF] Phosphate Binders Review - Idaho Department of Health and Welfare

<https://healthandwelfare.idaho.gov/LinkClick.aspx?fileticket...tabid...> ▼ 翻译此页

2017年11月7日 - phosphorus in patients ≥ 6 years of age with CKD on dialysis sevelamer hydrochloride ... patient's corrected serum calcium level and serum phosphorus level. ... Sucroferric oxyhydroxide (Velphoro) and ferric citrate (Auryxia) were not ... Another phosphate-binding agent is lanthanum carbonate (Fosrenol).

An Update on Phosphate Binders - Journal of Renal Nutrition

[https://www.jrnjournal.org/article/S1051-2276\(16\)00010-8/pdf](https://www.jrnjournal.org/article/S1051-2276(16)00010-8/pdf) - 翻译此页

作者 : L Gutekunst - 2016 - 被引用次数 : 7 - 相关文章

Control of serum phosphorus (PO₄) has been long recognized as a goal in the ... agement in chronic kidney disease patients receiving dialysis and provide a ... Calcium-based binders (calcium bicarbonate ... change carbonate, acetate, oxyhydroxide, and citrate to ... (lanthanum, sucroferric oxyhydroxide, and ferric citrate),.

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 1,690 条结果 (用时 0.71 秒)

American Society of Nephrology | Kidney Week - Abstract Details

<https://www.asn-online.org/education/kidneyweek/.../program-abstract.aspx?...> - 翻译此页

Evaluation of Blood Bicarbonate Levels and Gas Analysis in Hemodialysis Patients Who Switch from Lanthanum Carbonate to Sucroferic Oxyhydroxide.

[PDF] Pharmacotherapy in chronic kidney disease hyperphosphatemia ...

bulletin.mfd.org.mk/volumes/Volume%2063_1/63_1_002.pdf ▼ 翻译此页

作者: D Dzingarski

Hyperphosphatemia (HP) in patients with chronic kidney disease (CKD) leads ... formed meta-analysis has shown that the mean global prev- ... Patients on hemodialysis (HD) with a Pi level above the Lanthanum carbonate ... Sucroferic oxyhydroxide Ferric citrate In contrast to Al, La does not seem to cross the blood-

Evaluation of calcium acetate/magnesium carbonate ... - Oxford Journals

<https://academic.oup.com/ndt/article/25/11/3707/1903883> - 翻译此页

作者: ALM de Francisco - 2010 - 被引用次数: 132 - 相关文章

2010年6月7日 - After a phosphate binder washout period, 255 patients were randomized in a Blood gas analyser measurements were taken at the bedside; ...

Evaluation of calcium acetate/magnesium carbonate ... - ResearchGate

https://www.researchgate.net/.../44656236_Evaluation_of_calcium_acetatem... - 翻译此页

2017年12月15日 - There was no change in ionized calcium; there was minimal levels have been associated in dialysis patients with ben- Blood gas analyser and safety of lanthanum carbonate in hyperphosphatemia: a On the other hand, ironcontaining phosphate binders such as sucroferic oxyhydroxide and ...