

**Name of Journal:** *World Journal of Hepatology*

**Manuscript NO:** 39969

**Manuscript Type:** ORIGINAL ARTICLE

*Observational Study*

**While one in five hepatocellular carcinoma patients in the United States are hispanic, less than 40% were eligible for liver transplantation**

Robinson A *et al.* Hepatocellular carcinoma in hispanics

Ann Robinson, Ajay Ohri, Benny Liu, Taft Bhuket, Robert J Wong

**Abstract**

**AIM**

To evaluate trends and disparities in hepatocellular carcinoma (HCC) outcomes among Hispanic patients in the United States with a focus on tumor stage at diagnosis.

Match Overview

1	<b>Internet</b> 136 words crawled on 20-Nov-2017 <a href="http://onlinelibrary.wiley.com">onlinelibrary.wiley.com</a>	4%
2	<b>Crossref</b> 37 words Johnathan Ha, Melissa Yan, Maria Aguilar, Michele M. Tan a, Benny Liu, Catherine T. Frenette, Taft Bhuket, Robert J.	1%
3	<b>Crossref</b> 36 words "Posters Thursday, 14 April 2016", <i>Journal of Hepatology</i> , 2016.	1%
4	<b>Crossref</b> 17 words "Oral Abstracts (Abstracts 1-263)", <i>Hepatology</i> , 2017	<1%



文章

找到约 2,990 条结果 (用时0.21秒)

- 时间不限
- 2018以来
- 2017以来
- 2014以来
- 自定义范围...

- 按相关性排序
- 按日期排序

- 不限语言
- 中文网页
- 简体中文网页

- 包括专利
- 包含引用

创建快讯



小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

[HTML] ... of recurrence after resection of small **hepatocellular carcinoma** in **patients** with preserved **liver** function: implications for a strategy of salvage **transplantation**

[HTML] nih.gov

RTP Poon, ST Fan, CM Lo, CL Liu, J Wong - Annals of surgery, 2002 - ncbi.nlm.nih.gov  
 ... amenable to re-resection because of unfavorable **tumor** location, presence of more **than one** lesion, or ... be practicable if the growth of intrahepatic recurrence can be controlled **while** waiting for ...  
 1. El-Serag HB, Mason C. Rising incidence of **hepatocellular carcinoma** in the **United** ...

☆ 99 被引用次数：764 相关文章 所有 10 个版本

[HTML] Phase II trial evaluating the clinical and biologic effects of bevacizumab in unresectable **hepatocellular carcinoma**

[HTML] nih.gov

AB Siegel, El Cohen, A Ocean, D Lehrer... - Journal of clinical ..., 2008 - ncbi.nlm.nih.gov  
 ... 14 **Eight** consecutive **patients** enrolled at **one** site (Mt ... in 13 of 18 assessable lesions, and could not be calculated in three lesions (that had completely resolved **during** therapy) ... with an increase noted in **five** of six **patients** at time of progression (baseline: mean SDF-1, 4,389 pg ...

☆ 99 被引用次数：432 相关文章 所有 7 个版本

[HTML] Diabetes increases the risk of **hepatocellular carcinoma** in the **United States**: a population based case control study

[HTML] bmj.com

JÁ Davila, RO Morgan, Y Shaib, KA McGlynn... - Gut, 2005 - gut.bmj.com  
 ... the presence of positive histological examination supersedes all other modalities, **while** positive radiology ... of non-**cancer** controls had diabetes, as defined by diagnoses recorded **during** the three ...  
 When the definition of diabetes excluded diagnoses made only within **one** year or ...

☆ 99 被引用次数：662 相关文章 所有 16 个版本

[HTML] The prevalence of hepatitis C virus infection in the **United States**, 1999 through 2002

[HTML] annals.org

找到约 73,400 条结果 (用时 0.57 秒)

### Features of hepatocellular carcinoma in Hispanics differ from African ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5340994/>  翻译此页

作者: NK Venepalli - 2017 - 被引用次数: 1 - 相关文章

2017年3月8日 - One hundred and ninety-five patients with HCC were identified: ... Hispanic patients with HCC had shorter OS than the other racial ..... and were less likely to receive liver transplantation (35.3% vs 71%,  $P = 0.0165$ ) compared to Whites. .... chronic liver disease in the United States[38-40] and is increasingly ...

### Liver Transplantation Criteria For Hepatocellular Carcinoma Should ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1959350/>  翻译此页

作者: JP Duffy - 2007 - 被引用次数: 408 - 相关文章

Outcomes were compared for patients who met Milan criteria (single tumor  $\leq 5$  cm, ... The incidence of hepatocellular carcinoma (HCC) in the United States has ... regardless of treatment, with overall 5-year survival rates of 20% to 40%. ... and end-stage cirrhosis, survival without liver transplantation is often less than 1 year.

### Hepatocellular Carcinoma - The New England Journal of Medicine

<https://www.nejm.org/doi/pdf/10.1056/NEJMra1001683>  翻译此页

2011年9月22日 - Each year, hepatocellular carcinoma is diagnosed in more than ... in the United States. 1,2 Liver cancer is the fifth most common cancer in men ... 1).3 Hepatocellular carcinoma rarely occurs before the age of 40 years and ... hepatocellular carcinoma in patients with cirrhosis ranges between 5% and 30%, ...

### Hepatocellular Carcinoma | NEJM

<https://www.nejm.org/doi/full/10.1056/NEJMra1001683> - 翻译此页

Hepatocellular carcinoma rarely occurs before the age of 40 years and reaches a ... of hepatocellular

找到约 88,400 条结果 (用时 0.43 秒)

### Features of hepatocellular carcinoma in Hispanics differ from African ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5340994/>  [翻译此页](#)

作者: NK Venepalli - 2017 - 被引用次数: 1 - 相关文章

2017年3月8日 - One hundred and ninety-five patients with HCC were identified: 80.5% were male, ... While the highest prevalence rates of HCC are in Asia and Africa ... Notably, the incidence of liver cancer in Hispanic men has doubled between ... Hispanic, African American, and White patients were included in the study ...

### Liver Transplantation Criteria For Hepatocellular Carcinoma Should ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1959350/>  [翻译此页](#)

作者: JP Duffy - 2007 - 被引用次数: 408 - 相关文章

Outcomes were compared for patients who met Milan criteria (single tumor  $\leq 5$  cm, ... The incidence of hepatocellular carcinoma (HCC) in the United States has ... end-stage cirrhosis, survival without liver transplantation is often less than 1 year. ... 173 tumors (37%) were within Milan criteria, 185 (40%) were beyond Milan ...

### Surveillance for hepatocellular carcinoma: in whom and how?

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3036965/>  [翻译此页](#)

作者: HB El-Serag - 2011 - 被引用次数: 79 - 相关文章

Hepatocellular carcinoma (HCC) accounts for 85–90% of all primary liver cancer. ... Survival is poor in most patients with HCC (5-year survival less than 5%) except in ... In a recent US study, AFP was found to be more sensitive than DCP and ... been reported as cost-effective in transplant-eligible patients [Arguedas et al.

### Disparities in liver cancer occurrence in the United States by race ...

<https://onlinelibrary.wiley.com/doi/full/10.3322/caac.21402> [翻译此页](#)