

4
Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 40017

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Percutaneous transhepatic extraction and balloon dilation for simultaneous gallbladder stones and common bile duct stones: A novel technique

Bin Liu, De-Shun Wu, Pi-Kun Cao, Yong-Zheng Wang, Wu-Jie Wang, Wei Wang, Hai-Yang Chang, Dong Li, Xiao Li, Yancu Hertzanu, Yu-Liang Li

Abstract

AIM

To evaluate the clinical efficacy and safety of an innovative percutaneous transhepatic extraction and balloon dilation (PTEBD) technique for clearance

Match Overview

1	Internet 44 words crawled on 08-Jan-2014 www.science.gov	2%
2	Internet 27 words crawled on 05-Apr-2010 www.ptolemy.ca	1%
3	Crossref 14 words Patrone, Lorenzo, Aneeta Parthipun, Athanasios Diaman topoulos, Francesco Pinna, Alessandro Valdata, Irfan Ah	1%
4	Internet 14 words crawled on 05-Oct-2017 real.mtak.hu	1%
5	Internet 12 words crawled on 17-Oct-2016 connection.ebscohost.com	<1%
6	Internet 12 words crawled on 15-May-2018 pure.uva.nl	<1%
7	Internet 12 words crawled on 09-Apr-2016 www.wjgnet.com	<1%

[全部](#)[图片](#)[视频](#)[地图](#)[新闻](#)[更多](#)[设置](#)[工具](#)

找到约 7,560 条结果 (用时 0.55 秒)

Percutaneous transhepatic papilla balloon dilatation combined with a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5585522/> - 翻译此页

作者 : D Li - 2017 - [相关文章](#)

2017年9月1日 - Percutaneous transhepatic papilla balloon dilatation combined with a ... for removing concurrent gallbladder stone and common bile duct stone in a patient with ... Stones in the gallbladder and common bile duct were subsequently ... treatment for GB stones, with endoscopic stone extraction combined with ...

A Novel Technique of Percutaneous Stone Extraction ... - ResearchGate

https://www.researchgate.net/.../236601975_A_Novel_Technique_of_Percut... - 翻译此页

Full-Text Paper (PDF): A Novel Technique of Percutaneous Stone Extraction in ... Results: Common bile duct stones were successfully removed in 22 of the 25 patients (88%) by this ... Conclusions: Percutaneous common bile duct stone extraction via the cystic duct ... balloon dilation (EPBD), are the standard therapeutic.

Various Techniques for the Surgical Treatment of Common Bile Duct ...

<https://www.hindawi.com/journals/grp/2009/840208/> - 翻译此页

作者 : A Shojaiepard - 2009 - 被引用次数 : 82 - [相关文章](#)

2009年5月25日 - Common bile duct stones (CBDSs) may occur in up to 3%–14.7% of all patients ... PTC: Percutaneous transhepatic catheter drainage, TC-CBDE: Transcystic ... by secondary bile duct stones that have descended from the gallbladder [6]. Other novel transcystic approaches include balloon dilatation of the ...

A review of treatment options for bile duct stones: Expert Review of ...

<https://www.tandfonline.com/doi/full/10.1080/17474124.2016.1212658?...> - 翻译此页

2016年8月8日 - For difficult common bile duct stones (CBDS), various endoscopic ... to select the temporary biliary stenting or percutaneous transhepatic cholangiodrainage as an option. ... and balloon enteroscopic techniques have been developed. with conservative treatment or endoscopic stone extraction followed ...

ERCP E-Book - 第 134 页 - Google 图书结果

<https://books.google.com/books?isbn=1455723835> - 翻译此页

Todd H. Baron, Richard A. Kozarek, David Leslie Carr-Locke - 2012 - Medical

A percutaneous transhepatic tract is established with placement of a 7 Fr ... In cases where there is a long afferent loop, this technique allows one to pull the tip of ... Compared with ES, endoscopic balloon dilation (EPBD), full dilation of the bile duct is achieved in patients with ...

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 16,000 条结果 (用时 0.54 秒)

Percutaneous transhepatic papilla balloon dilatation combine ...

https://journals.lww.com/.../Percutaneous_transhepatic_papilla_balloon.52.as... - 翻译此页

作者 : D Li - 2017 - [相关文章](#)

Percutaneous transhepatic papilla balloon dilatation combined with a percutaneous ... Stones in the gallbladder and common bile duct were subsequently removed concurrently via ... approach as a 1-step procedure for removal of concurrent GB and CBD stones. The technique was first reported by Staritz et al in 1983.

Percutaneous transhepatic papilla balloon dilatation combined with a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5585522/> - 翻译此页

作者 : D Li - 2017 - [相关文章](#)

2017年9月1日 - Stones in the gallbladder and common bile duct were subsequently ... a 1-step procedure for removal of concurrent GB and CBD stones. The technique was first reported by Staritz et al in 1983. Clinical study of percutaneous transhepatic balloon dilation: a novel procedure for common bile duct stone.

Percutaneous transhepatic removal of bile duct stones: results of 261 ...

<https://www.ncbi.nlm.nih.gov/pubmed/21638145> ▼ 翻译此页

作者 : N Ozcan - 2012 - 被引用次数 : 38 - [相关文章](#)

2011年6月3日 - Percutaneous transhepatic removal of bile duct stones: results of 261 ...

Percutaneous transhepatic balloon dilation of the papilla of Vater was ...

缺少字词 : simultaneous gallbladder novel technique

[PDF] Percutaneous transcystic balloon dilation for common bile duct stone...

[https://www.hpbonline.org/article/S1365-182X\(17\)31089-4/pdf](https://www.hpbonline.org/article/S1365-182X(17)31089-4/pdf) ▼ 翻译此页

作者 : W Wang - 2018 - [相关文章](#)

Percutaneous transcystic balloon dilation for common bile duct stone removal in high-surgical-risk patients with neous transhepatic gallbladder drainage under ultrasound. Staged stone

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 13,800 条结果 (用时 0.53 秒)

Percutaneous transhepatic papilla balloon dilatation combine ...

https://journals.lww.com/.../Percutaneous_transhepatic_papilla_balloon.52.as... - 翻译此页

作者: D Li - 2017 - 相关文章

Percutaneous transhepatic papilla balloon dilatation combined with a percutaneous ... Stones in the gallbladder and common bile duct were subsequently removed concurrently via ... approach as a 1-step procedure for removal of concurrent GB and CBD stones. The technique was first reported by Staritz et al in 1983.

Percutaneous transhepatic papilla balloon dilatation combined with a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5585522/> - 翻译此页

作者: D Li - 2017 - 相关文章

2017年9月1日 - Stones in the gallbladder and common bile duct were subsequently ... a 1-step procedure for removal of concurrent GB and CBD stones. The technique was first reported by Staritz et al in 1983. Clinical study of percutaneous transhepatic balloon dilation: a novel procedure for common bile duct stone.

Percutaneous transhepatic removal of bile duct stones: results of 261 ...

<https://www.ncbi.nlm.nih.gov/pubmed/21638145> ▼ 翻译此页

作者: N Ozcan - 2012 - 被引用次数: 38 - 相关文章

2011年6月3日 - Percutaneous transhepatic removal of bile duct stones: results of 261 ... Percutaneous transhepatic balloon dilation of the papilla of Vater was ...

缺少字词: simultaneous gallbladder novel technique

[PDF] Percutaneous transcystic balloon dilation for common bile duct stone...

[https://www.hpbonline.org/article/S1365-182X\(17\)31089-4/pdf](https://www.hpbonline.org/article/S1365-182X(17)31089-4/pdf) ▼ 翻译此页

作者: W Wang - 2018 - 相关文章

Percutaneous transcystic balloon dilation for common bile duct stone removal in high-surgical-risk patients with ... neous transhepatic gallbladder drainage under ultrasound. Staged ... stone extraction are endoscopic or surgical techniques, but oc- study of percutaneous transhepatic balloon dilation: a novel proced-

缺少字词: simultaneous